Status	Finished
Started	Thursday, 1 October 2026, 3:46 PM
Completed	Thursday, 1 October 2026, 3:53 PM
Duration	7 mins 18 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9

Question **2**

Correct

Mark 1.00 out of 1.00

Dictionaries in python are _____.

- a. Both Mutable data type and Mapping data type ✓
- b. Non-Mutable data type
- c. Mapping data type
- d. Mutable data type

Question **3**

Correct

Mark 1.00 out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

- a. It will merge all the elements of dictionary 'D2' in dictionary 'D1'. ✓
- b. None of the mentioned
- c. It will merge all the elements of dictionary 'D1' in dictionary 'D2'.
- d. It will create a new dictionary.

Question **4**

Correct

Mark 1.00 out of 1.00

The key-value pair in dictionary is called _____.

- a. paired value
- b. pair item
- c. value
- d. item ✓

Question **5**

Correct

Mark 1.00 out of 1.00

Suppose d = {“john”:40, “peter”:45}, to delete the entry for “john” what command do we use?

a. del d(“john”:40)

b. d.delete(“john”)

c. del d[“john”] ✓

d. d.delete(“john”:40)

Question **6**

Correct

Mark 1.00 out of 1.00

Key – value concept is in _____.

a. List

b. Tuple

c. Dictionary ✓

d. String

Question **7**

Correct

Mark 1.00 out of 1.00

_____ function returns the value corresponding to the key passed as the argument.

a. del

b. get ✓

c. update

d. values

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?

```
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)
```

a. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}

b. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓

c. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]

d. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]

Question **9**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same values with different keys. ✓

b. A dictionary can have two same keys or same values but cannot have two same key-value pair

c. A python, a dictionary can neither have two same keys nor two same values.

d. A dictionary can have two same keys with different values.

Question **10**

Correct

Mark 1.00 out of 1.00

Traversing a dictionary can be done using _____.

a. jump statement
b. None of the mentioned
c. loop ✓
d. if statement

Question **11**

Correct

Mark 1.00 out of 1.00

Keys in dictionary are _____.

a. Mutable
b. Immutable ✓
c. integers
d. antique

Question **12**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

a. ['Janice', 'Emily', 'John']

b. ['Emily', 'John', 'Erik'] ✓

c. ['Janice', 'John', 'Erik']

d. ['Janice', 'Emily', 'John', 'Eleanor']

Question **13**

Correct

Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.get)

b. print(A.Items) ✓

c. print(A.keys)

d. print(A.values)

Question **14**

Correct

Mark 1.00 out of 1.00

Which function/statement delete the dictionary from the memory?

a. delete
b. del ✓
c. clear
d. pop

Question **15**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

a. D1.values(7)
b. D1.get(7) ✓
c. D1.pop(7)
d. D1.disp(7)