Status	Finished
Started	Tuesday, 13 October 2026, 9:36 AM
Completed	Tuesday, 13 October 2026, 9:45 AM
Duration	8 mins 54 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which method is used to write data to a file?

a. append()

b. write() ✓

c. insert()

d. read()

The correct answer is: write()

Question **2**

Correct

Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

a. Using the readlines() method
b. Using the read() method
c. Using a for loop ✓
d. Using the readline() method

The correct answer is: Using a for loop

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

a. r
b. w
c. a
d. r+ ✓

The correct answer is: r+

Question **4**

Correct

Mark 1.00 out of 1.00

What does the mode attribute of a file object indicate?

a. The current position of the file cursor
b. The access mode in which the file was opened ✓
c. The name of the file
d. The size of the file

The correct answer is: The access mode in which the file was opened

Question **5**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

a. rw+ ✓
b. r
c. ab+
d. wb+

The correct answer is: rw+

Question **6**

Correct

Mark 1.00 out of 1.00

What does the following code do?

fo = open("foo.txt", "w")

a. Opens an existing file in read mode

b. Creates a new file for writing ✓

c. Opens a file in binary mode

d. Appends to an existing file

The correct answer is: Creates a new file for writing

Question **7**

Correct

Mark 1.00 out of 1.00

What is the use of seek() method in files?

a. sets the file's current position within the file

b. sets the file's previous position at the offset

c. sets the file's current position at the offset ✓

d. none of the mentioned

The correct answer is:
sets the file's current position at the offset

Question **8**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The buffer size
b. The size of the file
c. The encoding format of the file ✓
d. The mode of the file

The correct answer is: The encoding format of the file

Question **9**

Correct

Mark 1.00 out of 1.00

What is the result of the following code?

```
with open("example.txt", "r") as f:
    data = f.read()
print(data)
```

a. Prints each line of the file
b. Prints the entire content of the file ✓
c. Prints the first 10 characters of the file
d. Prints an error message

The correct answer is: Prints the entire content of the file

Question **10**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

a. readlist()
b. readline()
c. readlines() ✓
d. read()

The correct answer is: readlines()

Question **11**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

True ✓
False

The correct answer is 'True'.

Question **12**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. The operation is ignored
b. An empty file object is returned
c. An error is raised ✓
d. A new file is created

The correct answer is: An error is raised

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

a. readline(size)
b. readline() ✓
c. readlines()
d. read()

The correct answer is: readline()

Question **14**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use _____

a. outfile = open(file = “c:\\scores.txt”, “w”)

b. outfile = open(file = “c:\scores.txt”, “w”)

c. outfile = open(“c:\scores.txt”, “w”)

d. outfile = open(“c:\\scores.txt”, “w”) ✓

The correct answer is:
outfile = open(“c:\\scores.txt”, “w”)

Question **15**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

- a. garbage
- b. 2
- c. null
- d. 1
- e. 0 ✓

The correct answer is:
0