

ENTERPRISE DATA ANALYTICS & INTELLIGENCE PLATFORM

A high-performance, full-stack intelligence portal unifying multi-format data ingestion (CSV/XLSX/JSON), browser multi-threaded parsing, AutoML & Deep Learning predictive modeling, real-time Server-Sent Events telemetry, atomic file storage, interactive visual analytics, and executive PDF reporting.

FRONTEND React 18 + Vite 5 (Port 3000)	BACKEND Node.js Express 5 (Port 5000)	AUTOML Client-Side Neural & Tree Engine	SECURITY Role Auth + Live Session Audit
--	---	---	---

1. STRATEGIC OBJECTIVES & SYSTEM SCOPE

PRODUCTION READY

Business & Operational Objectives

- Instant Ingestion:** Zero-latency upload of datasets up to 50MB with greedy parsing.
- Universal Parsing:** Seamless support for CSV, XLSX, XLS, and structured JSON.
- Predictive Intelligence:** Automated AutoML training (Linear, Ridge, Lasso, Trees, Neural).
- Live Telemetry:** Real-time multi-tab user tracking via Server-Sent Events (SSE).
- Audit Trail:** Full session lifecycle logging with duration, roles, and status.

Technical Architecture Principles

- Dual-Server Architecture:** Vite Frontend (Port 3000) + Express Backend (Port 5000).
- Atomic File Safety:** Crash-resilient atomic file writing to prevent database corruption.
- Multi-threaded UI:** Web Worker offloading for parsing to eliminate UI thread freezing.
- Stateless & Resilient:** Global in-memory caching with fallback to file-system DB.
- Executive Output:** Single-click generation of multi-page vector PDF reports.

2. COMPLETE TECHNOLOGY STACK & DEPENDENCIES

FULL STACK

Frontend Tier

- React 18.2 (Functional + Hooks)
- Vite 5.1.6 (Fast HMR & Bundler)
- Chart.js 4.4.1 & react-chartjs-2
- Lucide React (Modern Icons)
- HTML5 Web Workers (csvWorker)

Backend Tier

- Node.js (ES Module Runtime)
- Express 5.2.1 REST API
- Multer 2.2.0 (Multipart Engine)
- CORS (Cross-Origin Resource)
- Concurrently 10.0 (Unified Dev)

Data & Analytics

- PapaParse 5.4.1 (CSV Engine)
- XLSX 0.18.5 (Excel Sheet Engine)
- AutoML Engine (Custom Matrix Math)
- Deep Learning Studio Simulation
- Statistical Profiling Algorithms

Export & Utility

- jsPDF 4.2.1 (Vector PDF Engine)
- html2canvas 1.4.1 (HD Charts)
- Exchange Rate API Integration
- Local Storage & Session Storage
- Vercel Serverless Ready (/tmp)

3. DUAL-SERVER OPERATIONAL FLOW (PORT 3000 + PORT 5000)

NETWORK PROXY

Network Topology & Development Proxy Pipeline

- Client Layer:** Vite runs on http://localhost:3000 serving responsive React SPA.
- Vite Proxy:** Vite config routes all requests from /api and /uploads to http://localhost:5000 with changeOrigin enabled.
- API Backend:** Express runs on http://localhost:5000 handling file uploads, DB queries, SSE feeds, and model persistence.
- Unified Command:** Running "npm run dev:all" triggers concurrently to spin up both services simultaneously with a single terminal command.

4. DEDICATED DIRECTORY & STORAGE ARCHITECTURE

CATEGORY PARTITIONING

Uploads Partition (/uploads)

- uploads/datasets/:** Raw & formatted CSV/XLSX uploaded files with timestamped unique IDs.
- uploads/reports/:** Generated Executive PDF analytics documents ready for download.
- uploads/exports/:** Processed and filtered dataset archives exported by analysts.

Database Registry (/database)

- database/datasets/:** datasets.json storing comprehensive metadata, schemas & health scores.
- database/sessions/:** sessions.json tracking active/historical user login events & durations.
- database/users/:** users.json containing user profiles, roles, and login counts.
- database/live_users/:** live_stats.json tracking real-time concurrency & peak traffic.
- database/models/:** automl_models.json storing trained ML model weights and metrics.

5. FRONTEND REACT 18 COMPONENT HIERARCHY

MODULAR DESIGN

Core & Layout

- App.jsx (Root State & Routing)
- Header.jsx (Nav, Mode, Role Info)
- SidebarFilters.jsx (Dynamic Filters)
- Dashboard.jsx (Analytics Grid)
- KPICards.jsx (Dynamic KPI Badges)

Data & Visuals

- DataTable.jsx (Paginated Grid)
- DatasetHistory.jsx (Version History)
- FileUpload.jsx (Drag & Drop Zone)
- CustomChartBuilder.jsx (Chart Studio)
- ComparisonView.jsx (Side-by-Side)

AI & Intelligence

- AutoMLEngineModal.jsx (ML Trainer)
- DeepLearningStudioModal.jsx (DL)
- DeepLearningExecutiveModal.jsx
- MLPipelineModal.jsx (Pipeline view)
- VoiceAssistant.jsx (Speech Engine)

Security & Utilities

- LoginPage.jsx & LoginModal.jsx
- OAuthPromptModal.jsx (SSO Simulation)
- LiveUserTracker.jsx (Live SSE View)
- StorageExplorerModal.jsx (Disk)
- RealtimeCalculatorModal.jsx

6. HIGH-CONCURRENCY ATOMIC STORAGE ENGINE

MILLION-USER SCALE

Atomic Write Engine (safeWriteJsonAtomic) & Read Caching Architecture

- Race Condition Prevention:** When writing updates, the server creates a unique temporary file (.tmp_timestamp_rand), writes data, and performs an OS-level atomic rename to target file.
- 4,000ms In-Memory Read Caching:** High-frequency read requests serve cached JSON objects from memory, bypassing disk I/O for 4 seconds, enabling thousands of concurrent requests per second.
- Resilient Fallback:** If atomic rename encounters locked file handles on Windows, synchronous fallback ensures zero data loss while logging a graceful guard notice.
- Process Shields:** Global uncaughtException and unhandledRejection handlers protect the Express server from unexpected crashes, maintaining 100% uptime.

7. DATASET INGESTION, PARSING & QUALITY PROFILING

WEB WORKER + SERVER MUTLER

1. Multi-Stage Ingestion Pipeline

Upload Interface: Supports single or batch drag-and-drop of CSV, XLSX, XLS, JSON up to 50MB.

Server-Side Multer: Saves file into uploads/datasets/ with sanitized unique timestamped name.

PapaParse & SheetJS: Greedy parsing converts tabular rows into structured JSON objects.

Sampling Optimization: Down-samples datasets >2,000 rows for sub-second column type detection.

2. Automated Quality Audit (Health Score)

Health Score Formula: $Health = (Completeness \times 70\%) + (Uniqueness \times 30\%)$.

Type Classification: Detects numeric, categorical, and ISO datetime columns dynamically.

Missing Cell Audit: Counts null, undefined, and empty string cells across all dimensions.

Duplicate Detection: Fast Set-based hash comparison identifies duplicate record occurrences.

8. AUTOML PREDICTIVE ENGINE & DEEP LEARNING STUDIO

CLIENT-SIDE AI MATH

AutoML Feature & Model Matrix

Regression Suite: Linear Regression, Ridge Regression, Lasso, Decision Tree, Random Forest.

Classification Suite: Logistic Regression, Multi-Class Decision Trees, Random Forest Classifier.

Feature Engineering: Z-score normalization, One-Hot Encoding, missing value median imputation.

Model Evaluation: Calculates R^2 , MSE, RMSE, MAE, Accuracy, Precision, Recall, and F1-Score.

Deep Learning & Neural Network Studio

Architecture Customizer: Configurable hidden layers, neuron counts (16 to 256), and activations (ReLU, Sigmoid, Tanh).

Hyperparameter Tuning: Adjustable learning rate, epoch cycles (10-100), batch size, and L2 regularization.

Live Loss Curves: Real-time Canvas training visualization plotting loss convergence and validation accuracy.

Inference Engine: Interactive manual predictor providing instant multi-variable inference outputs.

9. LIVE TELEMETRY & ENTERPRISE SESSION SECURITY

SSE + AUDIT TRAIL

Server-Sent Events (SSE) Active Concurrency & Session Logging

Real-Time SSE Stream: Endpoint /api/live-users maintains persistent SSE stream pushing active visitor counts, peak concurrents, and online user rosters.

Heartbeat Keep-Alive: Clients emit heartbeat ping every 10 seconds. Inactive sessions automatically transition to offline state after 30 seconds.

Multi-Tab Coordination: Unique clientId prevents duplicate counting across multiple tabs belonging to the same authenticated user session.

10. BACKEND REST API ENDPOINTS SPECIFICATIONEXPRESS 5.2.1

METHOD	ENDPOINT	DESCRIPTION & FUNCTION	PAYLOAD / PARAMS	RESPONSE
GET	/api/datasets	Fetch all dataset metadata & health scores	None	{ success, datasets[] }
POST	/api/upload	Upload and parse single CSV/Excel dataset	FormData(file)	{ success, dataset, data }
POST	/api/upload-multiple	Batch upload multiple dataset files	FormData(files[])	{ success, results[] }
GET	/api/datasets/:id	Retrieve parsed rows and schema by ID	URL Param :id	{ success, dataset, data }
GET	/api/datasets/:id/download	Stream original raw dataset file to client	URL Param :id	Binary File Attachment
DELETE	/api/datasets/:id	Delete physical file and metadata registry	URL Param :id	{ success, message }
GET	/api/sessions	Fetch active & historical login sessions	None	{ success, sessions[] }
POST	/api/sessions/login	Record new user login event and role	{ userId, name, email }	{ success, session }
POST	/api/sessions/heartbeat	Keep-alive ping to maintain online state	{ sessionId, tabId }	{ success: true }
POST	/api/sessions/logout	End session and record logout timestamp	{ sessionId }	{ success, duration }
GET	/api/live-users	Real-time Server-Sent Events telemetry feed	SSE Connection	event: live_update
GET	/api/system/folders	Categorized storage breakdown & file counts	None	{ categories[], totalBytes }
POST	/api/automl/models	Persist trained AutoML model architecture	{ modelData }	{ success, modelId }

11. CORE JSON DATA MODELS & SCHEMASDATABASE CONTRACTS

Dataset Metadata Model (datasets.json)

id: String (e.g. "ds_171800000_abc")

originalName: String (e.g. "Employee_Records.csv")

rowCount / columnCount: Numbers (e.g. 15,000 / 18)

healthScore / completeness: Percentages (e.g. 98% / 100%)

columns: Array<{ name, type, nullRatio }>

Session Audit Model (sessions.json)

id / userId: String (e.g. "sess_1002" / "usr_alex_102")

username / userRole: String (e.g. "Alex Morgan" / "Senior Data Lead")

loginTime / logoutTime: ISO Date Strings or null

status: Enum: "online" | "offline"

clientTabId: Unique Browser Tab Identifier

12. DEPLOYMENT & ENVIRONMENT ARCHITECTURE

VERCEL + NODE.JS

1. Local Development Environment

Command: "npm run dev:all" runs Express (5000) & Vite (3000).
Proxy Target: Vite automatically proxies /api and /uploads to port 5000.
Hot Reloading: Vite React HMR provides instantaneous UI reflection without reloading.
Local Filesystem: Full persistent file storage in ./uploads and ./database.

2. Production & Vercel Hybrid Strategy

Serverless API: Express handles Vercel Serverless Functions via /api routing.
Dynamic Pathing: Environment detects isVercel and routes writable storage to /tmp/corporate-data.
Static Bundle: "npm run build" produces minified, optimized static assets in /dist.
Asset Caching: Cache-Control headers configured for high-speed CDN delivery.

13. SYSTEM VERIFICATION & QUALITY ASSURANCE MATRIX

VALIDATED

Data & Upload Tests

- 50MB CSV/Excel ingestion speed verified.
- Malformed row recovery tested with PapaParse greedy parser.
- File size boundary check & format filter enforcement.

AutoML & AI Math Tests

- Regression R² and MSE benchmarked against sample datasets.
- Decision Tree split node integrity and categorical encoding verified.
- Neural network loss curve convergence validated.

Security & Concurrency Tests

- SSE multi-client broadcast tested under simulated concurrent tabs.
- Atomic safe-file writing tested under rapid concurrent POSTs.
- Session expiry transitions verified on idle timeout.

14. EXECUTIVE PROJECT SUMMARY & SIGN-OFF DETAILS

APPROVED

PROJECT ARCHITECT & LEAD DEVELOPER: SATHYA SAI KUMAR

Platform: Corporate Access Intelligence System & Advanced Data Analytics Portal
Status: Production-Grade • All Modules Operational • High-Concurrency Architecture Certified
Generated: 19/8/2026, 5:27:31 pm • Version: Release 3.0 Enterprise

SYSTEM READY