





IENG-04-009



ITEM NO.	PART NUMBER - NAME - REVISION	QTY.
1	1SMP-538-1-LID-R5	1
2	1SMP-538-2-1U-BRACKET-R6	2
3	1SMP-538-9-SLIDING-TRAY-24SC-ASSY-R6V0	1
4	WASHER M4 ISO 7089 - 4	4
5	PAN HEAD CROSS RECESS SCREW ISO 7045 - M4 x 8 - Z --- 8N	4

8		FIXED ADAPTER PLATE		SPS		ACA		CGN		30 MAR 2022				
REV NO:		DESCRIPTION				RVD BY		CHKD BY		APPD BY		DATE		
<div>UNLESS OTHERWISE SPECIFIED</div> <div>FOLLOW ISO STANDARDS.ALL DIMENSIONS ARE IN MILLIMETERS. DIMENSIONAL LIMITS APPLY BEFORE PLATING</div> <div>.13 MAX BREAK OR RADIUS ON ALL CORNERS PERMISSIBLE</div> <div>TOLERANCES</div> <div><div><div><div></div><div></div><div></div></div><div></div></div><div>X +/-0.25</div><div>X.X +/-0.1</div><div>X.XX +/-0.05</div><div>∠ ± 0.5°</div></div> <div>INNER AND OUTER DIAMETERS WITHIN .08 (FIM)</div> <div>SURFACE TEXTURE</div> <div>1.6√μm</div> <div>INTERPRET DIMENSIONS PER ISO 2768</div>				INIT		DATE		<div><div><div><div></div><div></div><div></div></div><div></div></div><div>PPC</div><div>A BROADBAND BRAND</div></div> <div>PPC TECHNOLOGIES PVT LTD, KOCHI.</div> <div>THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF PPC BROADBAND, INC., AND MAY CONTAIN PPC CONFIDENTIAL PROPRIETARY AND/OR TRADE SECRET INFORMATION AND SHALL NOT BE REPRODUCED, COPIED OR USED WITHOUT THE EXPRESS WRITTEN PERMISSION ON PPC.</div>						
		DRAWN BY		SPS		30 MAR 2022								
		CHECKED BY		ACA		30 MAR 2022								
		DESIGN APPROVAL		CGN		30 MAR 2022		PART NO.		DESCRIPTION.				
				MATERIAL:				FPSLSCSX0241B		1U SLIDING PATCH PANEL 24SCSX				
		FINISH:				SCALE		SIZE		DWG. NO.		SHEET 1 OF 1		
		POWDER COATING, FINE MATE JET BLACK RAL 9005, 80 MICRON THICKNESS				1:1		A3		FPSLSCSX0241B-B		REV.8 VER.0		




NOTE:

1. POWDER COATING COLOUR:1G=LIGHT GREY, RAL 7035;1B=JET BLACK, RAL 9005.
2. FLATNESS TOLERANCE  $\pm 0.5$  mm.
3. ALL SURFACES SHOULD BE FREE FROM SCRATCH, DENTS AND NICKS.
4. REMOVE ALL BURRS AND SHARP EDGES.
5. ALL SHARP CORNERS SHOULD BE ROUNDED TO THICKNESS OF SHEET UNLESS SPECIFIED.
6. MINIMUM BEND RELIEF IS PERMISSIBLE.
7. ALL DIMENSIONS ARE AFTER FINISHING.


SECTION AW-AW  
SCALE 1 : 3

REV NO:		DESCRIPTION		RVD BY	CHKD BY	APPD BY	DATE
UNLESS OTHERWISE SPECIFIED			INIT	DATE			
FOLLOW ISO STANDARDS.ALL DIMENSIONS ARE IN MILLIMETERS. DIMENSIONAL LIMITS APPLY BEFORE PLATING		DRAWN BY	SPS	19 OCT 2021			
.13 MAX BREAK OR RADIUS ON ALL CORNERS PERMISSIBLE		CHECKED BY	ACA	19 OCT 2021			
TOLERANCES		DESIGN APPROVAL	ICY	19 OCT 2021			
<div><div><div></div><div></div><div></div><div></div><div></div><div></div></div><div><div></div><div></div><div></div><div></div><div></div><div></div></div></div>		MATERIAL:		PART NO.		DESCRIPTION.	
INNER AND OUTER DIAMETERS WITHIN .08 (FIM)		CRCA STEEL, THICKNESS 1.2 mm		1SMP-538-1		LID 1U SLIDING PATCH PANEL	
SURFACE TEXTURE		FINISH:		SCALE	SIZE	DWG. NO.	SHEET 1 OF 1
INTERPRET DIMENSIONS PER ISO 2768		POWDER COATING, FINE MATTE, JET BLACK RAL 9005, 80 MICRON THICKNESS		1:3	A3	1SMP-538-1-B	REV.5 VER.0

IENG-04-009



ITEM NO.	PART NUMBER - NAME - REVISION	QTY.
1	1SMP-538-9-2-SLIDING-TRAY-24SC-R6V0	1
2	1SMP-538-10-INNER-ADAPTER-PLATE-24SCSX-ASSY-R5	1
3	CSK FLAT HEAD CROSS RECESS SCREW ISO 7046-1 - M3 x 6 - Z - 6N	4
4	NYLATCH	2

6	ADAPTER PLATE FIXED	SPS	ACA	CGN	31 MAR 2022
REV NO:	DESCRIPTION	RVD BY	CHKD BY	APPD BY	DATE
<b>UNLESS OTHERWISE SPECIFIED</b> FOLLOW ISO STANDARDS.ALL DIMENSIONS ARE IN MILLIMETERS. DIMENSIONAL LIMITS APPLY BEFORE PLATING .13 MAX BREAK OR RADIUS ON ALL CORNERS PERMISSIBLE TOLERANCES X +/-0.25 X.X +/-0.1 X.XX +/-0.05 ± 0.5° INNER AND OUTER DIAMETERS WITHIN .08 (FIM) SURFACE TEXTURE 1.6 μm INTERPRET DIMENSIONS PER ISO 2768	DRAWN BY	SPS	11 OCT 2021	<div><div>PPC TECHNOLOGIES PVT LTD, KOCHI.</div><div>THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF PPC BROADBAND, INC., AND MAY CONTAIN PPC CONFIDENTIAL PROPRIETARY AND/OR TRADE SECRET INFORMATION AND SHALL NOT BE REPRODUCED, COPIED OR USED WITHOUT THE EXPRESS WRITTEN PERMISSION ON PPC.</div></div>	
	CHECKED BY	ACA	11 OCT 2021		
	DESIGN APPROVAL	CGN	11 OCT 2021		
	MATERIAL:	CRCA STEEL, 1.2 mm THICKNESS		PART NO. 1SMP-538-9	DESCRIPTION. SLIDING TRAY 24 SC ASSY
FINISH: POWDER COATING, FINE MATE JET BLACK RAL 9005, 80 MICRON THICKNESS		SCALE 1:1	SIZE A3	DWG. NO. 1SMP-538-9-B	SHEET 1 OF 1 REV.6 VER.0