



AWS Instance (EC2)

How to create VM instance in AWS ?

Go to AWS portal sign in and search EC2.



Click on Launch instance (to create vm machine)



Click on Instance

The screenshot shows the Amazon EC2 console home page. The left sidebar contains a navigation menu with 'Instances' highlighted. The main content area features a large header for 'Amazon Elastic Compute Cloud (EC2)' with a 'Launch a virtual server' button. Below this, there are sections for 'Benefits and features', 'Use cases', 'Additional actions', 'Pricing (US)', and 'Additional resources'. The 'Instances' link in the sidebar is highlighted with a red box.

Give the name to VM machine ex. **redhat server**

And select OS type like RedHat, Windows, Mac, linux, server, etc

The screenshot shows the 'Launch an instance' page in the Amazon EC2 console. The 'Name and tags' section has a text input field containing 'redhat server', which is highlighted with a red box. The 'Application and OS Images (Amazon Machine Image)' section shows a grid of AMIs, with 'Red Hat' highlighted by a red box. The 'Summary' section on the right shows the configuration for the instance, including the number of instances (1), software image (Amazon Linux 2023 AMI), virtual server type (t3.micro), firewall (security group), and storage (1 volume(s) - 8 GiB). The 'Launch instance' button is visible at the bottom right.

Select the OS Virson

Name and tags Info

Name: Add additional tags

Application and OS Images (Amazon Machine Image) Info

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Search our full catalog including 1000s of application and OS images

Recents Quick Start

Amazon Linux macOS Ubuntu Windows Red Hat SUSE Linux Debian

Amazon Machine Image (AMI)

Amazon Linux 2023 kernel-6.1 AMI
ami-0f50f13aefb6c0a5d (64-bit (x86), uefi-preferred) / ami-03aba7d5955ac476 (64-bit (Arm), uefi)
Virtualization: hvm ENA enabled: true Root device type: ebs Free tier eligible

Description

Amazon Linux 2023 (kernel-6.1) is a modern, general purpose Linux-based OS that comes with 5 years of long term support. It is optimized for AWS and designed to provide a secure, stable and high-performance execution environment to develop and run your cloud applications.

Amazon Linux 2023 AMI 2023.9.20251117.1 x86_64 HVM kernel-6.1

Architecture	Boot mode	AMI ID	Publish Date	Username
64-bit (x86)	uefi-preferred	ami-0f50f13aefb6c0a5d	2025-11-17	ec2-user

Summary

Number of instances: 1

Software Image (AMI)
Amazon Linux 2023 AMI 2023.9.2...read more
ami-0f50f13aefb6c0a5d

Virtual server type (instance type)
t3.micro

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB

[Cancel](#) [Launch instance](#) [Preview code](#)

Confirm change to accept

Some of your current settings will be changed or removed if you proceed

Changing your AMI will result in some of your current settings being overridden.

Changes

- Your security group rules will be overridden.
- 1 custom volume(s) will be deleted.

Details

[Cancel](#) [Confirm changes](#)

Amazon Machine Image (AMI)

Red Hat Enterprise Linux 10 (HVM), SSD Volume Type
ami-08526b399b6b6eb2c7 (64-bit (x86)) / ami-09f0d4d56539b93f8f (64-bit (Arm))
Virtualization: hvm ENA enabled: true Root device type: ebs Free tier eligible

Instance type

t3.micro
Family: t3 2 vCPU 1 GiB Memory Current generation: true
On-Demand Ubuntu Pro base pricing: 0.0143 USD per Hour On-Demand Ubuntu Pro base pricing: 0.0108 USD per Hour On-Demand SUSE base pricing: 0.0108 USD per Hour On-Demand Windows base pricing: 0.02 USD per Hour

Key pair (login) Info


You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required
Select [Create new key pair](#)


Network settings Info


[Edit](#)

We have create new key pair (for security purpose)




Give the name to key pair ex:- redhat server aws &
Click on create kry pair.






After download pair key copy it in the path c/users/win10.




Click on Launch instance to create instance.

The screenshot displays the AWS Management Console interface for launching an EC2 instance. The browser address bar shows the URL: `eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:`. The console navigation bar at the top includes the AWS logo, a search bar, and the path: `EC2 > Instances > Launch an instance`. The main content area is titled "Launch an instance" and is divided into several sections. The "Firewall (security groups)" section is active, showing options to "Create security group" or "Select existing security group". Under "We'll create a new security group called 'launch-wizard-6' with the following rules:", there are three checkboxes: "Allow SSH traffic from" (checked), "Allow HTTPS traffic from the internet" (unchecked), and "Allow HTTP traffic from the internet" (unchecked). A warning box states: "Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only." The "Configure storage" section shows a configuration of 1x 10 GiB gp3 root volume, 3000 IOPS, Not encrypted. A "Launch instance" button is highlighted with a red box in the "Summary" section. The footer of the console includes links for CloudShell, Feedback, Console Mobile App, and copyright information for Amazon Web Services, Inc. or its affiliates.

Instance is processing to use.



Our VM instance is created. after that, Go to the instance tab, and check the instance.



VM instace is ready to use and it is in Running state,select the machine &cilck the box.

The screenshot shows the AWS Management Console for the EC2 service in the eu-north-1 region. The 'Instances (1/1)' table lists one instance: 'redhat server' (ID: i-041edb4ec58f8fetc) in a 'Running' state, using the 't3.micro' instance type. The instance is located in the eu-north-1a availability zone. Below the table, the 'Instance summary' for 'redhat server' is displayed, showing details such as the Instance ID, Public IPv4 address (13.60.253.233), Private IPv4 address (172.31.17.169), Public DNS (ec2-13-60-253-233.eu-north-1.compute.amazonaws.com), and Instance type (t3.micro).


Click on Connect to connect the instane.

The screenshot shows the AWS Management Console for the EC2 service in the eu-north-1 region. The 'Instances (1/1)' table lists one instance: 'redhat server' (ID: i-041edb4ec58f8fetc) in a 'Running' state, using the 't3.micro' instance type. The instance is located in the eu-north-1a availability zone. Below the table, the 'Instance summary' for 'redhat server' is displayed, showing details such as the Instance ID, Public IPv4 address (13.60.253.233), Private IPv4 address (172.31.17.169), Public DNS (ec2-13-60-253-233.eu-north-1.compute.amazonaws.com), and Instance type (t3.micro). The 'Connect' button is highlighted in a red box.


Click on SSH client to take Access

The screenshot shows the AWS Management Console interface for connecting to an EC2 instance. The browser address bar shows the URL: `eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#ConnectToInstance:instanceId=i-041edb4ec58f8f9c`. The page title is "Connect to instance | EC2 | eu-north-1". The breadcrumb navigation shows: `EC2 > Instances > i-041edb4ec58f8f9c > Connect to instance`. The main content area is titled "Connect" with a sub-header "Connect to an instance using the browser-based client." There are four tabs: "EC2 Instance Connect", "Session Manager", "SSH client" (highlighted with a red box), and "EC2 serial console". Under the "SSH client" tab, the "Instance ID" is `i-041edb4ec58f8f9c (redhat server)`. The "Connection type" section has two options: "Connect using a Public IP" (selected) and "Connect using a Private IP". Under "Connect using a Public IP", there are two sub-options: "Public IPv4 address" (selected) with the value `13.60.253.233`, and "IPv6 address" (unselected). The "Username" field is `ec2-user`. A note at the bottom states: "Note: In most cases, the default username, ec2-user, is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI username." At the bottom right, there are "Cancel" and "Connect" buttons.

Open cmd in laptop and check the pair key is in the `c:\users\win10`, and copy ssh key and paste in cmd.



Copy from here AWS portal.



After copy and paste enter it we get console of our redhat vm.

Instance details | EC2 | eu-north-1 | x | Connect to instance | EC2 | eu-north-1 | x | +

eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#ConnectToInstance:instanceId=i-041edb4ec58f8fetc

ec2-user@ip-172-31-17-169:~

```
Microsoft Windows [Version 10.0.26200.7171]
(c) Microsoft Corporation. All rights reserved.

C:\Users\WIN10>ssh -i "redhat server aws.pem" ec2-user@ec2-13-60-253-233.eu-north-1.compute.amazonaws.com
Register this system with Red Hat Insights: rhc connect

Example:
# rhc connect --activation-key <key> --organization <org>

The rhc client and Red Hat Insights will enable analytics and additional
management capabilities on your system.
View your connected systems at https://console.redhat.com/insights

You can learn more about how to register your system
using rhc at https://red.ht/registration
[ec2-user@ip-172-31-17-169 ~]$ \
```

CloudShell Feedback Console Mobile App

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Instance details | EC2 | eu-north-1 | x | Connect to instance | EC2 | eu-north-1 | x | +

eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#ConnectToInstance:instanceId=i-041edb4ec58f8fetc

ec2-user@ip-172-31-17-169:~

```
Microsoft Windows [Version 10.0.26200.7171]
(c) Microsoft Corporation. All rights reserved.

C:\Users\WIN10>ssh -i "redhat server aws.pem" ec2-user@ec2-13-60-253-233.eu-north-1.compute.amazonaws.com
Register this system with Red Hat Insights: rhc connect

Example:
# rhc connect --activation-key <key> --organization <org>

The rhc client and Red Hat Insights will enable analytics and additional
management capabilities on your system.
View your connected systems at https://console.redhat.com/insights

You can learn more about how to register your system
using rhc at https://red.ht/registration
[ec2-user@ip-172-31-17-169 ~]$ ls
[ec2-user@ip-172-31-17-169 ~]$ mkdir satish
[ec2-user@ip-172-31-17-169 ~]$ ls
satish
[ec2-user@ip-172-31-17-169 ~]$
```

CloudShell Feedback Console Mobile App

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

After that we have to stop VM Machine go to EC2 and instance.

The image shows two screenshots of the AWS Management Console. The top screenshot is the 'Console Home' page for the 'eu-north-1' region. The 'Recently visited' section on the left has a red box around the 'EC2' icon. The bottom screenshot is the 'Amazon Elastic Compute Cloud (EC2)' overview page. The left-hand navigation menu has a red box around the 'Instances' link. The main content area of the EC2 page includes a header with the title 'Amazon Elastic Compute Cloud (EC2)' and a sub-header 'Create, manage, and monitor virtual servers in the cloud.' Below this is a 'Launch a virtual server' card with buttons for 'Launch instance', 'View dashboard', and 'Get started walkthroughs'. Further down, there are sections for 'Benefits and features', 'Use cases', 'Additional actions', 'Pricing (US)', and 'Additional resources'. The 'Benefits and features' section states 'EC2 offers ultimate scalability and control' and lists features like 'Fully resizable compute capacity', 'Highest level of control of the entire technology stack', 'Widest variety of server size options', 'Widest availability of operating systems', and 'Global scalability'. The 'Use cases' section includes 'Run cloud-native and enterprise applications' and 'Scale for HPC applications'. The 'Additional actions' section includes 'View running instances' and 'Migrate a server'. The 'Pricing (US)' section includes 'EC2 pricing options', 'Use the AWS pricing calculator', and 'Manage budgets'. The 'Additional resources' section is also present.

Instance details | EC2 | eu-north-1 | Console Home | Console Home

eu-north-1.console.aws.amazon.com/console/home?region=eu-north-1

Reset to default layout + Add widgets

Recently visited

- 53
- EC2
- IAM
- Aurora and RDS
- VPC
- Support
- Athena
- Lightsail

View all services

Applications (0)

Region: Europe (Stockholm)

Select Region eu-north-1 (Current Region) Find applications

No applications
Get started by creating an application.
Create application

Go to myApplications

Welcome to AWS

Getting started with AWS
Learn the fundamentals and find valuable information to get the most out of AWS.

Training and certification
Learn from AWS experts and advance your skills and knowledge.

AWS Health

Open issues 0 Past 7 days

Scheduled changes 0 Upcoming and past 7 days

Other notifications 0 Past 7 days

Cost and usage

Data unavailable
You must have Cost Explorer enabled to view your cost and usage data.

https://eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1

Instance details | EC2 | eu-north-1 | Home | EC2 | eu-north-1

eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#Overview:

EC2

- Dashboard
- AWS Global View
- Events
- Instances
- Instance types
- Launch Templates
- Spot Requests
- Savings Plans
- Reserved Instances
- Dedicated Hosts
- Capacity Reservations
- Capacity Manager
- Images
- AMIs
- AMI Catalog
- Elastic Block Store
- Volumes
- Snapshots
- Lifecycle Manager
- Network & Security
- Security Groups
- Elastic IPs
- Placement Groups
- Key Pairs
- Network Interfaces

Compute

Amazon Elastic Compute Cloud (EC2)

Create, manage, and monitor virtual servers in the cloud.

Amazon Elastic Compute Cloud (Amazon EC2) offers the broadest and deepest compute platform, with over 600 instance types and a choice of the latest processors, storage, networking, operating systems, and purchase models to help you best match the needs of your workload.

Launch a virtual server

- Launch instance
- View dashboard
- Get started walkthroughs

Get started tutorial

Benefits and features

EC2 offers ultimate scalability and control

Fully resizable compute capacity to support virtually any workload. This service is best if you want:

- Highest level of control of the entire technology stack, allowing full integration with all AWS services
- Widest variety of server size options
- Widest availability of operating systems to choose from including Linux, Windows, and macOS
- Global scalability

Find out more about EC2

Use cases

Run cloud-native and enterprise applications

Scale for HPC applications
Access the on-demand infrastructure and capacity you

Additional actions

- View running instances
- Migrate a server

Pricing (US)

- EC2 pricing options
- Use the AWS pricing calculator
- Manage budgets

Additional resources

https://eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#Instances:

Click on the instance state & stop instance

The screenshot shows the AWS Management Console for the EC2 service in the eu-north-1 region. The 'Instances (1/1)' page is displayed, showing a single instance named 'redhat server' with ID 'i-041edb4ec58f8fec'. The instance is in the 'Running' state. The 'Instance state' dropdown menu is open, and the 'Stop instance' option is highlighted with a red box. The console also shows the instance details, including the hostname type, IP name, and private resource DNS name.

Instances (1/1)

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4 DNS	Public IPv4 ...	Elastic IP
redhat server	i-041edb4ec58f8fec	Running	t3.micro	3/3 checks passed	View alarms	eu-north-1a	ec2-13-60-253-233.eu-north-1.compute.amazonaws.com	13.60.253.233	-

i-041edb4ec58f8fec (redhat server)

Instance summary

Instance ID: i-041edb4ec58f8fec

IPv6 address: -

Hostname type: IP name: ip-172-31-17-169.eu-north-1.compute.internal

Answer private resource DNS name: IPv4 (A)

Private IP DNS name (IPv4 only): ip-172-31-17-169.eu-north-1.compute.internal

Instance type: t3.micro

Private IPv4 addresses: 172.31.17.169

Public DNS: ec2-13-60-253-233.eu-north-1.compute.amazonaws.com

Elastic IP addresses: -

Click on Stop

The screenshot shows the AWS Management Console interface. The top navigation bar includes the AWS logo, a search bar, and the user's account information (Europe (Stockholm), Account ID: 4882-3466-9292, Satisfish%20Pawar). The left sidebar shows the navigation menu with categories like EC2, Images, Elastic Block Store, and Network & Security. The main content area displays the 'Instances (1/1)' page for the 'eu-north-1' region. A table lists the instance 'redhat server' with ID 'i-041edb4ec58f8fetc', state 'Running', and type 't3.micro'. A modal dialog box titled 'Stop instance' is open, showing details for the selected instance. The dialog includes a table with columns for Instance ID, Stop protection, and Result. It also contains a warning about associated resources and a checkbox for 'Skip OS shutdown'. The 'Stop' button is highlighted with a red box.

Instances (1/1) Info

Find Instance by attribute or tag (case-sensitive) All states

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4 DNS	Public IPv4 ...	Elastic IP
redhat server	i-041edb4ec58f8fetc	Running	t3.micro	3/3 checks passed	View alarms +	eu-north-1a	ec2-13-60-253-233.eu-...	13.60.253.233	-

Stop instance

Stopping your instance allows you to reduce costs, modify settings, and troubleshoot problems.

Instance ID	Stop protection	Result
i-041edb4ec58f8fetc (redhat server)	Disabled	Can stop

Associated resources

You will continue to incur charges for these resources while the instance is stopped.

You will be billed for associated resources

After you stop the instance, you are no longer charged usage or data transfer fees for it. However, you will still be billed for associated Elastic IP addresses and EBS volumes.

Skip OS shutdown

This option skips the graceful OS shutdown process. Use only when your instance must be stopped immediately, such as during an emergency or failure.

☐ Skip OS shutdown

Cancel **Stop**