

10 new citations to your articles

Google Scholar Alerts <scholaralerts-noreply@google.com>
To: nakamoto.satoshi.b@gmail.com

Mon, Sep 28, 2026 at 1:48 PM

[HTML] Introduction: five vectors of FinTech disruption

D Hodson, P Schlosser, A Verdun - *New political economy*, 2026

ABSTRACT Financial Technologies (FinTech) such as mobile payments, blockchain and artificial intelligence are transforming financial services by powering faster payments and new forms of money in both developed and developing countries. FinTech is not only disrupting finance, we contend, but also contemporary politics by spurring divergent policy responses to cryptocurrencies, stablecoins and Central Bank Digital Currencies (CBDCs) and extending Big Tech's societal reach and ...

• Cites: Bitcoin whitepaper [↔](#)



A lightweight edge–cloud public auditing architecture with blockchain-assisted data provenance for IIoT

Y Yuan, X Mu, Y Dang, X Chen, B Gao, Z Li - *Journal of Systems Architecture*, 2026

Edge–cloud collaborative architectures have become a mainstream paradigm in Industrial Internet of Things (IIoT) systems, where massive device-generated data are outsourced to cloud platforms for storage and analysis. However, ensuring data integrity and traceable lifecycle management in such distributed environments remains a critical challenge. This paper presents a lightweight public auditing architecture with integrated consortium-blockchain-based data provenance for IIoT ...

• Cites: Bitcoin: A Peer-to-Peer Electronic Cash System [↔](#)



[HTML] Predicting perceived financial durability for cryptocurrencies by employing an integrated neural network methodology

M RL, B Kalyan - *Discover Computing*, 2026

Cryptocurrencies have garnered widespread recognition as a groundbreaking advancement in the financial sector, holding the capacity to transform traditional financial systems by facilitating quicker, more cost-effective, and more inclusive value transfers. Understanding the potential transformation of current financial frameworks by these digital assets necessitates an examination of their sustainability, making it a critical aspect to explore. Consequently, the primary aim of the study was to identify ...

• Cites: Bitcoin: A peer-to-peer electronic cash system. 2008 [↔](#)



[PDF] Toward Quantum-Safe Permissioned Blockchains: Evaluating Hybrid ML-DSA-65/ECDSA Signatures on Hyperledger Fabric

NL Quadrassi, MS Boukhryss, A Azmani, KJ Hassani - *IEEE Access*, 2026

Post-quantum migration is a critical challenge for enterprise blockchain systems that rely on classical digital signatures. Hyperledger Fabric extensively uses ECDSA for identity management, endorsement, TLS, and transaction validation, making a full infrastructure-level migration complex. This paper presents a controlled empirical evaluation of a hybrid ML-DSA-65/ECDSA signature architecture for Hyperledger Fabric. The proposed approach preserves Fabric's native ECDSA-based ...

• Cites: Bitcoin: A Peer-to-Peer Electronic Cash System [↔](#)



CryptoFormer: Multi-Currency Traffic Classification Via Two-Stage Transformer Architecture

Z Guo, Z Zhang, Y Wu, J Sun, J Liu, X Li, Y Wang... - *IEEE Transactions on ...*, 2026

Accurate identification of cryptocurrency traffic is essential for regulatory and forensic applications such as anti-money laundering, illicit transaction tracing, and protocol-

specific risk assessment. However, real-time classification remains challenging due to encryption heterogeneity across blockchain protocols and the interleaving of multiple currencies in peer-to-peer networks. To address this, we propose CryptoFormer, a Transformer-based framework for multi-currency traffic classification ...

- Cites: Bitcoin: A Peer-to-Peer Electronic Cash System [↔](#)



[PDF] Sluice: Global Invariant, Local Enforcement for Pooled Payment-Channel Liquidity

Y Wu, H Sun, P Guo, Y Zhu, Z Chen - arXiv preprint arXiv:2609.29975, 2026

A routing node on the Lightning Network holds its liquidity in separate channels, so a payment can fail at a channel whose outbound balance is exhausted while the node's other channels still hold balance. Pooling the channels into one reserve fixes this only if the node's draws across all channels stay within the reserve: a global invariant that each counterparty must enforce from its own channel, with no shared counter that off-chain draws can update. A node must therefore split the reserve into ...

- Cites: Bitcoin: A Peer-to-Peer Electronic Cash System [↔](#)



TornaLink: Toward Linking Tornado Cash Deposits to Withdrawals via DeFi Fingerprints

W Xiao, Q Wu, H Zhang, W Wu, H Lu, B Qin - International Conference on Provable ..., 2026

Blockchain systems now carry substantial crypto asset value and dense DeFi activity, increasing the forensic burden associated with public ledgers. Once an attack occurs on chain, analysis often moves from vulnerability diagnosis to tracing stolen assets; at that point, mixers such as Tornado Cash obscure direct public linkage between deposits and withdrawals and expand the candidate set sharply. Existing Tornado Cash deanonymisation methods tend to rely on low level evidence: transaction ...

- Cites: Bitcoin: a peer-to-peer electronic cash system. Whitepaper (2008) [↔](#)



TCRWal: A Threshold Collusion-Resistant Wallet for Deterministic Key Derivation

Z Li, C Wang, D Hou, Y Long, X Xu, D Gu - International Conference on Provable ..., 2026

Digital wallets play a pivotal role in cryptocurrency systems by safeguarding private keys. Deterministic wallets, such as BIP32, streamline key management through hierarchical key derivation. Specifically, BIP32 introduces two wallet types: hardened and non-hardened, emphasizing security and efficiency, respectively. To avoid the single-point-failure in deterministic wallets, threshold wallets have been proposed to distribute secret keys, thereby enhancing security. Existing work has introduced a ...

- Cites: Bitcoin: A Peer-to-Peer Electronic Cash System [↔](#)



Decoupling Network Layer Location and Transport Layer Identity for Communication Flow Privacy

GT Haywood, SN Bhatti - Future Internet, 2026

Although the tracking of a user's network location is often considered a violation of privacy, building technical guarantees of topological location privacy (and geolocation by inference) is difficult: topological location information is encoded in the Internet Protocol (IP) address, and is necessarily exposed both to endpoints and along the communication path, for correct packet forwarding. Existing defences either extend the trust boundary to a third party (eg, Virtual Private Networks (VPNs)), or ...

- Cites: Bitcoin: A peer-to-peer electronic cash system. 2008 [↔](#)



2 Kripto Para Ekosisteminin Söz Varlığında Türkçeleşme: Kripto Ekosisteminde Türkçeleşme

K Koç - YENİSEY Turkic World Journal of Social Sciences, 2026

This study examines the changes occurring in the Turkish vocabulary of the cryptocurrency ecosystem and the transformations experienced by English-derived concepts within Turkish usage. Since vocabulary continually develops through social, technological, and cultural change, cryptocurrency-related terms, slang

expressions, metaphors, abbreviations, and fixed phrases are evaluated from the perspective of Turkification. The analysis demonstrates that foreign elements are not ...

- Cites: Bitcoin: A peer-to-peer electronic cash system. bitcoin. org [↗](#)



This message was sent by Google Scholar because you're following new citations to [your profile](#).

[LIST ALERTS](#)

[CANCEL ALERT](#)