

10 new citations to your articles

1 message

Google Scholar Alerts <scholaralerts-noreply@google.com>
To: nakamoto.satoshi.b@gmail.com

Sat, Oct 3, 2026 at 11:34 PM

[HTML] Sustainable smart pharmaceutical third-party logistics supply chain with controllable waste and wastewater treatment

NA Wani, U Mishra - Alexandria Engineering Journal, 2026

Pharmaceutical and personal care products are emerging environmental contaminants, largely originating from household waste streams. Therefore, integrating the circular economy principle into pharmaceutical supply chains with waste reduction by enabling the safe collection, screening, and redistribution of unused medicines to those in need. In this study, blockchain-enabled drug recycling to enhance trust, visibility, data integrity, and its integration with green ...

• Cites: Bitcoin: A Peer-to-Peer Electronic Cash System [↔](#)



[PDF] Privacy-Preserving Cross-Chain Asset Tracking: A Threshold PSI Protocol with Real-World Exploit Validation

R Shevchuk, B Adamyk, V Benson, M Karpinski... - 2026 16th International ..., 2026

Cross-border financial investigations often face difficulties due to isolated data systems, especially when different Financial Intelligence Units (FIUs) independently track illegal funds moving across different blockchain networks. This paper presents an enhanced multi-chain t-out-of-n threshold Private Set Intersection (PSI) protocol for high-throughput, privacy-preserving jurisdictional deconfliction. Built upon Shamir's Secret Sharing over the Z_2^{127} Mersenne prime field, the proto-col ...

• Cites: Bitcoin: A Peer-to-Peer Electronic Cash System [↔](#)



Multi-Scale Cyclical Architecture of Cryptocurrency Markets: EMD–Fourier Comparative Analysis of Bitcoin and Ethereum

O Liashenko, O Dluhopolskyi, L Kolinets... - 2026 16th International ..., 2026

This paper applies a hybrid Empirical Mode Decomposition (EMD)–Fourier spectral analysis framework to compare the multi-scale cyclical structures of Bitcoin (BTC, 3652 daily observations, 2015–2024) and Ethereum (ETH, 2609 observations, 2017–2024). EMD decomposes each log-price series into intrinsic mode functions (IMFs), and subsequent Fourier analysis identifies dominant periodicities. BTC exhibits eight IMFs, with cycles spanning 6 days to 5 years, while ETH yields eight IMFs, with ...

• Cites: Bitcoin: A Peer-to-Peer Electronic Cash System [↔](#)



A Protocol for Behavioral Attestation of LLM Agent Execution via Induced Dynamics

F Buccafurri, C Licciardi, C Rosenberger - 2026 International Conference on ..., 2026

The deployment of LLM agents as remote services creates economic incentives for providers to deviate from intended execution, for example using cheaper models, cached outputs, or approximate inference. These deviations reduce cost but are hard to detect from outputs. Trusted execution environments (TEEs) ensure the integrity of the execution stack, but do not provide evidence on how outputs are generated, leaving a gap between environment integrity and execution observability. We ...

• Cites: Bitcoin: A Peer-to-Peer Electronic Cash System [↔](#)



[PDF] Participation-Adaptive Committee Consensus with Periodic Full-Stake Checkpoints: An Energy-Efficient Alternative to Proof-of-Work, with a Reproducible Energy and ...

R Gupta - 2026

Abstract Proof-of-Work (PoW) secures permissionless ledgers by making block production expensive in electricity, and its energy demand is now a first-order objection to its use. Proof-of-Stake (PoS) removes the puzzle, but the literature shows that (i) a PoS system's remaining energy is dominated by the always-on hardware of many validators rather than by the consensus rule, (ii) all-validator voting scales communication with the validator count, and (iii) fast, low-cost finality obtained from ...

• Cites: Bitcoin: A Peer-to-Peer Electronic Cash System ↔



[HTML] Memory-Driven Trust: A Unified Foundation for Self-Verifiability in Digital Infrastructure

W Jiang, Z Zheng, Z Guo, K Wang, K Wei - 2026

The Internet's critical infrastructure relies on centralized trust authorities, and their repeated failures expose a structural fragility: these systems lack self-verifiability—the property that any party relying on a claim can independently verify that event or state claim without depending on any third-party authority. Here we propose the Memory-Driven Trust Paradigm, which endows digital infrastructure with self-verifiability through verifiable memory, shifting the fundamental question of trust from " ...

• Cites: Bitcoin: A peer-to-peer electronic cash system. 2008 ↔



[PDF] A Template-Free Biometric Cryptosystem for Blockchain Private-Key Generation from Fingerprints

O Owivri, K Okokpujie, S Daramola - 2026

Private keys are the single point of failure in blockchain systems; if lost, assets are irrecoverable, and if stored, they are exposed. This paper presents a template-free biometric cryptosystem that regenerates a 256-bit private key directly from a fingerprint, storing neither the biometric template nor the key. A Siamese convolutional network trained with a two-stage composite loss produces a 1024-bit binary representation; an adaptive, margin-based binarisation with stability-aware ...

• Cites: Bitcoin: A peer-to-peer electronic cash system. 2008 ↔



[PDF] KNOB: Expanding Blockchain Benchmarking Frameworks: A Web Application

G Michoulis, M Touloupou, E Kapassa...

In recent years, many Consensus Algorithms and Blockchain networks have been proposed. All the initiatives that appeared tried to address the blockchain trilemma, by enhancing key features. Corporations and individuals that seek to integrate blockchain networks in their products want to know which Consensus Algorithm will be the best to exploit. Moreover, setting up and configuring a private deployment of blockchain networks is complex, time-consuming, and usually a difficult task for ...

• Cites: Bitcoin: A Peer-to-Peer Electronic Cash System ↔



[PDF] Termenska trgovina zlatom i bitcoinom kao robama: sličnosti i razlike

N Laco - 2026

Ovim diplomskim radom analizira se termenska trgovina zlatom i bitcoinom, s naglaskom na sličnosti i razlike između ta dva investicijska instrumenta. Terminski ugovori sudionicima tržišta omogućuju zaštitu od rizika promjene cijena, odnosno ostvarivanje profita na temelju očekivanih tržišnih kretanja. Zlato, kao tradicionalna sigurna luka, i bitcoin, kao suvremena digitalna imovina, sve se češće promatraju kroz prizmu termenske trgovine. Cilj rada je usporediti karakteristike ova dva ...

• Cites: Bitcoin: A Peer-to-Peer Electronic Cash System ↔



[PDF] Zakat on Digital Assets in Nigeria: Jurisprudential Applicability, Institutional Challenges, and a Framework for Digital Administration

SJ Abdulahi - 2026

This study examines the challenges of administering and collecting Zakat on digital assets in Nigeria, evaluates the adaptability of classical Zakat principles, identifies

institutional and technological constraints, and proposes an effective framework for improved compliance. The report focuses on the use of digital assets in Nigeria's growing financial landscape. A mixedmethods survey combines doctrinal/legal analysis with a quantitative survey, using structured questionnaires analysed in IBM ...

- Cites: Bitcoin: A Peer-to-Peer Electronic Cash System [↔](#)



This message was sent by Google Scholar because you're following new citations to [your profile](#).

[LIST ALERTS](#)

[CANCEL ALERT](#)