

10 new citations to your articles

1 message

Google Scholar Alerts <scholaralerts-noreply@google.com>
To: nakamoto.satoshi.b@gmail.com

Fri, Sep 18, 2026 at 9:41 AM

System-Level Evaluation of Distributed Ledger Architectures for Decentralized Service Management in IoT-Based P2P Energy Networks

M Naveed, AM Parimi, SS Deshmukh - IEEE Internet of Things Journal, 2026

Peer-to-peer (P2P) energy trading enables prosumers in microgrid networks to monetize surplus generation through direct exchanges with peers. The effective operation of such systems requires Decentralized Service Management (DSM), where energy trading, validation, and settlement services are coordinated without reliance on central intermediaries. These services demand adequate security, transparency, and consistency for reliable operation. To support DSM, microgrids ...

- Cites: Bitcoin: A Peer-to-Peer Electronic Cash System ↗



IPDoS: A Profitable Denial-of-Service Attack against Proof-of-Work Blockchain Liveness

J Hu, T Han, N Ruan - arXiv preprint arXiv:2609.12450, 2026

The security and liveness of Proof-of-Work (PoW) blockchains fundamentally depend on the economic rationality of miners. Existing incentive-driven denial-of-service attacks, such as BDoS, can deter rational miners from participating, but require the attacker to continuously absorb substantial economic losses and are therefore difficult to sustain in high-value networks. Meanwhile, prior infiltration-based withholding attacks are designed to extract revenue rather than to directly disrupt ...

- Cites: Bitcoin: A Peer-to-Peer Electronic Cash System ↗



IPDoS A prelude to the theory of Real-World Asset (RWA) Tokenization

W Tang - arXiv preprint arXiv:2609.15797, 2026

We provide an introduction to real-world asset (RWA) tokenization, and develop two economic models connecting this emerging market to classical financial theory. In search for a theory of RWA tokenization, we classify RWA tokenization according to the role of the underlying asset, distinguishing standard RWA tokenization, stablecoins, and Digital Asset Treasuries (DATs). Our first model connects tokenization with security design under asymmetric information. Continuous ...

- Cites: Bitcoin: A peer-to-peer electronic cash system. 2008 ↗



IPDoS AI Digital Platforms, Participatory Governance, and the Digital Divide in Developing Smart Cities

S Ahani, M Zahiri

This study examines the transformative role of Artificial Intelligence (AI)-based digital participation platforms in strengthening participatory governance within smart cities of developing countries. Moving beyond conventional technocentric perspectives, this research reconceptualizes the participation gap by highlighting the critical transition from "Digital Divide 1.0" (focused on basic access and infrastructure) to "Digital Divide 2.0" (centered on algorithmic equity, data justice, and meaningful ...

- Cites: Bitcoin: A Peer-to-Peer Electronic Cash System ↗



IPDoS An Adaptive Hybrid Blockchain-IPFS Governance Framework for Scalable and Transparent Public Administration

N Agrawal, M Singh - International Journal of Artificial Intelligence and ..., 2026

The accelerated digitization of government service has heightened the demand to have safe, open, and even expandable governance systems. The traditional

centralized infrastructures are characterized by single points of failure, risk to manipulate data, and low auditability. Despite the benefits of blockchain technology, such as immutability and distributed trust, storing large governance documents directly on-chain will result in the rapid increase of ledger growth, reduced ...

• Cites: Bitcoin: A Peer-to-Peer Electronic Cash System [↔](#)



[PDF] Efficient Multi-party Ring Signature Protocol with Signer Count Anonymity

宋宇波, 杨尚华, 刘颖, 张颖, 郑天宇, 高尚, 陈立全 - Journal of Software, 2026

环签名在区块链等场景中为多输入交易提供了关键的匿名性保障. 然而, 现有基于 One-out-of-many 证明的方案在处理拥有多个输入 ($k > 1$) 的场景下存在不足: 签名大小随真实签名者数量 k 呈线性增长, 且 k 的公开暴露也削弱了匿名性. 为此, 提出一种 ring-constrained any-out-of-many 证明方案. 该方案在协议层面引入二元代数约束, 确保签名者集合非空, 并在零知识证明中仅证明“至少一名成员参与”, 从而避免泄露真实签名者数量, 实现人数匿名性. 进一步地, 通过将布尔选择向量的约束 ...

• Cites: Bitcoin: A peer-to-peer electronic cash system. 2008 [↔](#)



[PDF] 论融智学的大字符串公式:“义-理-法-序-位” 信息本体论与双重形式化

邹晓辉 - 2026

摘要融智学提出: 知识的本质不是“命题的集合”, 而是“序位关系唯一守恒的信息结构”. 本文系统汇编融智学18个大字符串公式——所谓“大字符串”, 系指在计算机对中文(乃至一切表意文字与多媒体知识对象)的信息处理中以多字节宽字符串为自然操作单元; 融智学在此原创贡献在于发现大字符串本身可以公式化. 本文以18个公式——等式——交换图为骨架, 从语言学, 物理学, 信息科学, 计算机科学, 数学的范畴论, 哲学(含: 语言哲学, 心智哲学和信息哲学), 认知神经科学, 教育学八个学科示例出发, 论证“义=理 ...

• Cites: Bitcoin: A Peer-to-Peer Electronic Cash System [↔](#)



The Use of Blockchain in Blood Bank Management Systems: Blood Chain

UB Trivedi, V Dwevedi, M Kumar - Computing, Communication, and Sustainable ..., 2027

The blood bank management system plays a crucial role in healthcare. It ensures the safe handling of blood and its products. However, traditional methods have flaws. For instance, data can be tampered with, accountability is often missing, and blood units can easily go missing. Blockchain technology offers solutions due to its features like decentralization, immutability, and transparency. This article briefly explores how blockchain could improve security, traceability, and efficiency in blood bank ...

• Cites: Bitcoin: A Peer-to-Peer Electronic Cash System [↔](#)



THE IMPACT OF DIGITAL ASSETS AND CRYPTOCURRENCIES ON ACCOUNTING TREATMENTS AND FINANCIAL REPORTING IN ACCORDANCE WITH ...

FM Daham - Kyzylorda Scholarly Review, 2026

The rapid expansion of digital assets and cryptocurrencies has created significant challenges for accounting systems and financial reporting practices worldwide. The increasing adoption of cryptocurrencies such as Bitcoin and Ethereum in financial transactions and investment activities has raised important questions regarding recognition, measurement, disclosure, and presentation in financial statements according to International Financial Reporting Standards (IFRS). This study aims to ...

• Cites: Bitcoin: A Peer-to-Peer Electronic Cash System [↔](#)



[PDF] 人数匿名的环签名协议

宋宇波, 杨尚华, 刘颖, 张颖, 郑天宇, 高尚, 陈立全 - 软件学报, 2026

环签名在区块链等场景中为多输入交易提供了关键的匿名性保障. 然而, 现有基于 One-out-of-many 证明的方案在处理拥有多个输入 ($k > 1$) 的场景下存在不足: 签名大小随真实签名者数量 k 呈线性增长, 且 k 的公开暴露也削弱了匿名性. 为此, 提出一种 ring-constrained any-out-of-many 证明方案. 该方案在协议层面引入二元代数约束, 确保签名者集合非空, 并在零知识证明中仅证明“至少一名成员参与”, 从而避免泄露真实签名者数量, 实现人数匿名性. 进一步地, 通过将布尔选择向量的约束 ...

• Cites: Bitcoin: A peer-to-peer electronic cash system. 2008 [↔](#)



This message was sent by Google Scholar because you're following new citations to [your profile](#).

[LIST ALERTS](#)

[CANCEL ALERT](#)