

Pengumpulan Articles API

Endpoint filter article dan statistik total article

Link GitHub

<https://github.com/satrya370/Digital-Skola-MP-2>


Base URL

`http://127.0.0.1:5050`

Endpoint yang diuji


```
GET /articles
GET /articles?source=bbc
GET /articles?title=philosophy
GET /articles?limit=3
GET /articles?source=nytimes&title=attention&limit=5
GET /articles/total
GET /articles?limit=abc (400 expected)
```

Screenshot 1 dari 7 - GET /articles




Menampilkan seluruh article dengan response 200 OK.

Screenshot 2 dari 7 - GET /articles?source=bbc



Filter article berdasarkan source BBC.

Screenshot 3 dari 7 - GET /articles?title=philosophy



Filter article berdasarkan title.

Screenshot 4 dari 7 - GET /articles?limit=3

The screenshot shows the Postman interface with a new request set up for the endpoint `GET {{base_url}} /articles?limit=3`. The request is sent, and the response is a 200 OK status with a 6 ms response time and 756 B of data. The response body is displayed in JSON format, showing an array of 3 articles.

Query Params

Key	Value	Description	Bulk Edit	...
limit	3			

Body

```
1 [
2   {
3     "id": 12,
4     "source": "guardian",
5     "title": "What Makes a Good Question",
6     "content": "Good questions create room for evidence, doubt, and discovery.",
7     "created_at": "2026-09-03 07:12:09"
8   },
9   {
10    "id": 11,
11    "source": "guardian",
12    "title": "Art and Public Space",
13    "content": "Public art can change how people share and interpret a place.",
14    "created_at": "2026-09-03 07:12:09"
15  },
16  {
17    "id": 10,
18    "source": "guardian",
19    "title": "The Value of Slow Thinking",
20    "content": "Taking time to reason can reveal assumptions hidden in quick decisions.",
21    "created_at": "2026-09-03 07:12:09"
22  }
23 ]
```

ENVIRONMENTS

- local

DOCUMENTS

- SPECS
- MOCKS
- DATASETS
- FLOWS

Right Panel:

- AI
- Upgrade
- New Chat
- Add article response assertions
- Create article query examples
- Describe what you need. Press @ for context, / for Skills.
- Activate Windows
- Auto Settings to activate Windows.

Membatasi jumlah response dengan parameter limit.

Screenshot 5 dari 7 - GET /articles?source=nytimes&title=attention&limit=5

The screenshot displays the Postman interface for a REST client. The main workspace shows a 'GET' request to the endpoint `{{base_url}} /articles?source=nytimes&title=attention&limit=5`. The 'Params' tab is active, showing a table of query parameters:

Key	Value	Description	Bulk Edit
✓ source	nytimes		
✓ title	attention		
✓ limit	5		


The 'Body' tab is also visible, showing a JSON response in a code editor:

```
1 [
2   {
3     "id": 2,
4     "source": "nytimes",
5     "title": "Why Attention Matters",
6     "content": "Attention shapes what people notice, remember, and value.",
7     "created_at": "2026-09-03 07:12:09"
8   }
9 ]
```

The status bar at the bottom indicates a successful response: **200 OK** · 3 ms · 368 B. The left sidebar shows the 'COLLECTIONS' panel with 'TTest api' and 'GET New Request' selected. The bottom status bar shows 'Ready to go!' and system information like '86°F' and '3:31 PM'.


Kombinasi filter source, title, dan limit.

Screenshot 6 dari 7 - GET /articles/total



Menampilkan jumlah seluruh article dan jumlah per source.

Screenshot 7 dari 7 - GET /articles?limit=abc



Validasi parameter limit: response 400 Bad Request.