

Puzzle++ Final Project Report

Project Title: Puzzle++ - Advanced Word Game and Puzzle Solver

Student Name: Andrew Needham

Course: CSC 2210

Term: Fall 2025

Date: December 7, 2025

1. Introduction

Puzzle++ is a C++ application solving five popular puzzles (Wordle, Spelling Bee, Letter Boxed, Mastermind, Dungeon) using entropy-based algorithms. It provides both Qt6 GUI and command-line interfaces for puzzle enthusiasts, game developers testing difficulty, and students learning algorithms. The program offers optimal move suggestions, configurable performance presets, and supports batch processing.

2. Features and Requirements

Core Features:


- Five puzzle solvers (Letter Boxed, Spelling Bee, Wordle, Mastermind, Dungeon)
- Dual interface: Qt6 GUI and CLI (interactive/headless modes)
- Entropy-based optimization with configurable search depth
- Multiple solver presets, word list filtering, output management
- CMake build system with optional Qt dependency

Extra Features: Windows installer, automatic resource management, batch processing, gauntlet mode, performance benchmarking

Limitations: Deep search (depth ≥ 2) extremely slow; word list quality affects results; memory-intensive for thorough settings; GUI requires Qt 6.0+

3. Design

Puzzle++ follows modular, object-oriented design separating game logic from presentation:



Core Architecture:

- **IGame** interface: Base for all solvers (`runCLI()`, `runHeadless()`, `getGameName()`)
- Game classes: Implement IGame, handle user interaction
- Solver classes: Static functions with core algorithms
- **EntSolver<TGuess, TCandidate, TFeedback>**: Generic template for entropy-based solving

Utilities:

- **Utils**: Resource paths, word loading with caching, string utilities
- **InputUtils**: Interactive prompts, command-line parsing
- **Word** struct: Properties including score, letter counts

GUI: **MainWindow** manages **GameWidget** subclasses (**WordleWidget**, etc.) with threading and progress dialogs

4. Implementation

Entropy Algorithm: Calculates information entropy $H = -\sum(p(i) * \log_2(p(i)))$ to maximize information gain per guess. Groups solutions by feedback patterns and selects moves minimizing expected remaining possibilities. Inspired by [3Blue1Brown's video](#) on information theory.

Data Structures: `std::vector` (word lists), `std::map/unordered_map` (lookups), `std::array` (fixed storage), custom structs (type-safe configs)

Letter Boxed: Recursive backtracking with redundant path pruning and dominated class elimination

Word Management: Global caching, CSV format (word/score/difficulty), filtering by score threshold

Design Trade-offs:

1. Template-based **EntSolver**: Code reuse with compile-time optimization, but added complexity
2. Dual build config: CLI-only option without Qt, but requires dual testing
3. Configurable depth: Performance vs. quality balance, depth ≥ 2 impractical
4. Headless/interactive modes: Automation and usability, but dual maintenance

5. Testing

Approach: Automated unit tests (Google Test, 30+ tests), manual testing (normal/edge cases), regression testing

Coverage: All five solvers tested for feedback parsing, entropy calculations, constraint validation, edge cases (empty inputs, impossible puzzles, invalid data)

Specific Test Examples:

Test 1 - Normal Input (Wordle):

- **Input:** `./p++ wordle --guesses "CRANE 01120" --max-depth 1`
- **Expected:** Parse feedback (C=gray, R=yellow, A=yellow, N=green, E=gray), return ranked suggestions with entropy
- **Result:** ☒ Correctly identified words with N in position 4, R and A present but misplaced

Test 2 - Edge Case (Letter Boxed impossible puzzle):


- **Input:** `./p++ letterboxed --letters aaaaaaaaaaaa --preset 2`
- **Expected:** Detect no valid solutions, return empty result without crash
- **Result:** ☒ Returned "No solutions found" message

Test 3 - Invalid Input (Spelling Bee):


- **Input:** Interactive mode - enter only 2 letters (minimum 3 required)
- **Expected:** Reject with error message, re-prompt user
- **Result:** ☒ Displayed "Error: At least 3 letters required" and re-prompted

Overall Results: All 30+ automated tests pass on MSVC/MinGW. Manual testing confirmed robust error handling.


6. Screenshots




Wordle solver GUI with entropy-ranked suggestions




Wordle solver with entropy rankings | Letter Boxed showing 2-word solutions




Spelling Bee solver with valid words list



Spelling Bee word list | Dungeon with complex feedback



Mastermind solver with color feedback



Error handling for invalid inputs

7. Memory Leak Check

Tool: MSVC AddressSanitizer (ASan)

Steps Used:

```
cmake --preset msvc-debug
cmake --build build/msvc-debug --config Debug
set ASAN_OPTIONS=log_path=.\\asan_report
"build\\msvc-debug\\Debug\\p++.exe" -i
# [Ran all five game modes, performed multiple operations, exited normally]
```

Output: No `asan_report.*` files generated in directory. ASan only creates reports when errors are detected.

Summary: ☒ **Zero memory leaks detected.** RAll principles, smart pointers (`std::unique_ptr`, `std::shared_ptr`), STL containers (`std::vector`, `std::map`), and Qt parent-child ownership ensure proper cleanup. All dynamic memory is managed automatically.

Note: Tracy profiler (optional development tool, disabled in release builds) has known thread-related leaks documented in TODO.md, but this does not affect production code.

8. Learning Reflection - Was This Project Worth the Time?

What I Learned:

This project provided invaluable hands-on experience with advanced C++ and software engineering. Key learnings include:

- **Template programming:** Implementing the generic `EntSolver` class deepened understanding of C++ templates, type requirements, and compile-time optimization beyond basic STL containers
- **Build systems:** CMake multi-configuration builds with optional dependencies (Qt, Tracy, Google Test) taught professional build management and cross-platform considerations
- **GUI frameworks:** Qt6 work exposed event-driven programming, signals/slots architecture, and the critical importance of separating business logic from presentation layers
- **Algorithm analysis:** Implementing entropy-based algorithms brought abstract information theory into concrete practice, teaching pragmatic performance trade-offs
- **Modern C++:** RAll principles, smart pointers, move semantics, and STL containers fundamentally changed how I approach resource management

Concepts That "Clicked":

Move semantics and object lifetime management finally made sense when optimizing the word list caching system. Watching the entropy algorithm guide the solver to optimal guesses was intellectually satisfying - seeing information theory work in practice.

Was It Worth It?

Absolutely yes. This project mirrors real-world software development with multiple interfaces, performance constraints, and deployment packaging - directly transferable industry skills. Creating a polished, cross-platform application with comprehensive documentation demonstrates software engineering maturity beyond just coding ability. The deep engagement with C++20, build systems, and testing produced durable knowledge through applied problem-solving. Successfully completing this complex project builds genuine confidence for future software challenges in coursework and career. While time-intensive, the puzzle-solving domain kept the work engaging and intellectually rewarding throughout.

9. Course Feedback for the Instructor

What Helped Most:

- **Project flexibility:** Freedom to choose problem domains maintained motivation and encouraged creative ownership throughout the semester

- **Incremental milestones:** Phased approach (proposal, design diagram, interim check-in, final) prevented last-minute rushes and enabled iterative refinement with feedback
- **Modern C++ focus:** Emphasis on C++17/20 features and best practices felt current and industry-relevant, preparing us for contemporary codebases

Suggestions for Improvement:

1. **Build system introduction:** 1-2 lab sessions on CMake basics early in semester would help students structure projects properly from the start. Many struggle with build configuration.
2. **GUI framework coverage:** Brief Qt overview (widgets, signals/slots) would lower the barrier for students choosing GUI projects. Even a simple example would help.
3. **Memory debugging workshop:** Hands-on session with AddressSanitizer/Valgrind would save significant debugging time and build confidence with these tools.
4. **Example projects:** Providing 1-2 well-structured example codebases would help students visualize professional organization patterns (multi-file projects, header/implementation separation).
5. **Timeline adjustment:** Consider moving final deadline 1-2 weeks earlier or having presentations shortly before final report to avoid finals week convergence.
6. **Peer review opportunities:** Informal code review sessions would help students learn to critique constructively and see different problem-solving approaches.

Overall Assessment:

This course successfully bridges introductory programming and professional software development. The project-based approach is more valuable than exam-based assessment for this material, as it requires producing working, polished software that reflects real-world standards. Thank you for designing a course that challenges students to create work we can be genuinely proud of.

10. Conclusion

Puzzle++ successfully combines advanced algorithms, modern C++ practices, and thoughtful UI design. Delivered: five puzzle solvers, dual interfaces, entropy optimization, Windows installer, zero memory leaks. The modular architecture enables future extensibility while demonstrating software engineering maturity in balancing performance, code clarity, and scope.

References

Libraries: Qt6, CMake, Tracy Profiler, Google Test/Benchmark

Resources: NSWL 2023 word list, SOWPODS dictionary, Dungeon game assets

AI Assistance: GitHub Copilot and Google Gemini used for code generation and debugging. All AI-generated code manually reviewed and tested.

Algorithm Inspiration: [3Blue1Brown - Solving Wordle using information theory](#)

Appendix

Known Issues

- Tracy profiler memory leaks (debug-only, documented in TODO.md)
- Letter Boxed UI: Enter button required before solve
- Windows installer: Start menu entries, license info, publisher name need updates

Future Work: Generic ENT solver refactoring, additional puzzles (Waffle, Hangman, Strands), performance optimizations (multi-threading, WebAssembly), mobile ports. See [TODO.md](#) for details.