GpgFrontend::ChannelObject channel _default_channel + ChannelObject() + ChannelObject() + GetChannel() + SetChannel() + GetDefaultChannel() Δ GpgFrontend::SingletonFunction Object< T > + SingletonFunctionObject() + operator=() + GetChannel() + SingletonFunctionObject() + SingletonFunctionObject() + operator=() + GetInstance() + CreateInstance() + ReleaseChannel() + GetDefaultChannel() + GetAllChannelId() # SingletonFunctionObject() # SingletonFunctionObject() # ~SingletonFunctionObject() < GlobalSettingStation > GpgFrontend::SingletonFunction Object < Global Setting Station > + SingletonFunctionObject() + SingletonFunctionObject() + SingletonFunctionObject() + operator=() + operator=() + GetChannel() + GetInstance() + CreateInstance() + ReleaseChannel() + GetDefaultChannel() + GetAllChannelId() # SingletonFunctionObject() # SingletonFunctionObject() # ~SingletonFunctionObject() GpgFrontend::GlobalSetting Station - app_path_ - app_data_path_ - app_log_path_ - app_data_objs_path_ - app_resource_path_ app_locale_path_app_configure_path_ - ui_config_dir_path_ - ui_config_path_ - ui_cfg_ + GlobalSettingStation() + ~GlobalSettingStation() + GetUISettings() + GetAppDir() + GetAppDataPath() + GetLogDir() + GetStandaloneDatabaseDir() + GetAppConfigPath() + GetStandaloneGpgBinDir() GetLocaleDir() + GetResourceDir() + GetCertsDir()

+ SyncSettings()
- init_app_secure_key()