GpgFrontend::ChannelObject channel_ - type + ChannelObject() + ~ChannelObject() + ChannelObject() + GetChannel() + SetChannel() + GetDefaultChannel() GpgFrontend:: Singleton FunctionObject< T > + SingletonFunctionObject() + operator=() + GetChannel() + SingletonFunctionObject() + SingletonFunctionObject() + operator=() + GetInstance() + CreateInstance() + ReleaseChannel() + GetDefaultChannel() + GetAllChannelId() # SingletonFunctionObject() # SingletonFunctionObject() # ~SingletonFunctionObject() < UIModuleManager > GpgFrontend::SingletonFunction Object < UIModuleManager > + SingletonFunctionObject() + SingletonFunctionObject() + SingletonFunctionObject() + operator=() + operator=() + GetChannel() + GetInstance() + CreateInstance() + ReleaseChannel() + GetDefaultChannel() + GetAllChannelld() # SingletonFunctionObject() # SingletonFunctionObject() # ~SingletonFunctionObject()

GpgFrontend::UI::UIModule Manager

- mount_points
- mounted_entriestranslator data r
- translator_data_readersregistered_translators_
- read translator_data _list
- + UIModuleManager()
- + ~UIModuleManager()
- + DeclareMountPoint()
- + MountEntry() + QueryMountedEntries()
- + RegisterTranslatorDataReader()
- + RegisterAllModuleTranslators()
- + TranslateAllModulesParams()