GpgFrontend::ChannelObject - channel type_ + ChannelObject() + ~ChannelObject() + ChannelObject() + GetChannel() + SetChannel() + GetDefaultChannel() Δ GpgFrontend::SingletonFunction Object < T > + SingletonFunctionObject() + operator=() + GetChannel() + SingletonFunctionObject() + SingletonFunctionObject() + operator=() + GetInstance() + CreateInstance() + ReleaseChannel() + GetDefaultChannel() + GetAllChannelld() # SingletonFunctionObject() # SingletonFunctionObject() # ~SingletonFunctionObject() < DataObjectOperator > < GlobalSettingStation > GpgFrontend::SingletonFunction GpgFrontend::SingletonFunction Object < DataObjectOperator > Object < Global Setting Station > + SingletonFunctionObject() + SingletonFunctionObject() + SingletonFunctionObject() + SingletonFunctionObject() + SingletonFunctionObject() + SingletonFunctionObject() + operator=() + operator=() + operator=() + operator=() + GetChannel() + GetChannel() + GetInstance() + GetInstance() + CreateInstance() + CreateInstance() + ReleaseChannel() + ReleaseChannel() + GetDefaultChannel() + GetDefaultChannel() + GetAllChannelld() + GetAllChannelld() # SingletonFunctionObject() # SingletonFunctionObject() # SingletonFunctionObject() # SingletonFunctionObject() # ~SingletonFunctionObject() # ~SingletonFunctionObject() GpgFrontend::GlobalSetting Station - p_ + GlobalSettingStation() + ~GlobalSettingStation() + GetSettings() + GetAppDir() + GetAppDataPath() + GetLogDir() + GetModulesDir() + GetLogFilesSize() + GetDataObjectsFilesSize() + ClearAllLogFiles() + ClearAllDataObjects() -global_setting_station_ GpgFrontend::DataObjectOperator app_secure_path_ app_secure_key_path_ app_data_objs_path_ hash_key_ + DataObjectOperator() + SaveDataObj() + GetDataObject() + GetDataObjectByRef() init_app_secure_key()