```
GpgFrontend::SingletonFunction Object< T >
- channel
 _default_channel
  _instance_mutex
 _instances_mutex
  instance
  instances
              map
+ GetChannel()
+ SingletonFunctionObject()
+ SingletonFunctionObject()
+ operator=()
+ GetInstance()
+ CreateInstance()
+ CreateInstance()
+ ReleaseChannel()
  GetDefaultChannel()
# SingletonFunctionObject()
# SingletonFunctionObject()
#
  ~SingletonFunctionObject()
# SetChannel()
find_object_in_channel()set_object_in_channel()
                  < GlobalSettingStation >
GpgFrontend::SingletonFunction
Object < Global Setting Station >

    channel

 _default_channel
  instance mutex
 _instances_mutex
 _instance
  instances map
+ GetChannel()
+ SingletonFunctionObject()
+ SingletonFunctionObject()
+ operator=()
+ GetInstance()
+ CreateInstance()
+ CreateInstance()
+ ReleaseChannel()
+ GetDefaultChannel()
# SingletonFunctionObject()
# SingletonFunctionObject()
    -SingletonFunctionObject()
#
# SetChannel()
find_object_in_channel()set_object_in_channel()
                Δ
GpgFrontend::GlobalSetting
             Station
- app_path
- app_data_path_
- app_log_path_
- app_data_objs_path_
app_resource_path_app_locale_path_
app_configure_path_
- ui_config_dir_p
- ui_config_path
    cfg
- ui
+ GlobalSettingStation()
+ ~GlobalSettingStation()
+ GetUISettings()
+ GetAppDir()
+ GetAppDataPath()
+ GetLogDir()
+ GetStandaloneDatabaseDir()
+ GetAppConfigPath()
+ GetStandaloneGpgBinDir()
+ GetLocaleDir()
+ GetResourceDir()
+ GetCertsDir()
  SyncSettings()
 - init_app_secure_key()
```