```
GpgFrontend::SingletonFunction
           Object < T >

    channel

  _default_channel
  _instance_mutex
  _instances_mutex
  _instance
   instances map
 + GetChannel()
 + SingletonFunctionObject()
 + SingletonFunctionObject()
 + operator=()
 + GetInstance()
 + CreateInstance()
 + CreateInstance()
 + ReleaseChannel()
 + GetDefaultChannel()
 # SingletonFunctionObject()
 # SingletonFunctionObject()
 # ~SingletonFunctionObject()
 # SetChannel()
 find object in channel()
 set_object_in_channel()
                  < PassphraseGenerator >
 GpgFrontend::SingletonFunction
 Object < PassphraseGenerator >

    channel

   default channel
   instance mutex
  _instances_mutex
   instance
  instances map
 + GetChannel()
 + SingletonFunctionObject()
 + SingletonFunctionObject()
 + operator=()
 + GetInstance()
 + CreateInstance()
 + CreateInstance()
 + ReleaseChannel()
 + GetDefaultChannel()
 # SingletonFunctionObject()
 # SingletonFunctionObject()
 # ~SingletonFunctionObject()
 # SetChannel()
 find object in channel()
 set_object_in_channel()
GpgFrontend::PassphraseGenerator
+ rd
```

+ mt

+ Generate()

+ PassphraseGenerator()