1.1.3 TRANSACTION INQUIRY

The message camt.005.001.09 is used to request information about transaction processed at the bank. In our case this request could be for any of the deposit, transfer or withdraw messages. Inquiry can be made by initiator of transactions for inflight/rejected/completed status.

If any back dated inquiry is made, the recommended search criteria is up to 7 calendar days from current day and maximum can only be up to 45 calendar days from current day.

Sender: Corporate Client, Receiver:

Below is the specification for this message.

| camt.005.001.09 | | | | $\times\!\!\times\!\!\times\!\!\times\!\!\times$ | | |
|-----------------|------------------------------|--|------|--|---|--|
| LvI | Name | Path | Mult | Type (Format) | Details | |
| 0 | GetTx | Document.GetTx | [11] | | | |
| 1 | Message Header | Document.GetTx.MsgHdr | [11] | | | |
| 2 | Message Identification | Document.GetTx.MsgHdr. MsgId | [11] | text{1,35} | Message id of camt.005. | |
| 2 | Creation Date Time | Document.GetTx.MsgHdr. CreDtTm | [11] | dateTime (YYYY-MM- DDThh:mm: ss.sssZ) | Date and time at which the message was created.(UTC time) | |
| 1 | Transaction Query Definition | Document.GetTx.TxQryDe f | [01] | | | |
| 2 | Transaction Criteria | Document.GetTx.TxQryDe f.TxCrit | [01] | | | |
| 3 | New Criteria | Document.GetTx.TxQryDe f.TxCrit.NewCrit | [11] | | | |
| 4 | Search Criteria | Document.GetTx.TxQryDe f.TxCrit.NewCrit.SchCrit | [01] | | This will be an array in ISO but restricted to one occurrence. | |
| 5 | Payment Search | Document.GetTx.TxQryDe f.TxCrit.NewCrit.SchCrit.P mtSch | [01] | | | |
| 6 | Message Identification | Document.GetTx.TxQryDe f.TxCrit.NewCrit.SchCrit.P mtSch.Msgld | [0*] | text{1,35} | *One or more message ids for Inquiry | |
| 6 | Requested Execution Date | Document.GetTx.TxQryDe f.TxCrit.NewCrit.SchCrit.P mtSch.ReqdExctnDt | [01] | | This will be an array in ISO but restricted to one occurrence. | |
| 7 | Date Search | Document.GetTx.TxQryDe f.TxCrit.NewCrit.SchCrit.P mtSch.ReqdExctnDt.DtSch | [11] | | | |
| 8 | Equal Date | Document.GetTx.TxQryDe f.TxCrit.NewCrit.SchCrit.P mtSch.ReqdExctnDt.DtSch .EQDt | [11] | date (YYYY-MM- DD) | The date for which INQUIRY is to be made. This is value date of transaction. | |
| 6 | Payment Identification | Document.GetTx.TxQryDe f.TxCrit.NewCrit.SchCrit.P mtSch.PmtId | [0*] | | | |
| 7 | Long Business Identification | Document.GetTx.TxQryDe f.TxCrit.NewCrit.SchCrit.P mtSch.Pmtld.LngBizId | [11] | | Under LngBizId, we are using only E2E Id and not the other mandatory fields as it is irrelevant for INQUIRY | |



| camt.005.001.09 | | | \times | | |
|-----------------|---------------------------|---|----------|------------------|---|
| LvI | Name | Path | Mult | Type (Format) | Details |
| 8 | End To End Identification | Document.GetTx.TxQryDe f.TxCrit.NewCrit.SchCrit.P mtSch.Pmtld.LngBizld.End ToEndld | [01] | text{1,35} | The end to end id of the transaction on which Inquiry is to be made |

Note: Please note that any one search can be initiated using Message ID(Single/Multiple) OR End to End Identification (Single/Multiple) OR Requested execution date.

Below is the decrypted content of sample camt.005.001.09 inquiring for multiple Message IDs

```
"Document": {
  "GetTx": {
    "MsgHdr": {
     "MsgId": "ABCDEFGHIXXX1202104120040299876543",
      "CreDtTm": "2021-09-28T13:42:47.123Z"
    "TxQryDef": {
      "TxCrit": {
        "NewCrit": {
          "SchCrit": [{
            "PmtSch": {
              "MsgId":["FXCDEFGHIXXX1202104120040291234567",
                      "ABCDEFGHIXXX1202104120040291234588"]
          }
        ]
   }
      }
 }
}
```

1.1.4 TRANSACTION INQUIRY RESPONSE

The message camt.006.001.09 is to be sent as a response to a related GetTransaction message (camt.005.001.09).

Sender: Receiver: Corporate Client.

Note: The camt.006.001.09 format will be updated with new optional fields as needed, in line with the development of new features. Since it is a JSON format, the updated payload with additional optional attributes should ideally not disrupt the response processing on the client end.

Below is the specification for this message.

| | camt.006.001.09 | | | $\times\!$ | $\langle \times \times \times \rangle$ |
|-----|------------------------------|---|------|--|---|
| LvI | Name | Path | Mult | Type (Format) | Details |
| 0 | RtrTx | Document.RtrTx | | | |
| 1 | Message Header | Document.RtrTx.MsgH dr | [11] | | |
| 2 | Message Identification | Document.RtrTx.MsgH dr.Msgld | [11] | text{1,35} | Message reference as assigned when creating camt.006 |
| 2 | CreationDateTime | Document.RtrTx.MsgH dr.CreDtTm | [11] | dateTime (YYYY-MM- DDThh:mm :ss.sssZ) | Date and time at which the message was created.(UTC time) |
| 2 | Original Business Query | Document.RtrTx.MsgH dr.OrgnlBizQry | [11] | | |
| 3 | Message Identification | Document.RtrTx.MsgH dr.OrgnlBizQry.MsgId | [11] | text{1,35} | Message id of camt.005 |
| 1 | Report Or Error | Document.RtrTx.RptOr Err | [11] | | |
| 2 | Business Report | Document.RtrTx.RptOr Err.BizRpt | [11] | | |
| 3 | Transaction Report | Document.RtrTx.RptOr Err.BizRpt.TxRpt | [1*] | | |
| 4 | Payment Identification | Document.RtrTx.RptOr Err.BizRpt.TxRpt.PmtI d | [11] | | |
| 5 | Long Business Identification | Document.RtrTx.RptOr Err.BizRpt.TxRpt.PmtI d.LngBizId | [11] | Choice(Lng BizId or Prtryd) | Under LngBizld here we are using only amount, E2E ld and not the other mandatory fields since they are not relevant for Coin |
| 6 | Inter Bank Settlement Amount | Document.RtrTx.RptOr Err.BizRpt.TxRpt.Pmtl d.LngBizId.IntrBkSttIm Amt | [11] | | |
| 7 | Currency | Document.RtrTx.RptOr Err.BizRpt.TxRpt.PmtI d.LngBizId.IntrBkSttIm Amt.Ccy | [11] | text[A- Z]{3,3} | The currency of the transaction |
| 7 | Amount | Document.RtrTx.RptOr Err.BizRpt.TxRpt.Pmtl d.LngBizId.IntrBkSttIm Amt.Amount | [11] | 0 <= decimal td = 18 fd = 2 | The amount of the transaction |



| camt.006.001.09 | | | | $\times\!\!\times\!$ | $\langle \chi \chi$ |
|-----------------|----------------------------|---|------|--|---|
| LvI | Name | Path | Mult | Type (Format) | Details |
| 6 | End To End Identification | Document.RtrTx.RptOr Err.BizRpt.TxRpt.PmtI d.LngBizId.EndToEndI d | [11] | text{1,35} | The E2E Id of the transaction |
| 5 | Proprietary Identification | Document.RtrTx.RptOr Err.BizRpt.TxRpt.PmtI d.PrtryId | [11] | Choice(Lng BizId or PrtryId) | The original msg id, e2e id or date for which INQUIRY was requested. Will be here if error |
| 4 | Transaction Or Error | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err | [11] | | |
| 5 | Transaction | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx | [11] | Choice (Tx or BizErr) | |
| 6 | Payment | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt | [01] | | |
| 7 | Message Identification | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Msgld | [01] | text{1,35} | The Msgld of the transaction |
| 7 | Requested Execution Date | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.ReqdExctn Dt | [01] | | |
| 8 | Date | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.ReqdExctn Dt.Dt | [11] | Date (YYYY-MM- DD) | The requested execution date (value date) of the transaction |
| 7 | Status | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Sts | [01] | | This will be an array only as per ISO but restricted to one occurrence in COIN |
| 8 | Code | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Sts.Cd | [01] | | |
| 9 | Settlement | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Sts.Cd.Sttl m | [11] | [a-zA-Z0- 9]{1,4} | The status code of the payment. *(Refer section 2b. for more details) |
| 8 | Reason | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Sts.Rsn | [0*] | | |
| 9 | Proprietary | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Sts.Rsn.Prt ry | [11] | text{1,35} | *(Refer section <u>2d.i</u> for more details. ISO error code + Error Name will be provided here) |
| 7 | Parties | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties | [01] | | , |
| 8 | Debtor | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.Dbtr | [11] | | |
| 9 | Party | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.Dbtr. Pty | [11] | | |
| 10 | Identification | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.Dbtr. Pty.Id | [01] | | |



| | camt.006.001.09 | | | | |
|-----|---|---|------|---|---|
| LvI | LvI Name Path | | | Type (Format) | Details |
| 11 | Organisation Identification | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.Dbtr. Pty.Id.OrgId | [11] | (i ormas) | |
| 12 | Other | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.Dbtr. Pty.Id.Orgld.Othr | [11] | | |
| 13 | Identification | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.Dbtr. Pty.Id.Orgld.Othr.Id | [11] | text{1,34} | Account number or IBAN of the respective account |
| 8 | Debtor Agent | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.DbtrA gt | [11] | | |
| 9 | Financial Institution Identification | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.DbtrA gt.FinInstnId | [11] | | |
| 10 | BICFI | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.DbtrA gt.FinInstnId.BICFI | [11] | text [A- Z]{6,6}{A- Z2-9][A-NP- Z0-9]([A- Z0- 9]{3,3}}{0,1} | Here or must be used for Blockchain Deposit Accounts held with For DDA accounts, this will be BIC of the DDA Branch Account |
| 8 | Creditor Agent | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.CdtrA qt | [11] | | |
| 9 | Financial Institution Identification | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.CdtrA gt.FinInstnId | [11] | | |
| 10 | BICFI | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.CdtrA gt.FinInstnId.BICFI | [11] | text [A- Z]{6,6}{A- Z2-9][A-NP- Z0-9]([A- Z0- 9]{3,3}}{0,1} | Here or must be used for Blockchain Deposit Accounts held with For DDA accounts, this will be BIC of the DDA Branch Account |
| 8 | Creditor | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.Cdtr | [01] | | |
| 9 | Party | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.Cdtr. Pty | [11] | | |
| 10 | Identification | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.Cdtr. Pty.Id | [01] | | |
| 11 | Organisation Identification | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.Cdtr. Pty.Id.OrgId | [11] | | |
| 12 | Other | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.Cdtr. Pty.Id.Orgld.Othr | [11] | | |



| | camt.006.001.09 | | | $\times\times\times\times\times\times$ | | |
|-----|---------------------------|---|------|--|---|--|
| Lvl | Name | Path | Mult | Type | Details | |
| 13 | Identification | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.Tx.Pmt.Pties.Cdtr. Pty.Id.Orgld.Othr.Id | [11] | text{1,34} | Account number or IBAN of the respective account | |
| 5 | Business Error | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.BizErr | [1*] | Choice (Tx or BizErr) | | |
| 6 | Error | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.BizErr.Err | [11] | | | |
| 7 | Code | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.BizErr.Err.Cd | [11] | | *Refer <u>2b.ii</u> (Error code field) for more details | |
| 6 | Description | Document.RtrTx.RptOr Err.BizRpt.TxRpt.TxOr Err.BizErr.Desc | [01] | text{1,140} | *Refer <u>2b.ii</u> (Error code Name.) for more details | |
| 1 | Supplementary Data | Document.CstmrPmtSt sRpt.SplmtryData | [0*] | | This section will be populated only for Fx transactions with status as ACSP, ACCC | |
| 2 | Envelope | Document.CstmrPmtSt sRpt.SplmtryData.Envl p | [11] | | | |
| 3 | Fx Supplementary Data | Document.CstmrPmtSt sRpt.SplmtryData.Envl p.FxSuplData | [0*] | | | |
| 4 | Message Identification | Document.CstmrPmtSt sRpt.SplmtryData.Envl p.FxSuplData.Msgld | [11] | text{1,35} | Message reference of the original payment. Msg id of pain.001 in this case | |
| 4 | End To End Identification | Document.CstmrPmtSt sRpt.SplmtryData.Envl p.FxSuplData.EndToE ndId | [11] | text{1,35} | E2E Id of the Original Payment | |
| 4 | Exchange Rate Info | Document.CstmrPmtSt sRpt.SplmtryData.Envl p.FxSuplData.XchgRat eInf | [11] | | | |
| 5 | Source Currency | Document.CstmrPmtSt sRpt.SplmtryData.Envl p.FxSuplData.XchgRat eInf.SrcCcy | [11] | text [A-Z]{3,3} | The Source Currency | |
| 5 | Target Currency | Document.CstmrPmtSt sRpt.SplmtryData.Envl p.FxSuplData.XchgRat eInf.TrgtCcy | [11] | text [A-Z]{3,3} | The Target Currency | |
| 5 | Unit Currency | Document.CstmrPmtSt sRpt.SplmtryData.Envl p.FxSuplData.XchgRat eInf.UnitCcy | [11] | text [A-Z]{3,3} | | |
| 5 | Exchange Rate | Document.CstmrPmtSt sRpt.SplmtryData.Envl p.FxSuplData.XchgRat eInf.XchgRate | [11] | 0 <= decimal td = 11 fd = 10 | The exchange rate applied to the transaction | |
| 5 | Contract Identification | Document.CstmrPmtSt sRpt.SplmtryData.Envl p.FxSuplData.XchgRat eInf.CtrctId | [11] | text{1,36} | The trade id applied for this transaction | |
| 5 | Confirmed Amount | Document.CstmrPmtSt sRpt.SplmtryData.Envl p.FxSuplData.XchgRat eInf.ConfdAmt | [11] | | | |
| 6 | Currency | Document.CstmrPmtSt sRpt.SplmtryData.Envl | [11] | text [A-Z]{3,3} | The converted amount currency | |

| camt.006.001.09 | | | \times | | |
|-----------------|----------------|--|----------|--------------------------------------|--|
| LvI | Name | Path | Mult | Type (Format) | Details |
| | | p.FxSuplData.XchgRat eInf.ConfdAmt.Ccy | | | |
| 6 | Amount | Document.CstmrPmtSt sRpt.SplmtryData.Envl p.FxSuplData.XchgRat eInf.ConfdAmt.Amount | [11] | 0 <= decimal td = 18 fd = 2 | The converted amount |
| 5 | Confirmed Date | Document.CstmrPmtSt sRpt.SplmtryData.Envl p.FxSuplData.XchgRat eInf.ConfdDt | [11] | | |
| 6 | Date | Document.CstmrPmtSt sRpt.SplmtryData.Envl p.FxSuplData.XchgRat eInf.ConfdDt.Dt | [11] | date (YYYY-MM- DD) | The value date applied for the transaction |

Below is the decrypted content of camt.006.001.09 as a sample having both Fx and non Fx transactions

```
"Document": {
  "RtrTx": {
    "MsgHdr": {
      "MsgId": "PTCDEFGHIXXX1202104120040299872243",
      "CreDtTm": "2024-04-22T13:47:44.413Z",
      "OrgnlBizQry": {
    "MsgId": "ABCDEFGHIXXX1202104120040297654321"
      }
    "RptOrErr": {
      "BizRpt": {
        "TxRpt": [
          {
            "PmtId": {
              "LngBizId": {
                 "IntrBkSttlmAmt": {
                  "Ccy": "EUR",
                  "Amount": 90.00
                "EndToEndId": "E2E1242435245345"
              }
            },
            "TxOrErr": {
              "Tx": {
                "Pmt": {
                   "MsgId": "FXCDEFGHIXXX1202104120040291234567",
                   "ReqdExctnDt": {
                    "Dt": "2024-04-22"
                   "Sts": [
                     {
                       "Cd": {
                         "Sttlm": "ACCC"
                       }
                    }
                  ],
                   "Pties": {
                     "Dbtr": {
                       "Pty": {
                        "Id": {
                           "OrgId": {
```

```
"Othr": {
                    "Id": "02345678941"
                }
              }
            }
          "DbtrAgt": {
            "FinInstnId": {
             "BICFI": "XXXXXX"
          },
          "CdtrAgt": {
            "FinInstnId": {
              "BICFI": "XXXXX
            }
          "Cdtr": {
    "Pty": {
              "Id": {
                "OrgId": {
    "Othr": {
                    "Id": "02345678943"
              }
            }
          }
       }
     }
   }
 }
},
 "PmtId": {
   "LngBizId": {
      "IntrBkSttlmAmt": {
       "Ccy": "EUR",
        "Amount": 180.00
      "EndToEndId": "E2E1242435245366"
    }
 "Tx": {
      "Pmt": {
        "MsgId": "ABCDEFGHIXXX1202104120040291234588",
        "ReqdExctnDt": {
         "Dt": "2024-04-22"
        "Sts": [
          {
            "Cd": {
              "Sttlm": "ACCC"
          }
        ],
        "Pties": {
          "Dbtr": {
            "Pty": {
              "Id": {
                "OrgId": {
                  "Othr": {
    "Id": "02345678941"
```

```
}
                "DbtrAgt": {
                  "FinInstnId": {
                   "BICFI": "XXXXXX
                  }
                "CdtrAgt": {
                  "FinInstnId":
                    "BICFI": "XXXXX
                  }
                "Cdtr": {
                  "Pty": {
                    "Id": {
                      "OrgId": {
                        "Othr": {
                          "Id": "02345678943"
                        }
                      }
                    }
                 }
               }
             }
           }
         }
       }
     }
   ]
 }
"SplmtryData": [
  "Envlp": {
   "FxSuplData": [
     {
        "MsgId": "FXCDEFGHIXXX1202104120040291234567",
        "EndToEndId": "E2E1242435245345",
        "XchgRateInf": {
          "SrcCcy": "EUR",
          "TrgtCcy": "USD",
          "UnitCcy": "EUR",
          "XchgRate": "1.11",
          "CtrctId": "T123456789gdwehklygdd3455688",
          "ConfdAmt": {
            "Amount": 100.06,
            "Ccy": "USD"
          },
          "ConfdDt": {
            "Date": "2024-04-22"
          }
        }
      },
        "MsgId": "ABCDEFGHIXXX1202104120040291234588",
        "EndToEndId": "E2E1242435245366",
        "XchgRateInf": {
          "SrcCcy": "EUR",
"TrgtCcy": "USD",
          "UnitCcy": "EUR",
          "XchgRate": "1.11",
          "CtrctId": "T123456789gdwehklygdd3455699",
          "ConfdAmt": {
            "Amount": 200.13,
            "Ccy": "USD"
```

Below is the decrypted content of camt.006.001.09 as a sample having a non-Fx transaction

```
"Document": {
  "RtrTx": {
    "MsgHdr": {
      "MsgId": "PTCDEFGHIXXX1202104120040299872243",
      "CreDtTm": "2021-09-28T13:47:44.413Z",
      "OrgnlBizQry": {
    "MsgId": "ABCDEFGHIXXX1202104120040297654321"
      }
    },
    "RptOrErr": {
      "BizRpt": {
        "TxRpt": [
          {
            "PmtId": {
               "LngBizId": {
                 "IntrBkSttlmAmt": {
                   "Ccy": "USD",
                   "Amount": 1436.08
                 "EndToEndId": "E2E1242435245345"
               }
            },
"TxOrErr": {
    ". {
              "Tx": {
                 "Pmt": {
                   "MsgId": "ABCDEFGHIXXX1202104120040291234567",
                   "ReqdExctnDt": {
                     "Dt": "2021-09-28"
                   "Sts": [
                     {
                       "Cd": {
                         "Sttlm": "ACCC"
                     }
                   ],
                   "Pties": {
                     "Dbtr": {
                       "Pty": {
                         "Id": {
                            "OrgId": {
                              "Othr": {
                                "Id": "89000000943"
                            }
```

1.1.5 BALANCE INQUIRY

The message camt.003.001.07 is used to request information on the details of one or more accounts For information on the balances.

If any back dated inquiry is made, the recommended search criteria is up to 7 calendar days from current day and maximum can only be up to 45 calendar days from current day.

Sender: Corporate client, Receiver:

Below is the specification for this message.

| camt.003.001.07 | | | | \times | | | |
|-----------------|--------------------------|--|------|---|--|--|--|
| LvI | Name | Path | Mult | Type (Format) | Details | | |
| 0 | GetAcct | | | | | | |
| 1 | Message Header | Document.GetAcct.MsgHdr | [11] | | | | |
| 2 | Message Identification | Document.GetAcct.MsgHdr.M sgld | [11] | text{1,35} | Message reference as assigned when creating camt.006 | | |
| 2 | Creation Date Time | Document.GetAcct.MsgHdr.Cr eDtTm | [01] | dateTime (YYYY-MM- DDThh:mm:s s.sssZ) | Date and time at which the message was created.(UTC time) | | |
| 1 | Account Query Definition | Document.GetAcct.AcctQryDe f | [11] | | | | |
| 2 | Account Criteria | Document.GetAcct.AcctQryDe f.AcctCrit | [11] | | | | |
| 3 | New Criteria | Document.GetAcct.AcctQryDe f.AcctCrit.NewCrit | [11] | | | | |
| 4 | Search Criteria | Document.GetAcct.AcctQryDe f.AcctCrit.NewCrit.SchCrit | [11] | | This will be an array in ISO but restricted to one occurrence. | | |
| 5 | Account Identification | Document.GetAcct.AcctQryDe f.AcctCrit.NewCrit.SchCrit.Acct Id | [1*] | | | | |
| 6 | Equal | Document.GetAcct.AcctQryDe f.AcctCrit.NewCrit.SchCrit.Acct Id.EQ | [11] | | | | |
| 7 | Other | Document.GetAcct.AcctQryDe f.AcctCrit.NewCrit.SchCrit.Acct Id.EQ.Othr | [11] | | | | |
| 8 | Identification | Document.GetAcct.AcctQryDe f.AcctCrit.NewCrit.SchCrit.Acct Id.EQ.Othr.Id | [11] | text{1,34} | Account number of the respective account for which balance inquiry is required | | |
| 8 | Issuer | Document.GetAcct.AcctQryDe f.AcctCrit.NewCrit.SchCrit.Acct Id.EQ.Othr.Issr | [11] | text [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1} | be used for Blockchain Deposit Accounts. | | |
| 5 | Currency | Document.GetAcct.AcctQryDe f.AcctCrit.NewCrit.SchCrit.Ccy | [11] | text[A-Z]{3,3} | This will be an array in ISO but restricted to one occurrence | | |
| 5 | Balance | Document.GetAcct.AcctQryDe f.AcctCrit.NewCrit.SchCrit.Bal | [01] | | This will be an array in ISO but restricted to one occurrence | | |



| camt.003.001.07 | | | | | |
|-----------------|------------|--|------|-----------------------|---|
| LvI | Name | Path | Mult | Type (Format) | Details |
| 6 | Value Date | Document.GetAcct.AcctQryDe f.AcctCrit.NewCrit.SchCrit.Bal. ValDt | [11] | | This will be an array in ISO but restricted to one occurrence |
| 7 | Date | Document.GetAcct.AcctQryDe f.AcctCrit.NewCrit.SchCrit.Bal. ValDt.Dt | [11] | | |
| 8 | Equal Date | Document.GetAcct.AcctQryDe f.AcctCrit.NewCrit.SchCrit.Bal. ValDt.Dt.EQDt | [11] | date (YYYY- MM-DD) | The date for which the balance is required |

Below is the decrypted content of camt.003.001.07 as a sample.

 $\times\times\times\times\times\times\times\times\times\times\times\times$

```
"Document": {
  "GetAcct": {
    "MsgHdr": {
     "MsgId": "ABCDEFGHIXXX1202104120040297654321",
      "CreDtTm": "2021-09-28T13:41:47.123Z"
    "AcctQryDef": {
      "AcctCrit": {
        "NewCrit": {
         "SchCrit": [
            {
              "AcctId": [
               {
                 "EQ": {
                   "Othr": {
                     "Id": "02345678943",
                     "Issr": "XXXXX
                   }
                 }
               }
             ],
              "Ccy": [
               "USD"
              ],
              "Bal": [
               {
                 "ValDt": [
                     "Dt": {
                       "EQDt": "2021-09-28"
                     }
          ]
]
                   }
         ]
    }
   }
 }
}
```

1.1.6 BALANCE INQUIRY RESPONSE

The message camt.004.001.09 is used to provide information on the details of one or more accounts for information on the balances.

Sender: Receiver: Corporate client. Below is the specification for this message.

| | camt.004.001.09 | | | \times | | |
|-----|-------------------------|---|------|--|---|--|
| LvI | Name | Path | Mult | Type (Format) | Details | |
| 0 | RtrAcct | Document.RtrAcct | [11] | | | |
| 1 | Message Header | Document.RtrAcct.MsgHdr | [11] | | | |
| 2 | Message Identification | Document.RtrAcct.MsgHdr.Ms gld | [11] | text{1,35} | Message reference as assigned when creating camt.004 | |
| 2 | Creation Date Time | Document.RtrAcct.MsgHdr.Cr eDtTm | [11] | dateTime (YYYY-MM- DDThh:mm:ss.s ssZ) | Date and time at which the message was created. (UTC time) | |
| 2 | Original Business Query | Document.RtrAcct.MsgHdr.Or gnlBizQry | [11] | | | |
| 3 | Message Identification | Document.RtrAcct.MsgHdr.Or gnlBizQry.MsgId | [11] | text{1,35} | Message reference of original camt.003 | |
| 1 | Report Or Error | Document.RtrAcct.RptOrErr | [11] | | | |
| 2 | Account Report | Document.RtrAcct.RptOrErr.A cctRpt | [1*] | | | |
| 3 | Account Identification | Document.RtrAcct.RptOrErr.AcctRpt.AcctId | [11] | | | |
| 4 | Other | Document.RtrAcct.RptOrErr.AcctRpt.AcctId.Othr | [11] | | | |
| 5 | Identification | Document.RtrAcct.RptOrErr.AcctRpt.AcctId.Othr.Id | [11] | text{1,34} | The account for which the balance details are provided | |
| 5 | Issuer | Document.RtrAcct.RptOrErr.AcctRpt.AcctId.Othr.Issr | [11] | text | The Issuer BIC of the account | |
| 3 | Account Or Error | Document.RtrAcct.RptOrErr.A cctRpt.AcctOrErr | [11] | | | |
| 4 | Account | Document.RtrAcct.RptOrErr.AcctRpt.AcctOrErr.Acct | [11] | Choice (Account or Business Error) | | |
| 5 | Currency | Document.RtrAcct.RptOrErr.AcctRpt.AcctOrErr.Acct.Ccy | [11] | | The currency of the account | |
| 5 | Multilateral Balance | Document.RtrAcct.RptOrErr.AcctRpt.AcctOrErr.Acct.MulBal | [1*] | | | |
| 6 | Amount | Document.RtrAcct.RptOrErr.AcctRpt.AcctOrErr.Acct.MulBal. Amt | [11] | 0 <= decimal td = 18 fd = 2 | The balance amount will specified here | |
| 6 | Credit Debit Indicator | Document.RtrAcct.RptOrErr.AcctRpt.AcctOrErr.Acct.MulBal.CdtDbtInd | [11] | text{1,4} | This denotes whether the balance is positive(CRDT) or negative(DBIT) | |
| 6 | Туре | Document.RtrAcct.RptOrErr.AcctRpt.AcctOrErr.Acct.MulBal. | [11] | | | |

| camt.004.001.09 | | | | | | | |
|-----------------|-----------------|---|------|--|--|--|--|
| LvI | Name | Path | Mult | Type (Format) | Details | | |
| 7 | Code | Document.RtrAcct.RptOrErr.AcctRpt.AcctOrErr.Acct.MulBal.Tp.Cd | [11] | text{1,4} | The type of balance *Refer 2c section for definition | | |
| 6 | Value Date | Document.RtrAcct.RptOrErr.AcctRpt.AcctOrErr.Acct.MulBal.ValDt | [11] | | | | |
| 7 | Date | Document.RtrAcct.RptOrErr.AcctRpt.AcctOrErr.Acct.MulBal.ValDt.Dt | [11] | date (YYYY-MM-DD) | The date on which the current balance is applicable | | |
| 6 | Processing Date | Document.RtrAcct.RptOrErr.AcctRpt.AcctOrErr.Acct.MulBal.PrcgDt | [01] | | | | |
| 7 | DateTime | Document.RtrAcct.RptOrErr.AcctRpt.AcctOrErr.Acct.MulBal.PrcgDt.DtTm | [01] | dateTime (YYYY-MM- DDThh:mm:ss.s ssZ) | Date time when the balance was last updated following an entry posted to the Account (UTC time). Note: Processing date is not updated when hold is added/modified on account | | |
| 4 | Business Error | Document.RtrAcct.RptOrErr.A cctRpt.AcctOrErr.BizErr | [11] | Choice (Account or Business Error) | This will be an array as per ISO but restricted to one occurrence in COIN. | | |
| 5 | Error | Document.RtrAcct.RptOrErr.AcctRpt.AcctOrErr.BizErr.Err | [11] | | | | |
| 6 | Code | Document.RtrAcct.RptOrErr.AcctRpt.AcctOrErr.BizErr.Err.Cd | [11] | text[a-zA-Z0- 9]{1,4} | *Refer <u>2b.iii</u> section.(Error code field) for more details | | |
| 5 | Description | Document.RtrAcct.RptOrErr.AcctRpt.AcctOrErr.BizErr.Desc | [01] | text{1,140} | *Refer <u>2b.iii</u> section.(Error code Name.) for more details | | |

Below is the decrypted content of camt.004.001.09 as a sample.

```
"AcctOrErr": {
 "Acct": {
   "Ccy": "USD",
    "MulBal": [
      {
        "Amt": 1436.08,
        "CdtDbtInd": "CRDT",
        "Tp": {
         "Cd": "AVLB"
        } ,
        "ValDt": {
         "Dt": "2024-03-18"
        },
        "PrcgDt": {
         "DtTm": "2024-03-18T13:44:00.000Z"
        }
      },
      {
        "Amt": 1436.08,
        "CdtDbtInd": "CRDT",
        "Tp": {
          "Cd": "CLRD"
        "ValDt": {
          "Dt": "2024-03-18"
        "PrcgDt": {
         "DtTm": "2024-03-18T13:44:00.000Z"
      },
      {
        "Amt": 1436.08,
        "CdtDbtInd": "CRDT",
        "Tp": {
          "Cd": "BOOK"
        } ,
        "ValDt": {
         "Dt": "2024-03-18"
        },
        "PrcgDt": {
          "DtTm": "2024-03-18T13:44:00.000Z"
        }
      },
      {
        "Amt": 1436.08,
        "CdtDbtInd": "CRDT",
        "Tp": {
          "Cd": "VLDT"
        },
        "ValDt": {
          "Dt": "2024-03-18"
        },
        "PrcgDt": {
          "DtTm": "2024-03-18T13:44:00.000Z"
      } ,
        "Amt": 0.00,
        "CdtDbtInd": "CRDT",
        "Tp": {
```

```
"Cd": "HOLD"

},

"ValDt": {

    "Dt": "2024-03-18"

},

"PrcgDt": {

    "DtTm": "2024-03-18T13:44:00.000Z"

}

}

}

}

}

}

}
```