

Lab 1 - Requirements Table

Name: Satvik J

SRN: PES1UG24CS714

Req ID	Type	Description	Priority	Acceptance Criteria	Rationale (short)	Comments
FR-001	Functional	The system shall collect audit events from registered log source systems	High	When a registered source sends a valid audit event the event is received and gets a unique record ID	Central collection keeps audit records in one place	Clear and directly linked to the topic
FR-002	Functional	The system shall validate and store received audit records in the central audit trail	High	A valid event is stored and can be retrieved using its record ID. An invalid event is rejected	Stored records are needed for later review	Validation rule can be tested
FR-003	Functional	The system shall allow authorized users to search audit records using filters	High	A Compliance Officer or Security Auditor can search by date and event type and matching records are displayed	Makes audit review easier	Search fields stay simple
FR-004	Functional	The system shall identify and display audit events that match defined compliance rules	High	When a stored event matches a compliance rule it is marked as a compliance event and shown to an authorized user	Helps users find possible compliance issues	Rule result should be visible
FR-005	Functional	The system shall generate a compliance report from selected audit records	Medium	When valid records are selected the system generates a report containing the selected records and report date	Reports are useful for audits and compliance checks	Keep the report format simple
NFR-001	Nonfunctional	The system shall store a valid audit event within 5 seconds of receiving it	High	A timing test shows the event is stored within 5 seconds for at least 9 out of 10 valid events	Fast storage reduces delay during auditing	Time can be measured in testing
NFR-002	Nonfunctional	The system shall allow audit records only to authenticated users with an authorized role	High	An unauthenticated user and a user without an authorized role are denied access to audit records	Audit records contain sensitive operational information	Access can be tested with different users