

EASE

GrowthHack 2026

Authoritative Product, Resy Evidence & Solution Architecture

Evidence reconciliation baseline - 16 September 2026

DOCUMENT STATUS

Authoritative working baseline as of 16 Sep 2026. Claims are explicitly classified as fact, project decision, measured baseline, target, inference, proposal, or unknown. Live Atlassian/Robo access was not available in this execution environment; newly supplied internal evidence is therefore treated as internally reported unless the underlying repository evidence is independently available.

CORE POSITION

EASE is not a replacement for ResyOS, Tock, Jira, or migration infrastructure. The validated direction is an intelligent, governed experience and execution layer that helps operators complete complex layout work while deterministic validation and human governance remain in control.

Prepared from: GrowthHack source material, ResyOS deep-dive research, EASE repository discovery, pre-Robo baseline, gap-closure brief, and the latest internal gap-closure evidence.

1. Executive Summary

The evidence now supports a materially sharper EASE story than the earlier generic Resy/Jira solutioning. The original solution was intentionally designed around one complete GrowthHack loop and a floor-plan hero journey. The later internal evidence strengthens that choice by reporting a high prevalence of multi-floor-plan usage, a high support burden around inventory/layout setup, ownership of Floor Plan Library within BOH1, an active migration program, and a clear separation between Jira coordination and operational ResyOS/Tock state.

- GrowthHack alignment remains the USCS opportunity to reimagine travel partner and restaurant onboarding and enablement. The official GrowthHack source also emphasizes responsible enterprise-safe AI experimentation and cross-functional participation.
- The GrowthHack MVP remains one hero journey: help a restaurant operator build and activate a floor plan. The repository and planning artifacts define Steps 1-6 as the MVP completion path; Step 7 Single Day Edit is explicitly out of scope.
- New internal evidence reports that 82% of Resy venues (9,015) use multiple floor plans and 53% (5,864) attach multiple floor plans to a single shift. It also reports inventory/layout setup as the largest support-ticket category across Resy and Tock. These figures are treated as internally reported evidence pending direct retrieval of the cited portal pages.
- The most important architecture refinement is the system-of-record split: Jira/AJC is the coordination and governance system, while ResyOS/Tock operational state is the system that must ultimately establish whether a floor-plan change actually exists and works.
- Resy and Tock do not necessarily share the same floor-plan semantic model. The new evidence reports that in Resy a floor plan is a room, while in Tock a floor plan can contain multiple rooms. This creates a strong reason for a canonical EASE layout model plus platform-specific adapters, subject to evidence validation.
- EASE should own the experience layer: intent understanding, contextual guidance, semantic translation, journey state, deterministic validation, progress, telemetry, error recovery, and governed human review. Existing migration/importer infrastructure and operational databases remain outside EASE responsibility.
- The working repository is still planning-heavy and pre-integration. The static walkthrough prototype is real and testable; the production-style EASE services, Resy/Tock adapters, and live Jira integration remain planned or proposed.
- Restaurant Health Insights remains strategically relevant but is better positioned as Phase 2, especially because Data + Insights already has Homepage Insights and a Pre-Shift Brief Pilot.

IMPORTANT

The new evidence closes several prior research gaps, but it does not automatically make every proposed integration or KPI a current fact. The final baseline deliberately separates internal evidence reported by project artifacts from capabilities that have actually been implemented in the repository.

2. Why This Document Exists

This report reconciles multiple generations of EASE knowledge. The original EASE solution was created before detailed Resy Jira access. The later ResyOS deep-dive consequently mixed strong business discovery with generic SaaS assumptions. The gap-closure work was introduced to replace those assumptions with internal evidence where possible. The newest material closes or refines several of those gaps, so the authoritative baseline must reflect the newer reality without pretending that every integration has already been built.

Evidence hierarchy

Rank	Source class	Use in this report
1	Authoritative GrowthHack / Amex material	Event rules, USCS opportunity, enterprise requirements.
2	Direct Resy / Jira / Confluence evidence	Current operational/product facts.
3	Documented stakeholder evidence	Business process truth and role responsibilities.
4	Repository facts	What EASE actually implements today.
5	Project decisions	Explicit EASE choices about MVP and architecture.
6	Supported inference / target / proposal	Clearly labeled, never presented as current fact.

Source register

ID	Source	Role in reconciliation
S-A	GrowthHack.docx / repository copy	Official event framing, USCS theme, EASE vision, team context.
S-B	ResyOS Deep-Dive Research & Solution Design Report	Earlier Resy/Jira solutioning; many details are explicitly Assumed Pattern.
S-C	EASE GitHub repository + discovery report	Architecture, PRD, UX, prototype, tests, planning state, implementation truth.
S-D	EASE Validated Baseline Pre-Robo	Pre-gap-closure synthesis and known uncertainties.
S-E	EASE Resy/Jira/Robo Gap Closure Brief	Prior GAP-01..12 and RT-001..013 research control framework.
S-F	Growth Hack / Project EASE: Gap Closure & Authoritative Baseline Report	Newest internally reported Resy/Jira evidence and updated solution direction.

Source note: S-F cites internal Resy Atlassian pages and planning artifacts. Those pages were not directly retrievable through an authorized Atlassian connector in this session; therefore the report treats S-F as internally reported evidence and does not claim independent portal verification.

3. GrowthHack 2026 Requirements

GrowthHack 2026 is a two-day global hackathon with cross-functional participation and BU-backed opportunity themes. The supplied GrowthHack material names the USCS opportunities most relevant to EASE: reimagining travel partner and restaurant onboarding/enableness and strengthening restaurant health insights. The project brief in the repository documents a judging rubric of 30% Hack Feasibility and Scalability, 30% Innovation, 30% Business Unit Value, and 10% Completeness, described there as verified against the live

judging process on 14 Sep 2026. In this report those weights are treated as project-documented official evidence, not independently re-verified in this execution environment.

Requirement	Authoritative interpretation	EASE response
USCS opportunity	Reimagine Travel Partner & Restaurant Onboarding and Enablement	Reduce onboarding friction through contextual, validated guidance.
Enterprise-safe AI	AI experimentation must remain governed and scalable.	AI remains advisory; deterministic validation and human governance remain in control.
Cross-functional participation	Business, Product, and Technology perspectives matter.	Team structure explicitly includes Resy business/process owners, product, architecture, engineering and delivery.
Five-minute submission	Demo must be legible and bounded.	One deep hero journey rather than many shallow journeys.
Production credibility	The hack should show a path toward production.	AmEx-aligned One App architecture, separated services, explicit system boundaries, and build-vs-buy discipline.

4. USCS Business Opportunity and Problem

The business problem is not simply a lack of documentation. The stronger formulation is that a restaurant operator knows the outcome they want but does not necessarily know the right next action, whether the action succeeded, or which hidden dependency remains. The Resy onboarding discovery notes limited time for structured discovery and meaningful self-configuration by partners.

CURRENT PROBLEM

Complex enterprise setup is experienced as navigation work: find instructions, interpret them, locate the right UI, perform the action, determine whether it worked, then find the next step. EASE changes this to intent -> context -> guided action -> validation -> progress.

Evidence-backed floor-plan scale

Signal	Reported evidence	Classification	Implication
Multi-floor-plan usage	82% / 9,015 Resy venues	Internally reported; underlying source cited	Floor-plan complexity is not a niche edge case.
Multiple plans on a shift	53% / 5,864 venues	Internally reported; underlying source cited	Shift activation semantics matter to the MVP.
Support burden	Inventory/layout setup reported as largest support-ticket category across Resy/Tock	Internally reported; underlying source cited	A guidance/validation layer targets a high-friction operational area.

Signal	Reported evidence	Classification	Implication
BOH1 ownership	Floor Plan Library and Tock Inventory Exclusivity attributed to BOH1	Internally reported; underlying source cited	EASE should integrate with existing ownership, not replace it.

S-F cites the [Product Pitch - Floor Plan Library and Bi-Weekly Planning Prioritization Review \(2026-09-14\)](#) as the underlying sources for the floor-plan evidence.

5. Validated Current-State Resy / Tock Landscape

The latest evidence shifts EASE away from a generic "Jira copilot" framing and toward a specific operational experience layer around layout configuration and activation. The most important new facts are ownership topology, migration activity, and system-of-record separation.

Pod / initiative landscape

Area	Reported initiative	Relationship to EASE	Current interpretation
BOH1	Floor Plan Library	Direct domain adjacency	EASE can guide and validate work inside this domain.
BOH1	Tock Inventory Exclusivity	Semantic/domain adjacency	Supports the need to understand Tock-specific inventory semantics.
Migration Program	Onboarding Automation Journey	Potential overlap	EASE should complement orchestration rather than duplicate migration automation.
Migration Program	Data Migration & Audit	Potential dependency	EASE can guide migration exceptions but should not recreate batch import pipelines.
Migration Program	Cross-Product Dependencies	Integration context	Reinforces need for platform-aware semantic translation.
Data + Insights	Pre-Shift Brief Pilot	Phase 2 adjacency	Signals a live analytics/insights stream that could feed future EASE insight capabilities.
Data + Insights	Homepage Insights	Phase 2 adjacency	Health Radar should integrate or complement, not duplicate, existing insight work.

System-of-record model


Domain	Authoritative system (current evidence)	EASE role	Evidence status
Coordination / governance	Jira Cloud / AJC	Create/track/advance work items; surface governance state	Internally reported in S-F; validate underlying source when possible.
Operational floor-plan state	ResyOS / Tock DB	Send validated operational change and read back result in a future integrated architecture	Internally reported in S-F; repo does not implement this live.
Journey state	EASE validation engine + host-app state	Own user-facing progress and completion determination for MVP	Repository/project decision.
Canonical guidance	Approved knowledge / specialist review	Provide contextual instructions and publish approved journey knowledge	Project decision; source linkage remains partly open.
Telemetry	EASE telemetry layer	Capture journey events and friction signals	Repository architecture / project decision.

KEY ARCHITECTURAL CONSEQUENCE

Do not use Jira ticket transition as proof that a floor plan exists or is live. Jira can say "the work is coordinated/approved"; the operational system must prove the configuration was actually persisted and, where possible, read back successfully.

6. Resy vs Tock Semantic Model

The newest internal evidence reports a semantic difference that is more important than a naming difference: Resy and Tock may represent floor plans differently. The report states that in Resy, floor plans are rooms, while in Tock a floor plan can contain multiple rooms. This should be treated as a domain-model boundary, not papered over with a single shared backend representation.



Canonical EASE concept	Resy mapping	Tock mapping	Validation implication
Layout / Floor Plan	Reported as room/floor-plan construct	Reported as floor plan containing rooms	Adapter-specific semantics required.

Canonical EASE concept	Resy mapping	Tock mapping	Validation implication
Room	Part of floor-plan operating representation	Child under a floor plan	Do not assume 1:1 relationship.
Table	Operational reservable object	Operational reservable object	Capacity, type and identifiers need platform validation.
Shift / Service mapping	Plan activated through service/shift	Platform-specific activation mapping	Read-back required before declaring completion.
Migration mapping	Floor-plan configuration	Potentially multi-room mapping	Migration validation must be platform-aware.

DESIGN RULE

The canonical EASE model should describe the operator intent and validation semantics. Platform adapters should translate that intent into Resy or Tock-specific structures. This reduces the temptation to make two different systems look identical just to simplify the diagram.

7. Validated Hero Journey - Build and Activate a Floor Plan

The repository already contains an evidence-based current-state journey document and the PRD explicitly makes it the GrowthHack hero journey. The new internal evidence materially strengthens the business case for keeping it.

Step	Current-state action	EASE responsibility	MVP status
1	Open Floor Plan editor	Understand intent; guide to editor	IN SCOPE
2	Name/layout plan; add rooms/areas and tables	Guide relevant controls	IN SCOPE
3	Configure table ID/type/min-max party size	Validate required fields and domain constraints	IN SCOPE
4	Create table combinations	Validate combination semantics and capacity	IN SCOPE
5	Save plan	Verify saved state	IN SCOPE
6	Activate plan through Shift and verify availability	Catch save-vs-activate gap; verify selected plan and table visibility	IN SCOPE
7	Single Day Edit	Real product capability but not required for MVP	OUT OF SCOPE

Current-state validation checkpoints

- Table identifier/name exists and is valid.

- Table type exists.
- Minimum and maximum party sizes are valid.
- Required table combinations are defined.
- Plan is saved.
- Plan is selected in the relevant Shift/service.
- Tables from the selected plan are visible in the availability step/read-back state.

Key friction: save versus activate

The strongest product insight is that a plan can be built and saved yet still not be live for a service until it is separately activated through a Shift. This is exactly the kind of hidden dependency that a guided, state-aware experience can surface. It also gives the demo a tangible moment in which EASE adds value beyond a static help article.

8. Final EASE Product Definition

EASE - Experience Assistance for Simplified Execution - is an intelligent experience and execution layer that translates a user intent into contextual guidance, keeps track of the user's journey state, validates completion using deterministic rules and operational evidence, and retains human governance for exceptions and canonical knowledge. The phrase "Experience Assistance for Simplified Execution" remains the established project expansion. The newer Source F phrase "Enterprise Assisted Service / Experience Layer" is treated as a secondary wording, not a replacement for the established product name.

What EASE is not

- Not a replacement for ResyOS or Tock databases.
- Not a new Jira project-management system.
- Not a batch migration/importer engine.
- Not an unsupervised autonomous agent that declares business completion.
- Not merely a chatbot or documentation search box.

What EASE adds

- Intent understanding and semantic translation from natural language into a bounded journey.
- Contextual in-product guidance.
- Explicit journey state and progress.
- Deterministic validation and operational read-back.
- Recovery from invalid or incomplete actions.
- Telemetry that exposes friction and repeatability.
- Human-controlled knowledge approval and exception handling.

9. AI vs Deterministic Responsibility Boundary

Concern	AI / LLM	Deterministic engine	Human
Intent	Interpret natural-language goal	Apply supported-intent contract	Resolve ambiguity if needed
Layout draft	Generate candidate structured plan	Schema/domain validation	Review when exception/ambiguity exists
Guidance	Explain and guide	Determine current valid	Approve/correct canonical

Concern	AI / LLM	Deterministic engine	Human
		next step	guidance
Completion	May summarize state	Own completion evidence	Handle exceptions / override where authorized
Error explanation	Translate technical result into user language	Generate authoritative error codes/state	Decide process change
Telemetry	May summarize patterns	Write authoritative events	Interpret friction and approve improvements

INVARIANT


AI is advisory. Deterministic validation is authoritative for known completion conditions. Human reviewers are authoritative for exceptions, governance, and publishing canonical knowledge.

10. Validation Architecture

The solution must not equate "valid JSON" with "valid restaurant configuration." The new evidence strengthens the need for layered validation.

Layer	Validation question	Typical owner	MVP evidence
L1 Syntax	Is the payload structurally parseable?	Platform/runtime	Schema parser
L2 Schema	Does it match the EASE canonical layout contract?	EASE Core	JSON schema/unit tests
L3 Domain rules	Are table, room and capacity rules valid?	EASE deterministic validator	Rule tests
L4 Cross-entity constraints	Do combinations, rooms, shifts and identifiers agree?	EASE deterministic validator	Cross-entity fixtures
L5 Operational acceptance	Will the platform accept the requested state?	Resy/Tock adapter/API	Future live integration
L6 Read-back	Did the operational state actually persist?	EASE adapter + system of record	Future live integration
L7 Journey completion	Is the user truly finished?	EASE Core	MVP walkthrough state
L8 Human approval	Does the case require human decision/governance?	Implementation Specialist / reviewer	MVP review workflow

11. Final Logical Architecture



Repository-aligned architecture

- EASE Chrome Layer: planned One App Single Module, DLS v7, hosting the user-facing experience.
- EASE Core Service: planned deterministic validation, journey state, telemetry, Micro-Guide generation and Specialist Review state.
- LLM Boundary Service: planned isolated advisory service with deterministic fallback.
- Host App Skin: current vanilla Resy-like prototype, retained as the mock host surface for the GrowthHack demo.
- Real Resy/Tock adapters: proposed production-facing integration boundary, not present as live integration in the supplied repository.

12. Repository Implementation Reality

Capability	Current state in supplied repository	Evidence class
Walkthrough host app	Working vanilla HTML/CSS/JS	REPOSITORY FACT

Capability	Current state in supplied repository	Evidence class
	prototype	
Intent model	12 intents, 4 journeys; self-check passes	REPOSITORY FACT
Test suite	46 passing Python tests	REPOSITORY FACT
EASE Core Service	Not implemented in supplied archive	REPOSITORY FACT
Live Resy/Tock adapter	Not implemented	REPOSITORY FACT
Live Jira integration	Not implemented	REPOSITORY FACT
One App EASE Chrome Layer	Planned architecture; not present as working implementation	PROJECT DECISION / PLANNED
LLM Boundary Service	Planned architecture; runtime language still an explicit assumption	PROJECT DECISION / ASSUMPTION
Health Radar	Concept / future-state; not MVP implementation	FUTURE STATE
Architecture Portal	Large upstream reference snapshot; not EASE app code	REPOSITORY FACT

IMPLEMENTATION HONESTY

The repository is planning-heavy and pre-integration. The strongest current claim is that EASE has a working conceptual/prototype experience with tested intent and validation behavior, not that EASE already writes live Resy/Tock state or advances production Jira tickets.

13. Integration Boundary: What Is Real vs Proposed

Boundary	Current status	What can be claimed now	What still requires proof/build
packages/os-web	Referenced in S-F as target host surface	Proposed Resy web integration point	Repository/access/API readiness
ui-kitchen	Referenced in S-F as component library	Target implementation dependency	Actual accessible package/version
resy/os	Reported operational database/system	Internal evidence says it owns operational state	Safe API/write/read-back mechanism
resy/api	Reported target API surface	Candidate integration surface	Documented endpoints, auth, sandbox
Jira REST / transitions	Target governance integration	Architecture can publish/advance	Credentials, project keys, permissions, real workflow

Boundary	Current status	What can be claimed now	What still requires proof/build
		coordination state	mapping
local resy_web mock	Repository prototype context	Valid for demo-safe modeling	Replace only when approved integration is available

14. Gap Closure Status

Gap	Prior task	Current status	Evidence / decision
GAP-01 Jira project inventory	RT-001	PARTIALLY CLOSED / REPORTED	S-F identifies active workstreams but does not enumerate complete Jira project keys, issue types and workflows in the supplied text.
GAP-02 Floor-plan reality	RT-003	CLOSED - reported internal evidence	S-F reports high floor-plan prevalence, support burden, BOH1 ownership, and cited Product Pitch / Prioritization sources.
GAP-03 System-of-record boundary	RT-004	CLOSED - reported internal evidence	S-F reports Jira/AJC for governance/coordination and ResyOS/Tock DB for operational state.
GAP-04 Importer/migration	RT-005	CLOSED - reported internal evidence	S-F reports active Migration Program with Data Migration & Audit and batch importers.
GAP-05 AI/automation overlap	RT-006	PARTIALLY CLOSED	Migration/onboarding automation is reported; direct evidence of existing AI/copilot overlap is still insufficient.
GAP-06 Specialist work	RT-007	PARTIALLY CLOSED	Stakeholder discovery and Jira-oriented requirements exist, but representative issue chains and manual-work frequency remain incomplete.
GAP-07 Failure patterns	RT-008	OPEN	Prototype has modeled validation/error recovery, but real Resy/Jira failure distributions remain

Gap	Prior task	Current status	Evidence / decision
			unverified.
GAP-08 Knowledge sources	RT-009	PARTIALLY CLOSED	Confluence is referenced, but canonical ownership/versioning needs direct evidence.
GAP-09 Metrics	RT-010	PARTIALLY CLOSED	82% / 53% floor-plan figures are internally reported; operational improvement targets remain targets, not measured outcomes.
GAP-10 Health Radar evidence	RT-011	CLOSED FOR PHASE-2 POSITIONING	S-F reports Homepage Insights and Pre-Shift Brief Pilot; enough to justify future-state adjacency, not MVP scope.
GAP-11 UX terminology	RT-012	PARTIALLY CLOSED	Hero journey has detailed verified terminology, but new platform-specific adapter terminology still needs validation.
GAP-12 Security/access	RT-013	OPEN / HIGH PRIORITY	Current project architecture contains general governance guidance, but live Jira/Resy access constraints remain unverified.

15. Original Assumption vs New Reality

Original assumption	New evidence	Status	Effect on EASE
Generic Jira project/workflow model	Current evidence identifies active Resy workstreams but not full project topology	REFINED	Do not claim generic project model as authoritative; keep Jira role at coordination level until detailed inventory exists.
Floor-plan journey may be a good demo hypothesis	82% multi-plan usage; 53% multiple plans per shift; support-ticket relevance	CONFIRMED / STRENGTHENED	Keep floor-plan hero journey.
Jira vs ResyOS system boundary was unknown	Jira/AJC reported as governance; ResyOS/Tock DB operational	REFINED / STRONGLY SUPPORTED	Architecture becomes split-source-of-truth with operational read-back.
Migration/importer could be an open opportunity	Migration Program and batch importers already	SUPERSEDED	EASE should complement migration rather than

Original assumption	New evidence	Status	Effect on EASE
	exist		recreate it.
Health Radar could be a primary solution	Data + Insights already has Homepage Insights / Pre-Shift Brief Pilot	REFINED	Position Health Radar as Phase 2 / integration opportunity.
Resy and Tock can be treated with a shared floor-plan abstraction	New evidence says their semantics differ	REFINED	Introduce canonical EASE layout model plus platform adapters.
AI can help produce plan and guidance	Still consistent with project architecture	CONFIRMED	Keep AI advisory and deterministic boundary.
Illustrative KPI ranges indicate likely impact	No measured baseline presented for proposed improvement percentages	SUPERSEDED AS FACT	Keep as targets/hypotheses only.

16. GrowthHack MVP Freeze

Question	Authoritative answer
Who?	Resy restaurant owner/manager performing setup; Implementation Specialist as governance/exception role.
What problem?	Complex floor-plan configuration and activation with hidden dependencies and high operational friction.
What journey?	Build and activate a floor plan, Steps 1-6.
What does AI do?	Intent parsing, structured candidate configuration, contextual guidance, explanation, summary.
What does deterministic logic do?	Schema/domain/cross-entity validation, journey state, completion evidence.
What does the user confirm?	The proposed configuration and any commit action within the demo flow.
What does Resy/Tock do?	In the target production architecture, persist operational state and support read-back verification.
What does Jira do?	Coordinate/govern onboarding work; reflect approved work-item state.
What is real now?	Prototype UX/intent/validation behavior; internal evidence about business context.
What is mocked now?	Host app skin and external-system integration boundary.
What is measured now?	Prototype tests and internal evidence signals; not production outcome metrics.

Question	Authoritative answer
What is not built?	Live Resy/Tock writes, live Jira orchestration, production deployment.
What is Phase 2?	Health/insight integration, additional journeys, richer platform adapters, more operational intelligence.

17. Business Value and KPI Framework

Separate problem scale from solution impact. The latest internal report supplies useful problem-scale evidence, but the improvement percentages in that report are targets/hypotheses until measured.

Metric	Current evidence	Classification	Recommended measurement
Venues using multiple floor plans	82% / 9,015	Internally reported baseline	Reconfirm source population/period before externalizing.
Venues with multiple floor plans attached to a shift	53% / 5,864	Internally reported baseline	Reconfirm source population/period.
Inventory/layout support burden	Reported as largest category	Internally reported signal	Quantify volume, share of tickets, time-to-resolution.
Floor-plan setup time	Proposed improvement from days to <30 min	TARGET / HYPOTHESIS	Median user completion time, pre/post pilot.
Support-ticket reduction	Proposed ~35-45%	TARGET / HYPOTHESIS	Ticket rate per onboarded venue or migration wave.
Migration churn reduction	Proposed benefit	TARGET / HYPOTHESIS	Define churn cohort and compare with baseline.
Validation failure / retry rate	Not yet established	OPEN	Instrument validator and repeat-action events.
Implementation Specialist touches	Not yet established	OPEN	Count guidance requests, interventions, escalations and approvals.

18. GrowthHack Demo Design

The latest evidence makes the demo story stronger: the hook is not generic AI assistance. The hook is that EASE turns a high-friction, cross-step operational activity into a guided, validated journey and catches the hidden save-vs-activate dependency.

Time	Segment	Evidence-backed message
0:00-0:45	Hook / problem	Floor-plan complexity is widespread; internal evidence reports high multi-

Time	Segment	Evidence-backed message
		plan usage and support burden.
0:45-2:30	Hero flow	Operator states intent; EASE guides through layout creation and validation.
2:30-3:30	Architecture / safety	AI proposes/understands; deterministic validation verifies; human remains in control.
3:30-4:30	Impact	Show problem-scale evidence and measured/target KPI framework without presenting targets as facts.
4:30-5:00	Roadmap / close	Show Phase 2 health/insight adjacency and enterprise scaling through platform adapters and governance.

DEMO DATA SAFETY

Use internally consistent demo values. The previous example "60 seats = 12 four-tops + 20-seat patio" is mathematically inconsistent: $48 + 20 = 68$. Do not use it unchanged. This should be caught before it reaches the demo because deterministic validation is part of EASE's proof.

19. Health Insights - Phase 2, Not MVP

The earlier solutioning proposed a Restaurant Health Insights Radar. The new evidence now shows that Data + Insights already has Homepage Insights and a Pre-Shift Brief Pilot. That makes the health concept more credible as an extension, but also makes duplication risk more concrete.

- Keep Health Radar out of the GrowthHack MVP unless the floor-plan hero flow is already stable.
- Position EASE as a potential experience/governance layer that consumes existing insights and turns them into guided next actions.
- Do not imply that EASE owns the health-scoring or insight-generation infrastructure if those capabilities belong to Data + Insights.
- Use Phase 2 to demonstrate the reusable EASE pattern: intent -> context -> signal -> next action -> guided execution.

20. AmEx Architecture and Delivery Alignment

The repository architecture spine chooses One App Single Module for the EASE Chrome Layer, a separated Core Service for deterministic validation/journey state, and a separated LLM Boundary Service. This is an explicit project architecture decision. The latest Resy evidence does not invalidate that direction; it changes the downstream integration picture by making the operational system-of-record boundary explicit.

Architecture concern	Current decision	Evidence / rationale
Frontend platform	One App Single Module	Repository architecture decision /

Architecture concern	Current decision	Evidence / rationale
		Amex-prescribed direction.
AI boundary	Isolated LLM Boundary Service	Repository architecture decision; advisory-only invariant.
Completion state	Deterministic engine	Repository architecture + PRD.
Operational integration	Resy/Tock adapters	Target architecture informed by new internal evidence.
Coordination	Jira/AJC integration	Target architecture; not implemented in supplied repo.
Storage	Minimal local relational state for MVP	Architecture decision; not a production data platform.
Demo deployment	Local laptop / static host app / local services	Architecture spine explicitly limits MVP environment.
Production integration	Not part of current demo implementation	Must be separately validated for access, auth, security, API readiness.

21. Requirement-to-Code Traceability

Business evidence	Product requirement	Architecture	Repository status
Floor-plan support burden / multi-plan complexity	Guide and validate floor-plan build/activation	Journey + deterministic validator	Prototype behavior and planned Core
Hidden save-vs-activate dependency	Prevent false completion	Validation checkpoint + operational read-back target	Modeled in PRD / architecture; live system not integrated
AI should reduce instruction hunting	Intent + contextual guidance	LLM Boundary Service	Prototype intent engine; production LLM boundary planned
Need governance	Specialist Review / approval	EASE Control	Planned architecture and UX
Need learning	Telemetry + Micro-Guide	Telemetry + Studio	Prototype has recorder/docs concepts; full Core not implemented
Jira coordination	Reflect work/approval state	Jira integration boundary	Not implemented in supplied repo

22. Risks, Dependencies and Constraints

Risk/dependency	Current assessment	Mitigation
Live Resy/Tock API access	Not verified in repository / current tool environment	Keep demo mocked; obtain authorized access before live integration.
Jira workflow topology	Partially evidenced	Retrieve actual project keys, issue types, statuses and transitions before wiring.
Semantic mismatch Resy/Tock	Material	Use canonical EASE model + adapters.
AI variability	Known	Fixed demo prompts, deterministic fallback, validator remains authoritative.
KPI overclaiming	High if targets are written as facts	Label every metric as measured/target/hypothesis.
Migration overlap	Active Resy migration program reported	Define EASE as experience/guidance layer, not migration engine.
Security / data access	Not fully verified	Use synthetic/anonymized data for hack and validate access model before production integration.
Implementation state	Planning ahead of build	Do not call architecture implemented until code exists and is tested.

23. Remaining Open Questions and Follow-up Research

ID	Question	Why it still matters	Priority
Q-01	What are the exact Resy Jira project keys, issue types, workflows and custom fields for onboarding/layout?	Needed for a real Jira integration contract.	P0
Q-02	What API/auth/sandbox mechanism exists for Resy/Tock operational writes and read-back?	Determines whether target production flow can be demonstrated or only designed.	P0
Q-03	Which exact rules define valid floor-plan/table/combination /shift configurations?	Turns domain validation into evidence-backed rules.	P0
Q-04	What real failure/exception patterns dominate floor-plan and migration work?	Determines recovery UX and human escalation boundaries.	P1
Q-05	Which Confluence/runbook	Required for trustworthy	P1

ID	Question	Why it still matters	Priority
	pages are canonical and how are they versioned?	guidance.	
Q-06	What exact Implementation Specialist work remains manual and judgment-heavy?	Defines automation boundary and human value story.	P1
Q-07	Which existing AI/automation products overlap with EASE?	Prevents duplication and sharpens differentiation.	P1
Q-08	Which internal metrics can validate setup time and support burden?	Turns business story into measured value.	P1
Q-09	What exact security/data permissions are required for Jira/Resy integration?	Needed for production credibility.	P1

Recommended Robo tasks after the latest evidence

- RT-001 follow-up: retrieve exact Jira project keys, issue types, workflow/status definitions and representative epics for floor-plan/onboarding work.
- RT-003 follow-up: retrieve the underlying Floor Plan Library pitch and current prioritization artifact, including source date/population and any detailed acceptance rules.
- RT-004 follow-up: verify the Jira/ResyOS/Tock system-of-record split and capture real examples of state changes and read-back.
- RT-006: investigate existing AI/automation initiatives separately; the new evidence does not close this gap.
- RT-007/008/009/010/012/013: continue only where the final report needs evidence for validators, knowledge, metrics, UX, or security.

24. Decision Log

Decision	Current position	Reason
MVP hero journey	Build and activate floor plan, Steps 1-6	Strong project decision; now strengthened by internal floor-plan scale evidence.
Step 7 Single Day Edit	Out of scope for MVP	Documented planning decision; preserves a narrow, rehearsable hero path.
EASE naming	Experience Assistance for Simplified Execution	Established project definition in GrowthHack material; alternate wording in later report does not supersede it.
Host App Skin	Retain vanilla prototype	Existing working surface is enough for the host-app illusion; EASE Chrome

Decision	Current position	Reason
		Layer remains differentiated.
Chrome Layer	One App Single Module	Architecture decision aligned to Amex platform guidance.
AI completion authority	AI does not own completion	Prevents hallucinated completion and preserves deterministic governance.
Jira role	Coordination/governance, not operational truth	New internal evidence materially refines the architecture.
Resy/Tock integration	Adapter boundary, not duplicate backend	New semantic difference makes platform-specific translation necessary.
Health Radar	Phase 2	New evidence shows existing Data + Insights initiatives; avoid MVP scope dilution and duplication.

25. Evidence Appendix

The appendix below records the principal claims used to build the authoritative baseline. Where the source is a secondary synthesis, that limitation is made explicit.

Claim	Primary evidence	Classification
GrowthHack USCS onboarding opportunity	GrowthHack.docx / repo source brief	OFFICIAL FACT
EASE one-loop MVP / floor-plan hero	GrowthHack.docx + PRD + hero-journey doc	PROJECT DECISION / REPOSITORY FACT
Floor-plan 82% / 9,015	S-F citing Resy internal Product Pitch + prioritization review	RESY INTERNAL FACT as reported by S-F
Floor-plan 53% / 5,864 on a shift	S-F citing internal prioritization review	RESY INTERNAL FACT as reported by S-F
Largest inventory/layout support category	S-F citing internal sources	RESY INTERNAL FACT as reported by S-F
BOH1 ownership of Floor Plan Library	S-F citing internal prioritization review	RESY INTERNAL FACT as reported by S-F
Migration Program includes Data Migration & Audit / importers	S-F citing internal planning	RESY INTERNAL FACT as reported by S-F
Jira/AJC governance vs ResyOS/Tock operational SoR	S-F citing Resy team structure and internal architecture docs	RESY INTERNAL FACT as reported by S-F
Resy vs Tock floor-plan semantic difference	S-F citing internal evidence	RESY INTERNAL FACT as reported by S-F

Claim	Primary evidence	Classification
12 intents / 4 journeys	Repository self-check	REPOSITORY FACT
46 passing tests	Repository test run	REPOSITORY FACT
Live Resy/Tock integration	No live implementation in supplied repo	REPOSITORY FACT: NOT PRESENT
35-45% ticket reduction	S-F proposed KPI	TARGET / HYPOTHESIS, not measured
Under-30-minute setup	S-F proposed KPI	TARGET / HYPOTHESIS, not measured

Source links reported by the new internal evidence

- Resy Product Pitch - Floor Plan Library:
<https://resy.atlassian.net/wiki/spaces/P/pages/5517181417/Product+Pitch+-+Floor+Plan+Library>
- Bi-Weekly Planning Prioritization Review - 2026-09-14:
<https://resy.atlassian.net/wiki/spaces/P/pages/5598052355/Bi-Weekly+Planning+Prioritization+Review+2026-09-14>
- Resy Team structure - Jira: <https://resy.atlassian.net/wiki/pages/viewpageattachments.action?pageId=3284467737>
- Web Mobile backend calls and LZ/TZ mapping:
<https://resy.atlassian.net/wiki/spaces/EN/pages/5266178069/Web+Mobile+backend+calls+and+LZ+and+TZ+mapping>

Portal-access note: the URLs above are reproduced from the supplied internal gap-closure evidence. They are not claimed to have been independently opened in this session because an authorized Resy/Atlassian connector was not available.

26. Conclusion

The evidence now supports a sharper and more defensible EASE proposition: a governed experience layer for a real, high-friction Resy/Tock operating problem, rather than a generic Jira chatbot or a new migration engine. The floor-plan hero journey remains the right GrowthHack MVP because the latest evidence strengthens its business relevance while the existing repository already models the journey and its deterministic validation checkpoints.

The most important change from the earlier solutioning is architectural clarity. Jira/AJC and ResyOS/Tock should not be treated as interchangeable sources of truth. EASE should operate across that boundary: understand intent, guide the user, validate the requested layout deterministically, route through platform-specific semantics, read back operational state, and then reflect governed progress in Jira. This is the core differentiator that turns EASE from documentation assistance into an experience-and-execution layer.

The immediate build should remain narrow. The next highest-value work is not to expand the product surface, but to replace the remaining unknowns around exact Jira topology, live API/auth constraints, detailed domain rules, exception patterns, canonical knowledge, metrics, and existing AI/automation overlap. Once those are closed, the architecture and implementation contracts can be updated with evidence rather than speculation.

FINAL POSITION: EASE is defensible when the story matches the evidence: real problem, real workflow, clear system boundaries, deterministic completion, honest prototype status, measurable pilot outcomes, and an explicit now-vs-next boundary.