UAT Testing- Parent Messaging

User Journeys for UAT Testing and Sign-Off

Persona 1: Teacher/Admin
Scenario 1: Viewing Inbox and Conversations

1. Navigate to **Communication → Parent Messaging → Room Chats**.
2. View the inbox with all conversation threads sorted by the latest message timestamp.
3. Identify unread messages via the unread badge count.
4. Search for a specific student using the search bar.
5. Apply filters (Classroom, Tags, Status) to narrow down the student list.
6. Toggle “Show only unread” to view conversations with unread messages.
7. Click on a conversation to open the threaded view.
8. View messages in chronological order, with sender name and timestamp displayed.
9. Compose and send a message in the single chat thread.
10. Attach files (JPEG, PNG, HEIC, PDF, DOC) to the message.
11. Track delivery and read status of sent messages.

Scenario 2: Composing a New Bulk Message

1. Click **New Message**.
2. Select recipients by:
   - Searching for student names.
   - Applying filters (Classroom, Tags, Status).
   - Using the “Select All” option to select all filtered students.
3. Remove individual recipients from the selected list if needed.
4. Compose a message using the rich text editor (bold, italic, underline, emojis, URLs).
5. Attach files (JPEG, PNG, HEIC, PDF, DOC) to the message.
6. Click **Send** to deliver the message to all selected recipients.
7. Track delivery and read status for each recipient.

Scenario 3: Managing Sent Messages

1. Copy the text of a sent message.

2. Edit the content of a sent message.
3. Delete a sent message, which is replaced with the text “This message has been deleted.”
4. View message status via the “Info / Status” popup:
    - Original message content.
    - List of recipients the message was delivered to.
    - List of recipients who read the message.

Scenario 4: Participant Updates

1. Add, edit, or remove classrooms for students:
    - Verify that chat participants update to include all admins, allowed staff, and parents of the updated classroom.
2. Add, edit, or remove classrooms for staff:
    - Confirm that chat participants update accordingly.
3. Add, edit, or remove parents for students:
    - Ensure that chat participants update to include all relevant admins, staff, and parents.

Scenario 5: Cross-Platform Consistency

1. Perform all actions (view inbox, compose messages, manage participants) on the web app.
2. Verify that the same actions and data are reflected on the mobile app without discrepancies.

Scenario 6: Notifications

1. Receive in-app notifications for new messages.
2. Receive push notifications for new messages if enabled.
3. Ensure notifications clear once the message is read.
4. Receive notifications for bulk messages.
5. Receive notifications for message delivery failures.
6. Receive notifications when a message is read by the recipient.

Detailed Gherkin Scenarios

Inbox Functionality

```
Feature: Inbox
Scenario: Display all conversations sorted by latest message
  Given I am logged into the Parent Messaging system
  When I view the inbox
  Then all conversations are displayed sorted by the latest message timestamp
```

```
Scenario: Update unread badge count in real-time
  Given I have an unread message in a conversation
  When a new message is received
  Then the unread badge count updates in real-time

Scenario: Search for a specific student
  Given I am viewing the inbox
  When I type a student’s name in the search bar
  Then the inbox displays only conversations related to that student

Scenario: Apply filters to narrow down student list
  Given I am viewing the inbox
  When I apply filters for Classroom, Tags, or Status
  Then the inbox displays conversations matching the selected filters

Scenario: Toggle “Show only unread” conversations
  Given I am viewing the inbox
  When I toggle “Show only unread”
  Then only conversations with unread messages are displayed
```

Message Composition (Single Chat)

```
Feature: Single Chat Messaging
Scenario: Send a message in a single chat
  Given I am viewing a conversation thread
  When I type "Hello" in the composer
  And click "Send"
  Then the message appears in that thread only

Scenario: Disable "Send" button until message text is entered
  Given I am viewing a conversation thread
  When the message composer is empty
  Then the "Send" button is disabled
  When I type "Hi"
  Then the "Send" button is enabled

Scenario: Attach a file to a message
  Given I am composing a message
  When I attach a JPEG file less than 10MB
  Then the file is visible directly in the chat
```

Bulk Message Composition

```
Feature: Bulk Messaging
Scenario: Send a bulk message to active students
  Given I click "New Message"
  When I view the student selection
  Then only active students are shown by default
  When I select "Classroom A" and "Classroom B"
  And type "Important update" in the composer
  And click "Send"
  Then the message is sent to all selected students

Scenario: Remove a recipient from the selected list
  Given I have selected multiple recipients
```

```
  When I remove one recipient
  Then the recipient is no longer in the selected list

Scenario: Bulk message excludes inactive students
  Given I click New Message
  When I view student selection
  Then only active students are shown
```

Message Actions

```
Feature: Message Actions
Scenario: Delete a sent message
  Given I have sent a message
  When I click "Delete"
  Then the message is replaced with "This message has been deleted"

Scenario: View message status
  Given I have sent a message
  When I click "Info / Status"
  Then I see the original message content, delivery status, and read receipts
```

Participant Updates

```
Feature: Participant Management
Scenario: Update participants when a classroom is edited
  Given a student is moved to a new classroom
  When I view the conversation participants
  Then the participants list reflects the updated classroom
```

Cross-Platform Consistency

```
Feature: Cross-Platform Messaging
Scenario: Perform actions on web and mobile app
  Given I send a message on the web app
  When I view the conversation on the mobile app
  Then the message is visible in the same thread
```

Notifications

```
Feature: Notifications for Messaging
Scenario: Display in-app notification for a new message
  Given I am logged into the Parent Messaging system
  And I have an unread message in a conversation
  When a new message is received
  Then an in-app notification is displayed
  And the notification includes the sender's name and a preview of the message

Scenario: Push notification for a new message
  Given I have enabled push notifications for the Parent Messaging app
  And I have an unread message in a conversation
  When a new message is received
  Then a push notification is sent to my device
  And the notification includes the sender's name and a preview of the message
```

```
Scenario: Notification clears when the message is read
  Given I have an in-app or push notification for a new message
  When I open the conversation thread
  Then the notification is cleared
```

Performance

```
Feature: Performance
Scenario: Inbox loads within 500ms
  Given I log into the Parent Messaging system
  When I open the inbox
  Then the inbox loads within 500ms

Scenario: Messages are sent within 800ms
  Given I am composing a message
  When I click ”Send”
  Then the message is sent within 800ms
```

Security

```
Feature: Security
Scenario: Restrict messaging to authorized staff
  Given I am a staff member not assigned to a student’s classroom
  When I try to send a message to that student
  Then I am not allowed to send the message
```

This detailed breakdown ensures all user journeys and edge cases are covered for UAT testing and sign-off.

User Journeys Based on Persona: Parent

Journey 1: Single Child Messaging

1. **Login and Access Messaging:**
   - Parent logs into the app (web or mobile).
   - Navigates to the **Messaging** menu.
   - The conversation thread for their single child opens directly (no child dropdown visible).
2. **Compose and Send a Message:**
   - Parent types a message in the composer (e.g., "Hello teachers, Ovin had milk").
   - Clicks the **Send** button.
   - Message appears instantly in the thread with a timestamp and a single checkmark (sent status).
3. **View Responses:**
   - Parent sees responses from staff/teachers in the thread.
   - Staff messages display sender name and role.
4. **Enable Private Mode:**
   - Parent toggles **Private Mode ON**.

- Composes a confidential message (e.g., "This is private").
- Sends the message, which appears with a **Private** indicator and is only visible to staff.

5. **Delete a Message:**
   - Parent deletes their own message within the allowed time.
   - A confirmation prompt appears.
   - Upon confirmation, the message is replaced with a "Message deleted" placeholder.
6. **Receive Notifications:**
   - Parent receives real-time notifications for unread messages.
   - Notification badge updates dynamically when messages are read.

Journey 2: Multiple Children Messaging

1. **Login and Access Messaging:**
   - Parent logs into the app (web or mobile).
   - Navigates to the **Messaging** menu.
   - The conversation thread for the first child opens by default.
   - A **Child Dropdown** is visible at the top.
2. **Switch Between Children:**
   - Parent clicks the dropdown and selects another child.
   - The conversation thread updates to the selected child’s context.
3. **Compose and Send Messages:**
   - Parent types a message for the selected child’s thread.
   - Clicks the **Send** button.
   - Message appears instantly with a timestamp and sent status.
4. **Enable Private Mode:**
   - Parent toggles **Private Mode ON** for confidential communication.
   - Sends a private message, which is visible only to staff participants.
5. **View and Manage Notifications:**
   - Parent sees unread message counts in the notification badge.
   - Badge updates in real-time when switching between children.

Journey 3: Rich Text and Emoji Usage

1. **Compose a Message with Rich Text:**

   Parent types a message in the composer.

- Applies formatting (e.g., bold, italic, underline).
- Adds a clickable URL (e.g., "Visit this link").
- Sends the message, which retains formatting and URL functionality.

2. **Add Emojis:**
   - Parent clicks the emoji icon.
   - Selects an emoji from the picker.
   - Emoji appears in the input box.
   - Sends the message with emojis included.

Journey 4: Handling Attachments

1. **Attach Files:**
   - Parent clicks the attachment icon.
   - Uploads files (e.g., JPEG, PNG, PDF, DOC) under 10MB.
   - Sends the message with the attached files.
2. **View Attachments:**
   - Photos appear directly in the chat.
   - PDFs and documents are displayed as downloadable links.

Journey 5: Accessibility and Localization

1. **Keyboard Navigation:**
   - Parent navigates the composer and dropdown using keyboard shortcuts.
   - Uses ARIA labels for message status and private toggle.
2. **Localized Experience:**
   - Parent views the interface in their preferred language.
   - All strings are translated and formatted correctly.

Detailed Gherkin Scenarios

Scenario 1: Open Messaging for Single Child

```
Given I am logged in as a parent with one child
When I click Messaging from the menu
Then the conversation thread for that child opens directly
And no child dropdown is shown
```

Scenario 2: Switch Child in Dropdown

```
Given I am logged in as a parent with multiple children
When I click Messaging from the menu
Then the conversation thread for the first child opens
And a child dropdown is visible
When I select another child from the dropdown
Then the conversation updates to that child's thread
```

Scenario 3: Send a Message

```
Given I am viewing my child's conversation thread
When I type "Hello teachers" in the composer
And click Send
Then the message appears in the thread with a timestamp
And shows one check mark for sent status
```

Scenario 4: Send Message in Private Mode

```
Given I am viewing my child's conversation thread
And Private Mode is toggled ON
When I type "This is private" and click Send
Then the message appears with a Private indicator
And is only visible to staff participants
```

Scenario 5: Delete a Message

```
Given I have sent a message
When I click the Delete icon on that message
And confirm deletion
Then the message is replaced with "Message deleted"
```

Scenario 6: Emoji and Rich Text Support

```
Given I am composing a message
When I click the emoji icon and select an emoji
Then the emoji appears in the input box
And when I apply bold formatting to text
Then the message retains formatting after sending
```

Scenario 7: Attach Files

```
Given I am composing a message
When I click the attachment icon
And upload a JPEG file under 10MB
Then the file is attached to the message
And the photo is visible directly in the chat after sending
```

Scenario 8: Notification Badge Updates

```
Given I have unread messages in other threads
When I view the messaging dashboard
```

```
Then the notification badge shows the correct unread count
And the badge updates in real-time when messages are read
```

Scenario 9: Message Status Updates

```
Given I have sent a message
When the recipient reads the message
Then the status changes from one check mark to two check marks within 5 seconds
```

Scenario 10: Accessibility Features

```
Given I am navigating the messaging interface
When I use keyboard shortcuts
Then I can access the composer and child dropdown
And ARIA labels are announced for message status and private toggle
```

Scenario 11: Localized Experience

```
Given I have set my preferred language to Spanish
When I view the messaging interface
Then all strings are displayed in Spanish
And timestamps are formatted according to the school's timezone
```

UAT Testing and Sign-Off Checklist

- Verify all user journeys for single and multiple children.
- Test message composition with rich text, emojis, and attachments.
- Validate Private Mode functionality and visibility restrictions.
- Confirm notification badge updates in real-time.
- Ensure message status updates (sent, delivered, read) function as expected.
- Test accessibility features (keyboard navigation, ARIA labels).
- Verify localization and timezone compliance.
- Ensure performance benchmarks are### **Detailed User Journeys and Gherkin Scenarios for UAT Testing**

Persona: Parent

User Journeys

Journey 1: Single Child - Access Messaging and Send a Message

1. Parent logs into the platform (web or mobile app).
2. Parent clicks on the **Messaging** menu.

3. The conversation thread for their child opens directly (no sidebar or dropdown visible).
4. Parent types a message in the input box (e.g., "Hello, how is my child doing today?").
5. Parent clicks the **Send** button.
6. The message appears in the conversation thread with a timestamp and a single checkmark indicating it was sent.
7. Parent observes the delivery status update to double checkmarks once the message is read by staff.

Journey 2: Multiple Children - Switch Between Threads

1. Parent logs into the platform.
2. Parent clicks on the **Messaging** menu.
3. The conversation thread for the first child (default) opens.
4. A **Child Dropdown** is visible at the top of the screen.
5. Parent clicks the dropdown and selects another child.
6. The conversation thread updates to display messages for the selected child.
7. Parent types a message for the second child's thread and clicks **Send**.
8. The message appears in the thread with a timestamp and delivery status updates.

Journey 3: Private Mode Messaging

1. Parent logs into the platform and navigates to **Messaging**.
2. Parent toggles **Private Mode ON** using the switch in the header.
3. Parent types a confidential message (e.g., "This is a private matter regarding my child") and clicks **Send**.
4. The message appears in the thread with a **Private** indicator.
5. Parent confirms the message is only visible to staff participants and not other parents/guardians.

Journey 4: Emoji and Rich Text Formatting

1. Parent logs into the platform and navigates to **Messaging**.
2. Parent clicks the emoji icon in the message composer and selects an emoji (e.g., 😊).
3. The emoji appears in the input box.
4. Parent applies rich text formatting (e.g., bold, italic, underline) to parts of the message.
5. Parent clicks **Send**, and the message appears in the thread with the emoji and formatting intact.

Journey 5: Attachments

1. Parent logs into the platform and navigates to **Messaging**.

2. Parent clicks the attachment icon in the composer.
3. Parent uploads a file (e.g., a JPEG photo or PDF document).
4. The file appears in the thread after sending:
   - Photos are displayed directly in the chat.
   - PDFs and documents are shown as downloadable links.
5. Parent confirms that multiple attachments can be sent in one message.

Journey 6: Delete a Message

1. Parent logs into the platform and navigates to **Messaging**.
2. Parent sends a message in the thread.
3. Parent clicks the **Delete** icon on the sent message.
4. A confirmation prompt appears, and the parent confirms deletion.
5. The message is replaced with a placeholder: **"Message deleted"**.

Journey 7: Notifications

1. Parent logs into the platform and navigates to the **Messaging** menu.
2. Parent observes a notification badge showing the count of unread messages.
3. Parent clicks on the **Messaging** menu, and the unread messages are marked as read.
4. The notification badge updates in real time.

Journey 8: Accessibility Features

1. Parent logs into the platform and navigates to **Messaging**.
2. Parent uses keyboard navigation to access the **Child Dropdown**, composer, and other UI elements.
3. Parent confirms that ARIA labels are present for message status, private toggle, and other key features.
4. Parent verifies that the platform complies with WCAG 2.1 AA standards.

Gherkin Scenarios

Scenario 1: Open Messaging for Single Child

```
Given I am logged in as a parent with one child
When I click on the Messaging menu
Then the conversation thread for that child opens directly
And no child dropdown is shown
```

Scenario 2: Switch Between Children

```
Given I am logged in as a parent with multiple children
When I click on the Messaging menu
Then the conversation thread for the first child opens
And a child dropdown is visible
When I select another child from the dropdown
Then the conversation updates to that child's thread
```

Scenario 3: Send a Message

```
Given I am viewing my child's conversation thread
When I type "Hello teachers" in the composer
And click Send
Then the message appears in the thread with a timestamp
And shows one checkmark for sent status
```

Scenario 4: Private Mode Messaging

```
Given I am viewing my child's conversation thread
And Private Mode is toggled ON
When I send a message
Then the message appears with a Private indicator
And is only visible to staff participants
```

Scenario 5: Emoji and Rich Text Support

```
Given I am composing a message
When I click the emoji icon and select an emoji
Then the emoji appears in the input box
And when I apply bold formatting to text
Then the message retains formatting after sending
```

Scenario 6: Attachments

```
Given I am composing a message
When I click the attachment icon
And upload a JPEG photo and a PDF document
Then the photo is displayed directly in the chat
And the PDF appears as a downloadable link
```

Scenario 7: Delete a Message

```
Given I have sent a message
When I click the Delete icon on that message
And confirm deletion
Then the message is replaced with "Message deleted"
```

Scenario 8: Notifications

```
Given I have unread messages in other threads
When I view the messaging dashboard
Then the notification badge shows the correct unread count
And the badge updates in real time when messages are read
```

Scenario 9: Message Status Updates

```
Given I have sent a message
When the recipient reads the message
Then the status changes from one checkmark to two checkmarks within 5 seconds
```

Scenario 10: Accessibility Compliance

```
Given I am using keyboard navigation
When I navigate through the composer and dropdown
Then all elements are accessible via keyboard
And ARIA labels are present for key features
And the platform complies with WCAG 2.1 AA standards
```

Scenario 11: Character Limit Validation

```
Given I am composing a message
When I type a message exceeding 2000 characters
Then the system prevents me from sending the message
And displays a character counter
```

Scenario 12: Real-Time Updates

```
Given I am viewing my child's conversation thread
When a staff member sends a message
Then the message appears in real time without refreshing the page
```

Conclusion

These detailed user journeys and Gherkin scenarios cover all possible interactions for parents using the messaging feature. They ensure comprehensive UAT testing and provide clear criteria for sign-off.