

# Foundry Ascent

Global University Partnership and Persistent Venture-Building Platform Blueprint



|                                    |                         |                                 |                                       |
|------------------------------------|-------------------------|---------------------------------|---------------------------------------|
| 2                                  | 3                       | 1                               | 0                                     |
| service channels: Ain and partners | initial partner regions | continuous venture memory spine | required start-overs between sessions |

|                 |                                                                                                                       |
|-----------------|-----------------------------------------------------------------------------------------------------------------------|
| Prepared by     | Satvik Sathish Adyanthaya                                                                                             |
| Project sponsor | Professor Roberto Colangelo, Executive Director, Ain Center for Entrepreneurship and Innovation                       |
| Audience        | Ain Center, University leadership, Global Engagement, prospective design partners, EIRs, and technical delivery teams |
| Date            | September 2026                                                                                                        |

**Status:** Foundry Ascent is a proposed working name and operating segment. This blueprint does not assert that a legal subsidiary exists, that any university has committed to partner, or that any EIR likeness has been approved for deployment.

THE DECISION

1. Executive proposition

**Proposition**  
Create **Foundry Ascent** as a proposed Ain Foundry partnership initiative that gives Ain startups and partner universities a complete, digitally delivered pre-accelerator: curriculum, venture workspace, persistent AI coaching, approved virtual EIRs, local facilitation, evidence, and human escalation.

Why this is larger than an Ain-only tool

Ain Foundry already describes a structured pre-accelerator combining entrepreneurship, systems thinking, customer discovery, strategy, innovation, networking, startup resources, competition, and mentorship. Foundry Ascent packages that method for two channels: continued service to Ain ventures and governed delivery with universities whose local entrepreneurship or pre-accelerator provision is absent or insufficient. [A2][A4]


| Ain                                                                                                                                             | Europe                  | Asia                                                                                                                                                              | Africa                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| home program and proving ground                                                                                                                 | proposed partner region | proposed partner region                                                                                                                                           | proposed partner region |
| Foundry Ascent is                                                                                                                               |                         | Foundry Ascent is not                                                                                                                                             |                         |
| An Ain-origin, human-led operating system for venture formation; a partner-ready pre-accelerator; a continuity layer for founders and advisors. |                         | A replacement for local faculty, a claim that whole regions lack entrepreneurship education, an autonomous investment adviser, or an authorized legal subsidiary. |                         |

Decision requested

Authorize a discovery and design-partner phase. Keep legal form, commercial terms, regional hosting, EIR replicas, and scale commitments behind explicit University gates.

ONE METHOD, TWO SERVICE CHANNELS

2. Portfolio and brand boundary



FLOWCHART TD


Figure 1. Plain flowchart TD. Ain Foundry remains the home program; Foundry Ascent is the proposed partnership channel, serving both Ain ventures and external university cohorts.

| Element            | Role                                                                        | Boundary                                                      |
|--------------------|-----------------------------------------------------------------------------|---------------------------------------------------------------|
| Ain Center         | Institutional origin, sponsor, method steward, and EIR network owner.       | Retains University governance and brand accountability.       |
| Ain Foundry        | UR-native pre-accelerator and product proving ground.                       | Continues to serve Ain startups directly.                     |
| Foundry Ascent     | Proposed segment that productizes and co-delivers the method with partners. | No separate legal status is assumed in this blueprint.        |
| Partner university | Local sponsor, facilitator, recruitment, context, and founder support.      | Does not receive access to other tenants or private Ain data. |

**Institutional route**  
UR Global Engagement identifies institutional partnerships as a coordinated University activity and supports agreement development. Foundry Ascent should enter that route early, with legal, privacy, procurement, security, accessibility, research, and brand owners. [A5][A6][A7]

SERVE NEED, NOT GEOGRAPHY

### 3. Partner selection



FLOWCHART TD

Figure 2. Plain flowchart TD. Interest becomes a pilot only after a readiness screen; gaps trigger a capacity plan and re-screen.


#### Ideal design-partner profile

| Dimension      | Minimum evidence                                                                            | Reason                                                   |
|----------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------|
| Need           | No coherent pre-accelerator, or material gaps in access, mentorship, and delivery capacity. | Focuses Ascent where it adds capability.                 |
| Sponsor        | Named executive with authority, budget path, and calendar ownership.                        | Prevents an orphaned pilot.                              |
| Local lead     | At least one accountable facilitator and founder-support channel.                           | Keeps the program culturally and operationally grounded. |
| Cohort         | A recruitable founder pool and protected program time.                                      | Creates a testable learning environment.                 |
| Data readiness | Country-level privacy review, data map, consent path, and approved tools.                   | Makes persistent memory lawful and governable.           |
| Connectivity   | Device and network profile, including a low-bandwidth plan.                                 | Avoids excluding founders by infrastructure.             |

**Do not infer need from region.** Europe, Asia, and Africa are proposed outreach regions, not homogeneous markets. Qualification occurs university by university, with local evidence and local review.

A CAPABILITY LADDER

4. Partnership offer



FLOWCHART TD

Figure 3. Plain flowchart TD. Partners enter at the capability level they can govern and operate; movement upward is earned through evidence.


| Offer              | Included                                                                                                 | Local obligation                                                        | Best fit                                                        |
|--------------------|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|-----------------------------------------------------------------|
| Ascent Essentials  | Digital curriculum, neutral Foundry Guide, venture workspace, persistent memory, analytics, templates.   | Sponsor, facilitator, recruitment, local policy and support.            | A university establishing its first repeatable pre-accelerator. |
| Ascent Co-delivery | Essentials plus approved virtual EIRs, scheduled human EIR clinics, specialist routing, and calibration. | Qualified local experts, escalation coverage, and persona-use controls. | A partner ready for deeper venture coaching.                    |
| Ascent Network     | Co-delivery plus cross-university events, resource exchange, referrals, and benchmark learning.          | Network conduct, sharing rules, and program-quality evidence.           | Mature partners after isolated pilots succeed.                  |

Commercial structure - to be validated

- One-time enablement for discovery, data design, localization, and facilitator certification.
- Annual tenant and program license tied to an agreed cohort and support envelope.
- Metered realtime model, speech, avatar, and storage use with spending controls.
- Optional human EIR, specialist, assessment, and network services.
- Scholarship or sponsored-access pools where partner economics would otherwise exclude founders.

FROM IDEA TO EVIDENCE

5. Founder journey



FLOWCHART TD


Figure 4. Plain flowchart TD. The stage gate advances only when a venture produces evidence; it can also redirect or repeat a stage.

| Stage family          | Required venture artifact                                                 | Human gate                                                      |
|-----------------------|---------------------------------------------------------------------------|-----------------------------------------------------------------|
| Discover and validate | Problem statement, stakeholder map, interview record, evidence ledger.    | Facilitator reviews research ethics, quality, and next test.    |
| Model and test        | Business-model assumptions, test plan, result, and changed decision.      | EIR reviews consequential strategy and specialist needs.        |
| Prepare and ascend    | Evidence-backed narrative, milestones, risks, and next-program readiness. | Program lead decides graduation, redirect, or additional cycle. |

The product should reward learning velocity and quality of evidence, not performative completion or time spent chatting.

A STABLE SPINE, LOCAL EXPRESSION

6. Curriculum localization



FLOWCHART TD

Figure 5. Plain flowchart TD. Ain owns the method spine; each partner localizes language, examples, policy, and support through a versioned review.


| Global invariant                                                                                                                             | Locally adaptable                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Customer discovery discipline; assumptions and experiments; evidence provenance; human escalation; accessibility; privacy and AI disclosure. | Language, terminology, examples, sectors, calendar, delivery format, local experts, venture-law resources, and culturally appropriate interaction norms. |
| Outcome definitions and minimum evaluation protocol.                                                                                         | Additional partner outcomes, credentials, competitions, and community pathways.                                                                          |

Localization safeguards

- Use local reviewers; do not translate US assumptions word-for-word.
- Maintain a term glossary and language-specific evaluation set before release.
- Test persona tone for respect, directness, hierarchy, gender, and inclusion in the local context.
- Keep regulatory and institutional overlays separate from the Ain method so they can be updated without rewriting the curriculum.

HUMAN AUTHORITY REMAINS VISIBLE

7. Operating and accountability model




FLOWCHART TD

Figure 6. Plain flowchart TD. Product ownership and University gates remain at UR/Ain; each partner owns local delivery and founder care.

| Decision                            | Accountable                     | Required contributors                                   |
|-------------------------------------|---------------------------------|---------------------------------------------------------|
| Method and product release          | Foundry Ascent owner            | Ain program, EIR, product, accessibility, evaluation.   |
| International agreement and brand   | Authorized University owners    | Global Engagement, legal, procurement, partner sponsor. |
| Country data and AI deployment      | Named institutional controllers | Privacy, security, local counsel, technology owners.    |
| Cohort delivery and founder welfare | Partner program lead            | Facilitators, local experts, Ain escalation owner.      |
| EIR persona release or retirement   | EIR plus Ain persona owner      | Legal, privacy, safety, evaluation, product.            |

RIGHT HELP, RIGHT BOUNDARY

8. EIR and advisor service model



FLOWCHART TD


Figure 7. Plain flowchart TD. A neutral guide routes each question to an approved virtual EIR, a local expert, or a human Ain EIR according to evidence, risk, language, and availability.

| Officially listed EIR | Illustrative routing strength                                                  |
|-----------------------|--------------------------------------------------------------------------------|
| John Schloff          | Growth, marketing leadership, product management, emerging technology          |
| David Mammano         | Entrepreneurship, leadership, education, motivation                            |
| Kate Washington       | Finance, operations, economic development, global growth                       |
| Roberto Colangelo     | Strategy, entrepreneurship, global marketing, biotech, energy                  |
| Scott Walker          | Finance, operations, capital projects, sales and investor relations            |
| Dina Uzri             | Science-to-market commercialization, biotech, product and business development |
| Truptesh H. Kothari   | Clinical program building, health-system operations, multidisciplinary growth  |

The Ain page currently lists seven EIR profiles. Listing does not equal availability, consent to replication, partner assignment, or endorsement of the illustrative routing above; all must be confirmed. [A3]

EVERY SESSION COMPOUNDS

9. The persistent-memory promise



FLOWCHART TD

Figure 8. Plain flowchart TD. Conversations create reviewable memory events; the next session begins from an updated brief instead of asking the founder to start again.

Default experience


Open with: current goal, last verified decisions, new evidence, open assumptions, overdue actions, relevant EIR challenges, and a concise 'since last session' delta. The founder may inspect, correct, export, or delete memory according to policy.

What makes memory trustworthy

| Field      | Purpose                                                                                                 |
|------------|---------------------------------------------------------------------------------------------------------|
| Type       | Fact, hypothesis, decision, experiment, evidence, action, milestone, preference, risk, or relationship. |
| Provenance | Session, document, author, source span, and capture method.                                             |
| Status     | Proposed, confirmed, disputed, superseded, expired, or deleted.                                         |
| Scope      | Private, team, venture, partner aggregate, or Ain network pattern.                                      |
| Time       | Created, effective, reviewed, expiry, and superseding version.                                          |

LONG-TERM CONTINUITY WITHOUT PROMPT BLOAT

10. Memory growth, correction, and consolidation



FLOWCHART TD

Figure 9. Plain flowchart TD. New claims are appended only when compatible; conflicts are surfaced and resolved through a versioned correction path.

|                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Memory grows</b></p> <p>The event log remains auditable. A consolidation job produces progressively richer venture snapshots, topic summaries, decision chains, and experiment histories. Retrieval loads only the most relevant verified context.</p> | <p><b>Memory stays correct</b></p> <p>Material AI-proposed facts require review. Corrections never silently overwrite history: the new record cites the old record, states what changed, and refreshes dependent summaries.</p> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|


Session-start contract

1. Resolve user, role, partner tenant, venture, consent state, and chosen session privacy mode.
2. Load the latest approved venture snapshot and retrieve relevant source-backed memories.
3. Show the founder what the system remembers and what changed since the prior session.
4. Invite a correction before consequential coaching begins.
5. Write new memories as proposals, then consolidate approved changes after the session.

An explicit ephemeral session is the exception: it creates no long-term conversational memory beyond minimum security and operational records required by policy.

SHARE BY PROMOTION, NEVER BY ACCIDENT

# 11. Memory scopes and tenant permissions



FLOWCHART TD

Figure 10. Plain flowchart TD. Information moves to a broader scope only through a defined promotion and de-identification rule; lower scopes remain private by default.


| Scope               | Typical content                                                    | Access and promotion rule                                    |
|---------------------|--------------------------------------------------------------------|--------------------------------------------------------------|
| Founder private     | Personal notes, concerns, rehearsal, sensitive preferences.        | Founder only unless explicitly shared.                       |
| Team shared         | Working assumptions, tasks, selected session notes.                | Named venture members; role-based edit rights.               |
| Venture approved    | Decisions, experiments, evidence, milestones, advisor summaries.   | Used by approved advisors and EIRs for that venture.         |
| Partner aggregate   | Cohort progress and support demand without founder secrets.        | Partner program roles; minimum necessary aggregation.        |
| Ain network pattern | Reviewed, de-identified learning patterns and method improvements. | No raw cross-tenant retrieval; governance approval required. |

**Hard boundary**

A partner university, facilitator, virtual EIR, or model provider must not retrieve another tenant's venture memory. Tenant identity is carried through authorization, database row security, object paths, vector filters, caches, traces, exports, and evaluation data.

FAST WHERE LATENCY IS OWNED

# 12. Rust-first technical architecture



FLOWCHART TD

Figure 11. Plain flowchart TD. Rust owns latency-sensitive orchestration and memory services; C/C++ remains a bounded native dependency; TypeScript and Python optimize product and AI iteration.

| Layer         | Primary language or service                  | Why                                                                                                      |
|---------------|----------------------------------------------|----------------------------------------------------------------------------------------------------------|
| Web shell     | TypeScript, React, Next.js                   | Fast product iteration, nested layouts, server rendering, and mature accessibility tooling. [A13]        |
| Client media  | Rust/WASM plus browser APIs                  | Audio framing, buffering, VAD support, and deterministic client-side processing.                         |
| Realtime core | Rust, Tokio, WebRTC services                 | High concurrency, predictable resource use, and memory safety for gateways and session state. [A12][A15] |
| Native media  | Existing C/C++ libraries                     | libwebrtc, FFmpeg, codecs, and inference runtimes behind narrow, audited interfaces.                     |
| AI operations | Python                                       | Ingestion, evaluation, red-team harnesses, localization tests, and offline model work.                   |
| Durable state | Postgres, pgvector, object storage, Temporal | Transactional memory, scoped retrieval, source objects, and recoverable workflows. [A16][A17]            |

LOCALIZE DATA, NOT GOVERNANCE DRIFT

13. Global control plane and regional data planes





Figure 12. Plain flowchart TD. A small global control plane distributes signed configuration; venture content and realtime media stay in an approved regional tenant plane whenever required.

| Plane           | May contain                                                                                                        | Must not become                                                                               |
|-----------------|--------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| Global control  | Tenant registry, provider policy, schema versions, deployment state, feature flags, non-sensitive service health.  | A hidden copy of conversations, source documents, embeddings, recordings, or venture secrets. |
| Regional tenant | Identity mappings, venture memory, documents, embeddings, transcripts, recordings where authorized, audit records. | A shared regional corpus without tenant-level encryption and authorization.                   |
| Edge session    | Short-lived media packets, turn state, ephemeral caches, signed session credentials.                               | An unbounded log or durable shadow memory.                                                    |

Regional placement requires a country-by-country assessment of privacy, contractual transfer mechanisms, vendor regions, research obligations, sanctions/export controls, and institutional policy. In the EU, the design must operationalize lawfulness, transparency, purpose limitation, minimization, accuracy, storage limitation, security, and accountability. [A8]

NEAR-ZERO FRICTION, NOT ZERO PHYSICS

14. Realtime latency and streaming



FLOWCHART TD


Figure 13. Plain flowchart TD. Audio, model output, speech, and avatar frames stream incrementally; memory writes leave the critical response path.

| <div><div>Latency position</div><p>C, C++, and Rust can reduce local processing and tail latency, but they cannot remove distance, model inference, speech synthesis, or avatar-rendering time. The product target is immediate acknowledgement and natural turn-taking, not a mathematically zero delay.</p></div> |                                                                                    |                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| Experience measure                                                                                                                                                                                                                                                                                                  | Proposed engineering target                                                        | Response if missed                                                    |
| Input acknowledgement                                                                                                                                                                                                                                                                                               | Visual or audio acknowledgement within 150 ms when the client is healthy.          | Show listening state locally; do not wait for the model.              |
| First useful audio                                                                                                                                                                                                                                                                                                  | P50 below 0.8 s and P95 below 1.5 s for supported regions after warm-up.           | Stream a short grounded acknowledgement; degrade avatar before audio. |
| Interruption                                                                                                                                                                                                                                                                                                        | Stop or duck generated speech within 250 ms of verified barge-in.                  | Prioritize audio control over animation continuity.                   |
| Recovery                                                                                                                                                                                                                                                                                                            | Reconnect or downgrade without losing the session transcript and committed events. | Resume from durable session cursor.                                   |

Targets are hypotheses for regional tests, not vendor guarantees. Rebaseline after measured pilot traces. [A14][A15]

ACCESS SURVIVES IMPERFECT INFRASTRUCTURE

15. Low-bandwidth and resilient delivery



FLOWCHART TD

Figure 14. Plain flowchart TD. The same session can move from avatar to audio, text, or offline work without losing the venture state or forcing a restart.


| Mode             | User experience                                                       | Continuity behavior                                                   |
|------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|
| Rich live avatar | Two-way audio, synchronized avatar, live evidence panel.              | Adaptive bitrate; memory events commit asynchronously.                |
| Audio first      | Realtime voice with static persona portrait and transcript.           | Same session ID, coach, evidence, and memory.                         |
| Text only        | Streaming text, upload-light evidence review, keyboard navigation.    | Same orchestration; no media dependency.                              |
| Offline kit      | Cached worksheets, interview capture, experiment log, queued uploads. | Signed local envelope syncs when connected; conflicts require review. |
| Async review     | Founder submits a question or artifact for later response.            | Durable workflow notifies the assigned human or virtual advisor.      |

Accessibility is a release gate

- Captions, transcript correction, full keyboard path, screen-reader semantics, focus management, and reduced motion.
- No essential information available only through facial expression, color, audio, or animation.
- Partner testing on representative devices, browsers, networks, languages, and assistive technologies.

EVIDENCE BEFORE ELOQUENCE

16. RAG and knowledge architecture



FLOWCHART TD

Figure 15. Plain flowchart TD. Every source is classified, versioned, tenant-scoped, and retrievable with citation spans before it can ground a coaching answer.


| Knowledge layer | Examples                                                                                 | Retrieval boundary                                         |
|-----------------|------------------------------------------------------------------------------------------|------------------------------------------------------------|
| Ain method      | Curriculum, stage gates, rubrics, templates, approved resources.                         | Available to entitled Ain and partner tenants.             |
| EIR doctrine    | Consented frameworks, question patterns, examples, boundaries, escalation rules.         | Only to approved persona and partner use cases.            |
| Partner local   | Program calendar, local experts, language pack, policy, funding and ecosystem resources. | Partner tenant and approved Ain operators.                 |
| Venture private | Interviews, documents, decisions, experiments, milestones, team memory.                  | Authorized users and advisors for one venture.             |
| Public evidence | Current, reputable external sources collected for a specific question.                   | Fetches and cites under an allowlist and retention policy. |

**Answer contract**

Separate known facts, retrieved evidence, EIR-style interpretation, uncertainty, and recommended next experiment. Refuse unsupported precision and escalate legal, medical, financial, safety, research, and high-stakes institutional decisions.

CAPTURE A METHOD, NOT AN UNAUTHORIZED PERSON

17. Virtual EIR fidelity and consent



FLOWCHART TD

Figure 16. Plain flowchart TD. Likeness, voice, style, emotion, and interaction behavior reach users only after explicit scope, testing, EIR approval, and a retirement path.

| Capture dimension    | Approved representation                                                                     | Prohibited shortcut                                                            |
|----------------------|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| Expertise            | Frameworks, diagnostic questions, case patterns, boundaries, source preferences.            | Training on private conversations or documents without rights and review.      |
| Interaction style    | Pacing, directness, challenge level, teaching moves, follow-up habits.                      | Stereotyped personality labels or fabricated beliefs.                          |
| Emotion              | Consented ranges of warmth, concern, curiosity, encouragement, and urgency tied to context. | Claiming the system actually feels, or using emotional pressure to manipulate. |
| Voice and accent     | Authorized custom voice with disclosure and pronunciation evaluation.                       | Cloning from found audio or concealing synthetic speech.                       |
| Likeness and gesture | Authorized capture, visible AI label, usage limits, revocation and retirement.              | A surprise digital double or release outside the agreed cohort/region.         |

Vendor capability does not equal institutional authorization. Custom-avatar and personal-voice workflows require explicit consent and provider eligibility; contract, retention, output rights, watermarking/disclosure, and revocation must be verified. [A18]

QUIET INTERFACE, DEEP WORKSPACE

18. Minimal product shell and nested routes





Figure 17. Plain flowchart TD. The shell exposes four primary panels; pages within pages preserve venture context instead of opening disconnected tools.

| Shell zone     | Behavior                                                                | Visual system                                           |
|----------------|-------------------------------------------------------------------------|---------------------------------------------------------|
| Global rail    | Partner switcher, venture switcher, search, notifications, profile.     | Black rail, restrained icons, no decorative color.      |
| Context header | Breadcrumb, venture stage, session/privacy state, memory status.        | White surface, hairline rules, Times typography.        |
| Primary canvas | Live session, document, experiment, decision, or analytics page.        | Generous whitespace, charcoal text, gray hierarchy.     |
| Evidence panel | Sources, memory used, assumptions, actions, and human escalation.       | Docked or collapsible; always keyboard accessible.      |
| Command drawer | Ask, upload, compare, correct memory, route to EIR, schedule follow-up. | Action-oriented; confirmation for consequential writes. |

Route convention: `/[partner]/app/ventures/[ventureId]/{overview, sessions, memory, evidence, decisions, experiments, milestones, documents, team, escalations}`. Program, network, and administration branches use the same nested layout and authorization context.

A 12-WEEK CONTROLLED PATH

19. Partner onboarding and certification




FLOWCHART TD

Figure 18. Plain flowchart TD. A partner reaches founders only after institutional, data, curriculum, people, and technical gates are complete.

| Gate        | Minimum evidence                                                                              | Stop condition                                        |
|-------------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------|
| Institution | Named sponsors, agreement route, roles, budget path, calendar.                                | No accountable owner or authorized agreement path.    |
| Data and AI | Data map, lawful basis/consent, residency decision, subprocessors, retention, incident route. | Unresolved sensitive-data or cross-border risk.       |
| Program     | Localized curriculum, cohort criteria, facilitator training, accessibility plan.              | No local support or founder-protection pathway.       |
| Technology  | Tenant isolation tests, device/network test, failure modes, auditability.                     | Leakage, unsafe memory writes, or no viable fallback. |
| Pilot       | Founder consent, support roster, baseline, success thresholds, independent review.            | Cannot measure benefit, harm, or human escalation.    |

PRICE THE GOVERNED OUTCOME

20. Business and service economics



FLOWCHART TD

Figure 19. Plain flowchart TD. The agreement buys an integrated platform, program, and expert-service outcome; renewal follows measured founder and partner value.


| Economic block | Main cost drivers                                                                                 | Commercial control                                           |
|----------------|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
| Enablement     | Discovery, agreement support, tenant setup, localization, data design, facilitator certification. | Fixed scope with explicit readiness assumptions.             |
| Platform       | Hosting, security, support, analytics, memory, RAG, releases, accessibility.                      | Annual base tied to entitled programs and service level.     |
| Realtime use   | Model tokens/audio, speech, avatar minutes, media egress, storage.                                | Usage envelope, alerts, caps, and lower-cost fallback modes. |
| People         | Ain program operations, EIR calibration, human clinics, specialists, partner success.             | Packaged service hours and escalation rules.                 |
| Assurance      | Security, privacy, legal, evaluation, audits, incident response, regional vendors.                | Shared requirements schedule and renewal evidence.           |

Unit-economics measures before setting price

- Cost per active venture, completed evidence cycle, qualified escalation, and verified stage advancement.
- Realtime cost by mode and region; human support hours per cohort; localization and assurance cost per partner.
- Gross margin after model/avatar use, regional hosting, support, EIR compensation, and partner-success labor.
- Willingness to pay, procurement cycle, renewal threshold, scholarship need, and substitution risk.

LEARN IN SEQUENCE

21. Pilot and scale scenario



FLOWCHART TD

Figure 20. Plain flowchart TD. Ain establishes the baseline; partner expansion proceeds one region at a time and pauses for independent evidence review.

| Phase               | Proposed scope                                                                                                 | Exit evidence                                                                                            |
|---------------------|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| 0 - Ain baseline    | 8-12 Ain ventures; neutral guide; persistent memory; text/audio first; one consented persona only if approved. | Memory accuracy, usefulness, isolation, latency, human leverage, and founder trust.                      |
| 1 - Design partner  | One university; roughly 15-25 ventures; one language; local facilitator; isolated tenant.                      | Partner readiness, localization quality, support demand, founder outcomes, no critical control failures. |
| 2 - Regional proof  | Up to one design partner in each proposed region; no more than 60-120 external ventures in aggregate.          | Cross-region reliability, country-specific compliance, cost, accessibility, and repeatable onboarding.   |
| 3 - Selective scale | Renew successful partners; add only through the qualification and certification path.                          | Renewal, quality stability, viable economics, EIR capacity, and governance readiness.                    |

**Scenario, not forecast**  
The partner and venture counts above are planning envelopes for test design. They are not enrollment claims, signed commitments, sales targets, or evidence of demand.

PROGRESS, CONTINUITY, TRUST, AND PARTNERSHIP HEALTH

22. Measurement system

|                                                                           |                                                                   |                                                                     |                                                                           |
|---------------------------------------------------------------------------|-------------------------------------------------------------------|---------------------------------------------------------------------|---------------------------------------------------------------------------|
| <div><div>&gt;=90%</div><div>reviewed memory precision target</div></div> | <div><div>&lt;2 min</div><div>context recovery target</div></div> | <div><div>0</div><div>cross-tenant disclosure tolerance</div></div> | <div><div>100%</div><div>consequential-answer citation target</div></div> |
|---------------------------------------------------------------------------|-------------------------------------------------------------------|---------------------------------------------------------------------|---------------------------------------------------------------------------|


| Outcome            | Leading measure                                                                                      | Decision use                                      |
|--------------------|------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| Founder access     | Time to first useful response; completion by mode/device/language; support wait.                     | Improve delivery and fallback coverage.           |
| Continuity         | Context recovery time; repeated-explanation burden; memory correction rate; stale-memory rate.       | Prove that sessions compound rather than restart. |
| Learning           | Verified assumptions tested; evidence quality; decisions changed by evidence; cycle time.            | Assess pre-accelerator value.                     |
| Venture progress   | Stage-gate evidence; milestone quality; referral readiness; redirect quality.                        | Avoid equating chat volume with progress.         |
| Human leverage     | EIR preparation time, qualified escalations, routine questions deflected, high-value hours released. | Protect and improve the human network.            |
| Trust and safety   | Grounding, refusal, escalation, consent, privacy, fairness, accessibility, incident results.         | Release or stop the AI and avatar features.       |
| Partnership health | Facilitator readiness, cohort activation, support burden, sponsor review, renewal intent.            | Decide whether the service can scale.             |

Evaluation design

Use a baseline and matched comparison where feasible, blinded scenario scoring, founder and EIR interviews, retrieval and memory regression suites, latency traces by region, accessibility testing, and post-pilot independent review. NIST's Govern, Map, Measure, and Manage functions provide the lifecycle frame. [A9]

SCALE ONLY WHAT CAN BE GOVERNED

23. Principal risks and controls



FLOWCHART TD

Figure 21. Plain flowchart TD. Every material risk has an owner, implemented control, test evidence, exception record, and review cadence.

| Risk                        | Control package                                                                                        | Release test                                         |
|-----------------------------|--------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| Legal or brand overreach    | Working-name disclosure; authorized agreement and signatory path; partner and marketing review.        | No public claim or contract without named approval.  |
| Cross-tenant memory leakage | Tenant-bound authorization, row security, encrypted objects, scoped vectors/caches, adversarial tests. | Zero critical leakage findings.                      |
| Stale or false memory       | Typed proposals, provenance, review, conflicts, supersession, expiry, snapshot rebuild.                | Memory precision and correction SLA meet gate.       |
| Unauthorized EIR imitation  | Written scope, capture consent, disclosure, use limits, monitoring, kill switch, revocation.           | EIR approves fidelity and release context.           |
| Localization harm or bias   | Local reviewers, language test sets, outcome slices, escalation and repair workflow.                   | No unresolved high-severity disparity.               |
| Latency or access failure   | Nearest edge, streaming, warm pools, audio/text/offline modes, regional load tests.                    | P95 and recovery meet supported-mode targets.        |
| Bad founder guidance        | Evidence contract, calibrated uncertainty, high-stakes escalation, human clinics, regression suite.    | Thresholds pass across venture stages and languages. |
| Unsustainable service       | Usage envelopes, people-capacity model, support telemetry, renewal evidence, exit plan.                | Economics and service quality both meet gate.        |

MOVE FROM CONCEPT TO AN AUTHORIZED DESIGN PHASE

24. Decisions and first 90 days

Leadership decisions now

1. Adopt Foundry Ascent as a working initiative name and confirm the intended relationship to Ain Foundry; defer legal-form claims.
2. Name an Ain product/program owner and a University executive sponsor for the design-partner phase.
3. Engage Global Engagement and the required legal, privacy, security, procurement, accessibility, research, data, and brand owners.
4. Approve the partner-readiness rubric and authorize conversations with potential universities without implying commitment.
5. Approve an Ain baseline cohort and the persistent-memory protocol before international deployment.
6. Identify one EIR for consent and feasibility exploration; retain the neutral guide if likeness, voice, or provider gates are incomplete.

90-day action plan

| Window     | Action                                                                                                                        | Deliverable                                   |
|------------|-------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|
| Days 0-30  | Charter, institutional owner map, partner interviews, Ain baseline, memory schema, data classification, architecture spike.   | Approved discovery charter and evidence plan. |
| Days 31-60 | Neutral-guide prototype, Rust realtime gateway, tenant isolation, reviewed memory loop, curriculum packaging, partner rubric. | Ain sandbox with measured safety and latency. |
| Days 61-90 | Founder/EIR testing, provider diligence, localization method, low-bandwidth modes, economics model, design-partner shortlist. | Proceed, revise, or stop decision package.    |

Recommended first build

Ship the tenant-isolated venture workspace and reviewed cross-session memory for Ain founders first. Add realtime voice, then an approved EIR persona, then one external design partner. The memory spine creates value in every mode and is the hardest trust boundary to retrofit later.

CURRENT FACTS, DESIGN SOURCES, AND LIMITS

25. Evidence register

| Evidence class                   | Use in this blueprint                                                                                       | Limit                                                                                        |
|----------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| Sponsor and user inputs          | Define the initiative, current planning scale, partner ambition, product behavior, and design requirements. | Require formal University validation before becoming policy or commitment.                   |
| Ain sources                      | Ground the current Foundry program and officially listed EIR profiles.                                      | Public pages do not establish capacity, consent, or future role.                             |
| UR sources                       | Ground the international-partnership route, AI guidance, and data classification context.                   | Named offices must still make case-specific determinations.                                  |
| Regulatory and standards sources | Frame privacy principles and AI risk management.                                                            | Not a substitute for country-specific legal advice.                                          |
| Technology documentation         | Supports candidate architecture and provider feasibility.                                                   | Availability, price, regions, contracts, and performance require current written validation. |

Selected sources

**A1** Ain Center for Entrepreneurship and Innovation. Analytics Projects course sponsor briefing with Professor Roberto Colangelo. Video recorded August 31, 2026. User-provided source.

**A2** Ain Center for Entrepreneurship and Innovation. Ain Foundry Program. Accessed September 2026. <https://www.rochester.edu/aincenter/ain-foundry-program/>

**A3** Ain Center for Entrepreneurship and Innovation. Entrepreneurs in Residence. Accessed September 2026. <https://www.rochester.edu/aincenter/entrepreneurs-in-residence/>

**A4** Ain Center for Entrepreneurship and Innovation. Home and Programs. Accessed September 2026. <https://www.rochester.edu/aincenter/> and <https://www.rochester.edu/aincenter/programs/>

**A5** University of Rochester Office for Global Engagement. Partnerships and Agreements. Accessed September 2026. <https://www.rochester.edu/office-global-engagement/partnerships-agreements/>

**A6** University of Rochester Office for Global Engagement. About. Accessed September 2026. <https://www.rochester.edu/office-global-engagement/about/>

**A7** University of Rochester Office for Global Engagement. Frequently Asked Questions About International Agreements. Accessed September 2026. <https://www.rochester.edu/office-global-engagement/partnerships-agreements/faq/>

**A8** European Commission. Principles of personal data processing under the GDPR. Accessed September 2026. [https://commission.europa.eu/law/law-topic/data-protection/information-business-and-organisations/principles-gdpr\\_en](https://commission.europa.eu/law/law-topic/data-protection/information-business-and-organisations/principles-gdpr_en)

**A9** National Institute of Standards and Technology. Artificial Intelligence Risk Management Framework: Generative AI Profile, NIST AI 600-1. Updated April 2026. <https://doi.org/10.6028/NIST.AI.600-1>

**A10** University of Rochester. Artificial Intelligence Tools and Responsible Use of Generative AI in Research. Accessed September 2026. <https://tech.rochester.edu/artificial-intelligence-ai-tools/> and <https://www.rochester.edu/university-research/about/committees/ai-research-committee/responsible-use-gen-ai/>

**A11** University of Rochester. Data Security Classification Policy. Accessed September 2026. <https://www.rochester.edu/policies/policy/data-security-classifications/>

**A12** Rust Project. Rust language documentation and Tokio asynchronous runtime documentation. Accessed September 2026. <https://www.rust-lang.org/> and <https://tokio.rs/>

**A13** Next.js Documentation. App Router, layouts, and project structure. Accessed September 2026. <https://nextjs.org/docs/app>

**A14** OpenAI Platform Documentation. Realtime API. Accessed September 2026. <https://platform.openai.com/docs/guides/realtime>

**A15** LiveKit Documentation. Cloud global mesh and multi-region deployment. Accessed September 2026. <https://docs.livekit.io/home/cloud/>

**A16** pgvector. Open-source vector similarity search for Postgres. Accessed September 2026. <https://github.com/pgvector/pgvector>

**A17** Temporal Documentation. Durable execution for workflows and activities. Accessed September 2026. <https://docs.temporal.io/>

**A18** Microsoft Learn. Custom avatar capture, consent, and personal voice requirements. Accessed September 2026. <https://learn.microsoft.com/en-us/azure/ai-services/speech-service/text-to-speech-avatar/custom-avatar-create>