

Broker Submission File

Run commands in this environment:

```
cd /opt/kafka
```

Run Zookeeper:

```
bin/zookeeper-server-start.sh config/zookeeper.properties
```

Run Kafka:

```
bin/kafka-server-start.sh config/server.properties
```

Creating 3 main topics:

1. heartbeats

```
/opt/kafka/bin/kafka-topics.sh \  
--bootstrap-server localhost:9092 \  
--create \  
--topic heartbeats \  
--partitions 1 \  
--replication-factor 1
```

2. tasks

```
/opt/kafka/bin/kafka-topics.sh \  
--bootstrap-server localhost:9092 \  
--create \  
--topic tasks \  
--partitions 2 \  
--replication-factor 1
```


3. results

```
/opt/kafka/bin/kafka-topics.sh \  
--bootstrap-server localhost:9092 \  
--create \  
--topic results \  
--partitions 2 \  
--replication-factor 1
```

Check if topics are created:

```
/opt/kafka/bin/kafka-topics.sh --bootstrap-server localhost:9092 --list
```

Output:

A terminal window with a dark purple background. The prompt is 'pes2ug23cs509@pes2ug23cs509:/opt/kafka\$'. The command 'bin/kafka-topics.sh --list --bootstrap-server localhost:9092' has been executed. The output lists several topics: '__consumer_offsets', 'heartbeats', 'mem-net', 'results', 'tasks', 'topic-cpu', 'topic-disk', 'topic-mem', and 'topic-net'. The prompt is now 'pes2ug23cs509@pes2ug23cs509:/opt/kafka\$'.

```
pes2ug23cs509@pes2ug23cs509:/opt/kafka$ bin/kafka-topics.sh --list --bootstrap-s  
erver localhost:9092  
__consumer_offsets  
heartbeats  
mem-net  
results  
tasks  
topic-cpu  
topic-disk  
topic-mem  
topic-net  
pes2ug23cs509@pes2ug23cs509:/opt/kafka$
```