HillClimbing

December 11, 2020

1 Hill Climbing Algorithm

```
[1]: import francium.algorithms.hill_climbing as hc import francium.core.eval_functions as eval_functions from francium.core import State
```

1.1 using an environment with $z = x^2 + y^2$

```
[2]: agent = hc.Agent(step_size=1e-1)
env = hc.Environment(x_bounds=(-5.0, 5.0), y_bounds=(-5.0, 5.0),


→eval_func=eval_functions.convex_x_square)
solver = hc.Solver(agent=agent, environment=env)
```

```
[3]: solver.init_solver(
    init_state=State({
        'x': 4.0,
        'y': 2.0,
        'z': env.evaluation_func(4.0, 2.0)
    })
)
```


[2020-12-06 19:56:15,109 - francium.algorithms.hill_climbing.solver] INFO: => Initialized Solver with State: {'x': 4.0, 'y': 2.0, 'z': 20.0}

```
[4]: for episode in range(1000):
    trainable = solver.train_step()
    if not trainable:
        break
```

- [5]: solver.memory.best_episode
- [5]: {'x': -0.003999626443947791, 'y': -0.0047173888353104505, 'z': 3.825076911463814e-05}
- [6]: solver.plot_history()



[7]: env.plot_environment()



1.2 using an environment with $z = 5 * \sin(x^2 + y^2) + x^2 + y^2$

```
[9]: solver.init_solver(
    init_state=State({
        'x': 4.0,
        'y': 2.0,
        'z': env.evaluation_func(4.0, 2.0)
})
```

```
)
```


[2020-12-06 19:56:16,715 - francium.algorithms.hill_climbing.solver] INFO: => Initialized Solver with State: {'x': 4.0, 'y': 2.0, 'z': 24.56472625363814}

```
[10]: for episode in range(1000):
    trainable = solver.train_step()
    if not trainable:
        break
```

```
[11]: solver.memory.best_episode
```


[11]: {'x': 3.5189357492297706, 'y': 2.1670941140655553, 'z': 12.178430161309148}

[12]: solver.plot_history()



[13]: env.plot_environment()

C:\Users\shadowleaf\anaconda3\envs\thetensorclan-aws\lib\sitepackages\numpy\core_asarray.py:136: VisibleDeprecationWarning: Creating an
ndarray from ragged nested sequences (which is a list-or-tuple of lists-ortuples-or ndarrays with different lengths or shapes) is deprecated. If you meant
to do this, you must specify 'dtype=object' when creating the ndarray
return array(a, dtype, copy=False, order=order, subok=True)



[13]: