

✓ Event Handling and Event Object

Event

- An Event is an action that happens in the browsers.

Ex - click, input, submit, keydown

Event Listener →

→ used to listen for an event and run a function.

`addEventListener("Event", function())`

```
// const btn = document.getElementById("btn")
// function printClicked(){
//     console.log("Button clicked")
// }
// btn.addEventListener("click", printClicked)

// btn.addEventListener("click", function(){
//     console.log("Hello")
// })
// btn.addEventListener("click", () => {
//     console.log("Arrow function")
// })
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>DOM Practice</title>

  <style>
    #box{
      height: 100px;
      width: 200px;
      background-color: blue;
    }
  </style>
</head>
<body>
  <input id="username" placeholder="Enter your username"/>
  <button id="btn">Click here</button>
  <!-- <form id="form" >
    <input type="text">
  -->
```

```
// btn.addEventListener("click", () => {
//     console.log("Arrow function")
// })

// Event object :- The browser automatically provides an
// event object

// btn.addEventListener("click", (event) => {
//     console.log(event)
//     console.log(event.target)
//     console.log(event.type)
// })
// event.target.value :- useful when working with inputs
// const input = document.querySelector("#username")
// input.addEventListener("input", (event)=>{
//     console.log(event.target.value)
// })

// event.preventDefault() :-
// const form = document.querySelector("#form")
// form.addEventListener("submit", (event) =>{
//     event.preventDefault()
//     console.log("Form submitted")
// })

// keydown event
// document.addEventListener("keydown", (event) => {
//     console.log(event.key)
// })

// mouseover :- over
// mouseout :- out

// const box = document.querySelector("#box")
// box.addEventListener("mouseover", () => {
//     console.log("Mouse entered")
// })
// box.addEventListener("mouseout", () => {
//     console.log("Mouse left")
// })
// this in event handler
// btn.addEventListener("click", function(){
//     console.log(this)
// })
// btn.addEventListener("click", () => {
//     console.log(this)
// })
```

```
</head>
<body>
    <input id="username" placeholder="Enter your username"/>
    <button id="btn">Click here</button>
    <!-- <form id="form" >
        <input type="text">
        <button type="submit" >Submit</button>
    </form> -->
    <!-- <div id="box">
    </div> -->
    <script src="./script.js"></script>
</body>
</html>
```