

Promise and Fetch API

Promise → ✓

⇒ A promise represents the future result of an asynchronous task ✓

3 states of promises

✓ Pending → ✓


← {
• fulfill state → (Success) ✓
• Rejected (failure) ✓
}

```
// new Promise()
// creating a promise
// const promise1 = new Promise((resolve, reject) => {
//     let data = true;
//     if(data){
//         resolve("Data mil gya")
//     } else{
//         reject("data nhi mila")
//     }
// })
// .then() -> fulfilled promise
```



```

// .catch() -> rejected promise
// .finally() -> always runs (fulfill/reject)
// promise1
// .then((result)=>{
//     console.log(result)
// })
// .catch((error)=>{
//     console.log(error)
// })
// .finally(()=>{
//     console.log("Promise 1 run hua hau")
// })
// callback hell
// getUser(function(user){
//     getOrders(user, function(orders){
//         getPayment(orders,function(payment){
//             console.log(payment)
//         })
//     })
// })
// getUser()
// .then((user) => getOrder(user))
// .then((orders) => getPayment(orders))
// .then((payment) =>{
//     console.log(payment)
// })
// .catch((error)=>{
//     console.log(error)
// })


```



(Req)
HTTP



Fetch method method



```
//fetch api
// const data =
fetch("https://jsonplaceholder.typicode.com/users")
// data
// .then((response) => {
//     return response.json()
// })
// .then((result) =>{
//     console.log(result)
// })
// .catch((error)=>{
//     console.log(error)
// })
```

```
//post
// fetch("url"),{
//     method:"POST",
//     headers:{
//         "Content-Type":"application/json"
//     },
//     body:JSON.stringify({
//         name:"Satyam",
//         age:23
//     })
// }
```

// <https://jsonplaceholder.typicode.com/users>