

Date, Time & Timers ✓

Timestamps ✓

→ A timestamp represents time as the no of milliseconds since

Jan 1 1970 →

⇒ `const now = Date.now()`
 ↓
 39 — — —

Formatting Dates → `const date = new Date()` ✓

`date.toDateString()` → Thu Sep 03 2026

`date.toTimeString()` ✓

`.toISOString()`

• to ISOString()

↓
Iso → International organization for
~~Standardi~~ Standardization

Z → Zulu time → Zero UTC Offset
↓
00:00 - 12:00

• to LocaleDateString()

• to LocaleTimeString()

• to LocaleString.

⇒ UTC methods → Coordinated Universal Time
↓
Unchanging global time

→ Local → স্থানীয় (Domestic)

→ UTC → International -

getUTCFullYear()
getUTCMonth()

Timers -

→ JS provides timers to execute code after a certain amount of time repeatedly -

≠ setTimeout() - clearTimeout()
≠ setInterval() - clearInterval()

⇒ setTimeout()

→ executes a function once after a specified delay -

Syntax

setTimeout (function, delay)

(1000) → 1 second
↗ milliseconds

clearTimeout()

↓
Timeout id

used to cancel setTimeout() before

executes -

• clearTimeout (timerId)

setInterval() -

→ it repeatedly executes a function after every specified interval.

→ on on , off → looping

Syntax

setInterval (function, delay)

milliseconds

clearInterval (intervalId) ✓

↓
- it used to stop an interval

```
// js provides built in Date object to work with - date, time, year etc
// const date = new Date() //current date and time
// console.log(date)
// you can create your own date using date string
// const date = new Date("2025-02-01") //year-month-day
○ // console.log(date)
// const date = new Date(2025,2,1)
// console.log(date)
```

```

//JS month are zero based
// 0- jan
// 1-feb
// .
// 11-december
//weeks are also zero based
// 0-sunday
// 1-monday
// .
// 6- satur....

//gettings Date and Time
// const date = new Date()
// console.log(date.getFullYear())
// console.log(date.getMonth())
// console.log(date.getDate())
// console.log(date.getDay())
// console.log(date.getHours())
// console.log(date.getMinutes())
// console.log(date.getSeconds())

// //settings Date and Time
// const date = new Date()
// date.setFullYear(2024)
// date.setMonth(10)
// date.setDate(12)
// // console.log(date)

// date.setHours(11)
// date.setMinutes(29)
// date.setSeconds(40)
// console.log(date)

// timestamp
// const now = Date.now()
// console.log(now)
// comparing dates
// dates are compared using timestamp
// const date1 = new Date("2026-09-01")
// const date2 = new Date("2026-09-03")
// console.log(date1 < date2)

//date formating
// const date = new Date()
// console.log(date.toDateString())
// console.log(date.toTimeString())
// console.log(date.toISOString())
// local formatting

```

```

// console.log(date.toLocaleDateString())
// console.log(date.toLocaleTimeString())
// console.log(date.toString())

// utc
// const date = new Date()
// console.log(date.getUTCFullYear())

// setTimeout()
// function greet(){
//     console.log("Hello i'm function")
// }
// setTimeout(greet, 3000)

// setTimeout(() => {
//     console.log("Hi im from timeout")
// }, 2000)

// setTimeout with return
// const timeoutId = setTimeout(() => {
//     console.log("Hi im from timeout")
// }, 2000)
// clearTimeout(timeoutId)
// console.log(timeoutId)

//setInterval()
// function greet() {
//     console.log("satyam")
// }
// setInterval(greet, 2000)

// setInterval(() => {
//     console.log("satyam")
// }, 2000)

// const intervalId = setInterval(() => {
//     console.log("satyam")
// }, 2000)
// console.log(intervalId)

//example - counter
let counter = 0
const intervalId = setInterval( () => {
    counter++

    console.log(counter)
    if(counter === 10){
        clearInterval(intervalId)
    }
}

```

} , 1000)