

# Assignment-13

Satyam Singh  
EE20MTECH14015

**Abstract—**This assignment deals with linear transformation.

Download tex file from

<https://github.com/satyam463/Assignment-13/blob/main/Assignment%2013.tex>

## 1 PROBLEM STATEMENT

Describe explicitly a linear transformation from  $R^3$  into  $R^3$  which has as its range the subspace spanned by  $\begin{pmatrix} 1 & 0 & -1 \end{pmatrix}$  and  $\begin{pmatrix} 1 & 2 & 2 \end{pmatrix}$ .

## 2 SOLUTION

Transformation T from  $R^3$  to  $R^3$  range gives the column space and kernel (null space) is  $T(\mathbf{x})=0$

$$\begin{pmatrix} 1 \\ 0 \\ -1 \end{pmatrix} x_1 + \begin{pmatrix} 1 \\ 2 \\ 2 \end{pmatrix} x_2 = 0 \quad (2.0.1)$$

Hence,

$$T(\mathbf{x}) = \mathbf{Ax} \quad (2.0.2)$$

$$T(\mathbf{x}) = \begin{pmatrix} 1 & 1 \\ 0 & 2 \\ -1 & 2 \end{pmatrix} \mathbf{x} \quad (2.0.3)$$