

```
def a():  
    print('Hello')  
  
a()  
Hello  
  
def b(x, y):  
    return (x+y)  
  
b(4,5)  
9  
  
sum([5, 7, 8])  
20  
  
sum((5, 7, 8))  
20  
  
v = [5,6,7]  
sum(v)  
18  
  
def c(x, y, z):  
    return(sum((x,y,z)))  
  
c(2,7,4)  
13  
  
c(5, 2)
```

```
-----  
-----  
TypeError                                Traceback (most recent call  
last)  
Cell In[10], line 1  
----> 1 c(5, 2)
```

TypeError: c() missing 1 required positional argument: 'z'

```
c(5, 2, 9, 2)
```

```
-----  
-----  
TypeError                                Traceback (most recent call  
last)  
Cell In[11], line 1  
----> 1 c(5, 2, 9, 2)
```

TypeError: c() takes 3 positional arguments but 4 were given

```
def d(*n):  
    return sum(n)
```

```
d(3, 5, 7, 9, 7, 3)
```

```
34
```

```
d(5, 8)
```

```
13
```

```
def d(*args):  
    a = len(d)  
    for i in a:
```

```
def e(*args):  
    for i in args:  
        print('hello', i)
```

```
e(['Nashit', 'Rahul', 'Raj'])
```

```
hello ['Nashit', 'Rahul', 'Raj']
```

```
def f(**x):  
    print('i am '+x['fname'])
```

```
f(fname='nashit', city='patna', age=31)
```

```
i am nashit
```

```
def f(**x):  
    print('i am '+x['age'])
```

```
f(fname='nashit', city='patna', age='31')
```

```
i am 31
```

```
def g(**kwargs):  
    print(kwargs['x'],kwargs['y'],kwargs['z'])
```

```
g(y = '6', z='8', x='9')
```

```
9 6 8
```

```
def a(x, y):  
    return sum((x,y))
```

```
a(7,5)
```

```
12
```

```

a = lambda x, y: x+y
print(a(6,9))
15
b = lambda x: x+5
print(b(6))
11
def h(a):
    return lambda b : b*a
x = h(5)
print(x(4))
20
c = lambda v,w,x,y,z: x-w+y-z+v
print(c(5,8,2,8,5))
2
l = [7, 5, 7, 3]
d = lambda n : n*2
print(d(l))
[7, 5, 7, 3, 7, 5, 7, 3]
i = list(map(lambda a: a*0.2, l))
print(i)
[1.4000000000000001, 1.0, 1.4000000000000001, 0.6000000000000001]
j = list(filter(lambda a : a%2 == 0, l))
j
[]
l = [6, 8, 3, 9]
l[0]
6
l2 = [
    [5, 8, 9, 7],
    [12, 17, 18, 13],

```

```
    [23, 27, 21, 29]
]
l2[0]
[5, 8, 9, 7]
l2[0][2]
9
l3 = [
    ['name', 'age', 'salary'],
    ['nashit', 31, 30000],
    ['ayush', 30, 24000]
]
l3
[['name', 'age', 'salary'], ['nashit', 31, 30000], ['ayush', 30, 24000]]
```