

Book Example

Fernando B.

Contents

Congratulations!	1
What's next?	1
Create a Blog Post	2
Create your first Post	2
“md title=“blog/2021-02-28-greetings.md”	2
Configure the Sidebar	3
“md title=“docs/hello.md” {1-4}	3
Hello	3
Create a Page	3
Create your first React Page	3
Deploy your site	4
Build your site	4
Deploy your site	4

Congratulations!

You have just learned the **basics of Docusaurus** and made some changes to the **initial template**.

Docusaurus has **much more to offer!**

Have **5 more minutes?** Take a look at **versioning** and **i18n**.

Anything **unclear** or **buggy** in this tutorial? Please report it!

What's next?

- Read the official documentation
- Modify your site configuration with `docusaurus.config.js`
- Add navbar and footer items with `themeConfig`
- Add a custom Design and Layout

- Add a search bar
- Find inspirations in the Docusaurus showcase
- Get involved in the Docusaurus Community

Create a Blog Post

Docusaurus creates a **page for each blog post**, but also a **blog index page**, a **tag system**, an **RSS** feed...

Create your first Post

Create a file at `blog/2021-02-28-greetings.md`:

```
“md title=“blog/2021-02-28-greetings.md”
```

```
slug: greetings title: Greetings! authors: - name: Joel Marcey title:
Co-creator of Docusaurus 1 url: https://github.com/JoelMarcey im-
age_url: https://github.com/JoelMarcey.png - name: Sébastien Lorber
title: Docusaurus maintainer url: https://sebastienlorber.com image_url:
https://github.com/slорber.png tags: [greetings] —
```

Congratulations, you have made your first post!

Feel free to play around and edit this post as much as you like.

A new blog post is now available at `http://localhost:3000/blog/greetings`

```
---
```

```
sidebar_position: 2
```

```
---
```

```
# Create a Document
```

Documents are **groups of pages** connected through:

- a **sidebar**
- **previous/next navigation**
- **versioning**

```
## Create your first Doc
```

Create a Markdown file at ``docs/hello.md``:

```
```md title="docs/hello.md"
Hello
```

This is my **\*\*first Docusaurus document\*\***!

A new document is now available at <http://localhost:3000/docs/hello>.

## Configure the Sidebar

Docusaurus automatically **creates a sidebar** from the `docs` folder.

Add metadata to customize the sidebar label and position:

**“md title=“docs/hello.md” {1-4}**

sidebar\_label: 'Hi!' sidebar\_position: 3 —

## Hello

This is my **first Docusaurus document!**

It is also possible to create your sidebar explicitly in ``sidebars.js``:

```
```js title="sidebars.js"
export default {
  tutorialSidebar: [
    'intro',
    // highlight-next-line
    'hello',
    {
      type: 'category',
      label: 'Tutorial',
      items: ['tutorial-basics/create-a-document'],
    },
  ],
};
```

Create a Page

Add **Markdown or React** files to `src/pages` to create a **standalone page**:

- `src/pages/index.js` → `localhost:3000/`
- `src/pages/foo.md` → `localhost:3000/foo`
- `src/pages/foo/bar.js` → `localhost:3000/foo/bar`

Create your first React Page

Create a file at `src/pages/my-react-page.js`:

```

“‘jsx title=“src/pages/my-react-page.js” import React from ‘react’; import Layout
from ‘@theme/Layout’;

export default function MyReactPage() { return (
  My React page

  <p>This is a React page</p>
</Layout>

); }

```

A new page is now available at [http://localhost:3000/my-react-page] (http://localhost:3000/my-react-page)

Create your first Markdown Page

Create a file at `src/pages/my-markdown-page.md`:

```

```mdx title="src/pages/my-markdown-page.md"
My Markdown page

```

This is a Markdown page

A new page is now available at http://localhost:3000/my-markdown-page.

## Deploy your site

Docusaurus is a **static-site-generator** (also called **Jamstack**).

It builds your site as simple **static HTML, JavaScript and CSS files**.

### Build your site

Build your site **for production**:

```
npm run build
```

The static files are generated in the **build** folder.

### Deploy your site

Test your production build locally:

```
npm run serve
```

The **build** folder is now served at http://localhost:3000/.

You can now deploy the **build** folder **almost anywhere** easily, **for free** or very small cost (read the **Deployment Guide**).