

Book Example

Fernando B.

Contents

Tutorial Intro	2
Getting Started	2
What you'll need	2
Generate a new site	2
Start your site	2
Congratulations!	3
What's next?	3
Create a Blog Post	3
Create your first Post	3
“md title=“blog/2021-02-28-greetings.md”	3
Configure the Sidebar	4
“md title=“docs/hello.md” {1-4}	4
Hello	4
Create a Page	5
Create your first React Page	5
Deploy your site	5
Build your site	6
Deploy your site	6
Manage Docs Versions	6
Create a docs version	6
Add a Version Dropdown	6
Update an existing version	7
Translate your site	7
Configure i18n	7
Translate a doc	7
Start your localized site	7
Add a Locale Dropdown	7

Build your localized site	8
-------------------------------------	---

Tutorial Intro

Let's discover **Docusaurus** in less than 5 minutes.

Getting Started

Get started by **creating a new site**.

Or try **Docusaurus** immediately with **docusaurus.new**.

What you'll need

- Node.js version 18.0 or above:
 - When installing Node.js, you are recommended to check all checkboxes related to dependencies.

Generate a new site

Generate a new Docusaurus site using the **classic template**.

The classic template will automatically be added to your project after you run the command:

```
npm init docusaurus@latest my-website classic
```

You can type this command into Command Prompt, Powershell, Terminal, or any other integrated terminal of your code editor.

The command also installs all necessary dependencies you need to run Docusaurus.

Start your site

Run the development server:

```
cd my-website  
npm run start
```

The `cd` command changes the directory you're working with. In order to work with your newly created Docusaurus site, you'll need to navigate the terminal there.

The `npm run start` command builds your website locally and serves it through a development server, ready for you to view at `http://localhost:3000/`.

Open `docs/intro.md` (this page) and edit some lines: the site **reloads automatically** and displays your changes.

Congratulations!

You have just learned the **basics of Docusaurus** and made some changes to the **initial template**.

Docusaurus has **much more to offer!**

Have **5 more minutes?** Take a look at **versioning** and **i18n**.

Anything **unclear** or **buggy** in this tutorial? Please report it!

What's next?

- Read the official documentation
- Modify your site configuration with `docusaurus.config.js`
- Add navbar and footer items with `themeConfig`
- Add a custom Design and Layout
- Add a search bar
- Find inspirations in the Docusaurus showcase
- Get involved in the Docusaurus Community

Create a Blog Post

Docusaurus creates a **page for each blog post**, but also a **blog index page**, a **tag system**, an **RSS feed**...

Create your first Post

Create a file at `blog/2021-02-28-greetings.md`:

“md title=“blog/2021-02-28-greetings.md”

```
slug: greetings title: Greetings! authors: - name: Joel Marcey title:
Co-creator of Docusaurus 1 url: https://github.com/JoelMarcey im-
age_url: https://github.com/JoelMarcey.png - name: Sébastien Lorber
title: Docusaurus maintainer url: https://sebastienlorber.com image_url:
https://github.com/slorber.png tags: [greetings] —
```

Congratulations, you have made your first post!

Feel free to play around and edit this post as much as you like.

A new blog post is now available at `[http://localhost:3000/blog/greetings]` (`http://localhost`).

```
---
sidebar_position: 2
---
```

```
# Create a Document
```

Documents are **groups of pages** connected through:

- a **sidebar**
- **previous/next navigation**
- **versioning**

```
## Create your first Doc
```

Create a Markdown file at `docs/hello.md`:

```
```md title="docs/hello.md"
Hello
```

This is my **first Docusaurus document**!

A new document is now available at <http://localhost:3000/docs/hello>.

## Configure the Sidebar

Docusaurus automatically **creates a sidebar** from the docs folder.

Add metadata to customize the sidebar label and position:

```
“md title=“docs/hello.md” {1-4}
```

sidebar\_label: 'Hi!' sidebar\_position: 3 —

## Hello

This is my **first Docusaurus document**!

It is also possible to create your sidebar explicitly in `sidebars.js`:

```
```js title="sidebars.js"
export default {
  tutorialSidebar: [
    'intro',
    // highlight-next-line
    'hello',
    {
      type: 'category',
      label: 'Tutorial',
      items: ['tutorial-basics/create-a-document'],
    },
  ],
}
```

```
  ],  
};
```

Create a Page

Add **Markdown or React** files to `src/pages` to create a **standalone page**:

- `src/pages/index.js` → `localhost:3000/`
- `src/pages/foo.md` → `localhost:3000/foo`
- `src/pages/foo/bar.js` → `localhost:3000/foo/bar`

Create your first React Page

Create a file at `src/pages/my-react-page.js`:

```
“`jsx title=“src/pages/my-react-page.js” import React from ‘react’; import Layout  
from ‘@theme/Layout’;
```

```
export default function MyReactPage() { return (
```

```
My React page
```

```
  <p>This is a React page</p>  
</Layout>
```

```
); }
```

A new page is now available at [`http://localhost:3000/my-react-page`] (`http://localhost:3000/my-react-page`)

Create your first Markdown Page

Create a file at ``src/pages/my-markdown-page.md``:

```
```mdx title="src/pages/my-markdown-page.md"  
My Markdown page
```

```
This is a Markdown page
```

A new page is now available at `http://localhost:3000/my-markdown-page`.

## Deploy your site

Docusaurus is a **static-site-generator** (also called **Jamstack**).

It builds your site as simple **static HTML, JavaScript and CSS** files.

## Build your site

Build your site **for production**:

```
npm run build
```

The static files are generated in the **build** folder.

## Deploy your site

Test your production build locally:

```
npm run serve
```

The **build** folder is now served at <http://localhost:3000/>.

You can now deploy the **build** folder **almost anywhere** easily, **for free** or very small cost (read the **Deployment Guide**).

## Manage Docs Versions

Docusaurus can manage multiple versions of your docs.

### Create a docs version

Release a version 1.0 of your project:

```
npm run docusaurus docs:version 1.0
```

The **docs** folder is copied into **versioned\_docs/version-1.0** and **versions.json** is created.

Your docs now have 2 versions:

- 1.0 at <http://localhost:3000/docs/> for the version 1.0 docs
- current at <http://localhost:3000/docs/next/> for the **upcoming, unreleased docs**

### Add a Version Dropdown

To navigate seamlessly across versions, add a version dropdown.

Modify the **docusaurus.config.js** file:

```
js title="docusaurus.config.js" export default { themeConfig: {
 navbar: { items: [// highlight-start {
 type: 'docsVersionDropdown', }, // highlight-end
], }, }, };

```

The docs version dropdown appears in your navbar:

## Docs Version Dropdown

Figure 1: Docs Version Dropdown

### Update an existing version

It is possible to edit versioned docs in their respective folder:

- `versioned_docs/version-1.0/hello.md` updates `http://localhost:3000/docs/hello`
- `docs/hello.md` updates `http://localhost:3000/docs/next/hello`

### Translate your site

Let's translate `docs/intro.md` to French.

### Configure i18n

Modify `docusaurus.config.js` to add support for the `fr` locale:

```
js title="docusaurus.config.js" export default { i18n: { defaultLocale: 'en', locales: ['en', 'fr'], }, };
```

### Translate a doc

Copy the `docs/intro.md` file to the `i18n/fr` folder:

```
mkdir -p i18n/fr/docusaurus-plugin-content-docs/current/
```

```
cp docs/intro.md i18n/fr/docusaurus-plugin-content-docs/current/intro.md
```

Translate `i18n/fr/docusaurus-plugin-content-docs/current/intro.md` in French.

### Start your localized site

Start your site on the French locale:

```
npm run start -- --locale fr
```

Your localized site is accessible at `http://localhost:3000/fr/` and the **Getting Started** page is translated.

In development, you can only use one locale at a time.

### Add a Locale Dropdown

To navigate seamlessly across languages, add a locale dropdown.

Modify the `docusaurus.config.js` file:

## Locale Dropdown

Figure 2: Locale Dropdown

```
js title="docusaurus.config.js" export default { themeConfig: {
 navbar: { items: [// highlight-start {
 type: 'localeDropdown', }, // highlight-end
], }, }, };
```

The locale dropdown now appears in your navbar:

### Build your localized site

Build your site for a specific locale:

```
npm run build -- --locale fr
```

Or build your site to include all the locales at once:

```
npm run build
```