

Solstice: LLM-Orchestrated System for Medical Document Fact-Checking

An AI-Native Approach to Evidence Extraction and Verification

1 Introduction

Solstice is a multi-step system that automatically fact-checks medical claims against scientific literature and clinical documents. It combines layout detection, multimodal language models, and an orchestrated chain of LLM calls to extract and verify evidence from PDFs that contain text, tables, and figures.

The system is designed to handle real-world medical documentation at scale, processing complex clinical documents containing text, tables, and figures.

2 System Architecture

2.1 Document Ingestion Pipeline

The ingestion pipeline transforms unstructured PDFs into queryable structured documents through multiple stages:

1. **Layout Detection:** Uses Detectron2 with PubLayNet-trained models (Mask R-CNN + ResNet-50-FPN). The pipeline relies on pre-trained weights rather than custom training because PubLayNet provides extensive annotated data.
2. **Box Consolidation:** Merges overlapping layout detections and resolves conflicts. Medical PDFs often contain complex overlapping elements that require special handling.
3. **Text Extraction:** Uses PyMuPDF for vector text extraction within bounding boxes.
4. **Figure/Table Extraction:** Saves visual elements as PNG at 400 DPI. Images are stored separately for later multimodal analysis rather than embedded as base64.
5. **Reading Order:** Computes reading order with column detection and vertical positioning; this is necessary for the multi-column layouts common in medical journals.

2.2 LLM-Based Fact-Checking System

The fact-checking pipeline processes text evidence through three sequential stages (Extract → Completeness → Verify) followed by parallel image analysis:

- **Evidence Extraction Step:** Searches document text for claim-relevant quotes using gpt-4.1. Preserves exact quotes and returns structured evidence with relevance explanations.
- **Completeness Checker:** Reviews the extracted evidence and searches the document again for any additional quotes that weren't initially found, ensuring comprehensive coverage.
- **Evidence Verification Step (V2):** Validates that all extracted quotes (from both extraction and completeness steps) exist in the source document. Uses semantic matching and filters out tangentially related content, achieving high verification rates.
- **Image Evidence Analyzer:** Analyzes figures and tables using vision models to identify supporting visual evidence and provide detailed explanations.

After all LLM processing completes, an Evidence Presenter step consolidates all verified text and image evidence into structured JSON reports with coverage assessment.

2.3 LLM Pipeline Flow

The fact-checking pipeline orchestrates multiple LLM calls in a specific sequence:




Figure 1: LLM Pipeline: Sequential text evidence processing with parallel image analysis

3 Technical Implementation

3.1 Core Services Architecture

Solstice is built on three logical services, with the Gateway service running in Docker for isolation:

3.2 Orchestration Layer

The system uses asynchronous Python with strategic architectural decisions:

- **Hierarchical Orchestration:** Two-level design with StudyOrchestrator → ClaimOrchestrator → processing steps. Enables both study-level and claim-level parallelism control.
- **Step Isolation:** Each processing step runs independently with explicit input/output contracts via Pydantic models. Enables testing and development in isolation.

3.3 Where to Find the Data Artifacts

Solstice writes intermediate and final results to disk in human-readable form. This allows users to inspect the system, debug individual stages, or create visualisations without rerunning the full pipeline.

1. Fact-Checking Study Results After you run a fact-checking study (`python -m src.cli run-study`), the main results file containing all claims with their supporting text, tables, and figures is located at:

`data/studies/consolidated_results.json`

This single JSON file contains all the verified evidence for each claim. Here's the structure with a stubbed example:




Figure 2: Core Services Architecture: Gateway runs in Docker as the central LLM interface

```

{
  "study_name": "unknown",
  "timestamp": "2025-07-30T23:47:44.122369",
  "claims": [
    {
      "claim": "Flublok ensures identical antigenic match with
                WHO- and FDA-selected flu strains.",
      "evidence": [
        {
          "type": "text",
          "quote": "The primary amino acid sequence of the rHA
                    produced using baculovirus...is identical
                    to the HA from the wild type virus...",
          "explanation": "The quote directly supports the claim...",
          "document": "Arunachalam_et_al._2021_"
        },
        {
          "type": "image",
          "filename": "figure_p2_det_1_000.png",
          "reasoning": "The table provides data showing Flublok
                      contains 45 µg HA per strain...",
          "document": "CDC_Influenza_vaccines"
        }
      ]
    },
    {
      "claim": "Flublok contains 3x the hemagglutinin (HA) antigen
                content of standard-dose flu vaccines...",
      "evidence": [
        // Additional text and image evidence entries
      ]
    }
  ]
  // Additional claims...
}

```

```
}
```

Each claim contains an array of evidence entries that can be either:

- **Text evidence:** Exact quotes from documents with explanations of how they support or refute the claim
- **Image evidence:** References to figures/tables with reasoning about their relevance

The evidence entries always include the source document name, making it easy to trace back to the original PDFs in the scientific or marketing cache.

2. Marketing Material Cache Marketing PDFs like FlublokOnePage are processed with special attention to layout preservation. To see the marketing page layout, look at:

```
data/marketing_cache/FlublokOnePage/visualizations/page_001_layout.png
```

This visualization shows the detected layout elements (text blocks, figures, headers) overlaid on the original page, helping verify proper extraction of complex marketing layouts.

The full directory structure for marketing materials:

```
data/marketing_cache/FlublokOnePage/
|-- extracted/
|   |-- content.json           # Extracted text and layout structure
|   |-- document.html         # HTML version of the document
|   |-- document.md           # Markdown version
|   |-- document.txt          # Plain text version
|   '-- figures/
|       |-- figure_p1_04314352.png
|       |-- figure_p1_6de74a29.png
|       '-- figure_p1_d9d91bd1.png
|-- pages/
|   '-- page-000.png           # Full page image
'-- visualizations/
    '-- page_001_layout.png    # ** MARKETING LAYOUT VISUALIZATION **
```

3. Scientific Document Cache Scientific papers undergo the same extraction process but may include additional agent processing for fact-checking. For example, Treanor_et_al._2011_ contains:

```
data/scientific_cache/Treanor_et_al._2011_/
|-- extracted/
|   |-- content.json           # Extracted text and layout structure
|   |-- document.html         # HTML version
|   |-- document.md           # Markdown version
|   |-- document.txt          # Plain text version
|   '-- figures/              # Extracted figures and tables
|       |-- figure_p1_det_0_005.png
|       |-- figure_p3_det_2_000.png
|       |-- table_p3_det_2_009.png
|       '-- table_p4_det_3_003.png
|-- pages/                    # Individual page images
|   |-- page-000.png
|   |-- page-001.png
|   '-- ...
|-- visualizations/          # Layout detection overlays
|   |-- all_pages_summary.png
|   |-- page_001_layout.png
|   '-- ...
|-- raw_layouts/              # Intermediate layout data
|   '-- raw_layout_boxes.json
'-- agents/                   # Fact-checking results (if processed)
```

```

'-- claims/
  '-- claim_000/
    |-- evidence_extractor/
    |-- completeness_checker/
    '-- evidence_verifier_v2/

```

The key difference is that scientific documents may have an **agents/** directory containing fact-checking results for individual claims.

4. Quick Directory Cheatsheet For newcomers, these are useful places to explore:

- **src/cli/** – entry-point scripts that orchestrate the pipelines.
- **src/injection/shared/processing/** – layout detection, reading-order logic, text extractors.
- **src/fact_check/agents/** – implementation of the four specialised LLM processing steps plus formatting.
- **data/scientific_cache/** – processed scientific PDFs (inspect `content.json`).
- **data/marketing_cache/** – processed marketing PDFs.
- **data/studies/** – end-to-end fact-checking results ready for consumption.

4 Implementation Notes

4.1 Model Integration and Multimodal Processing

The system uses different models for text and image analysis, reflecting a key architectural decision to process these modalities separately:

4.1.1 Text Processing with gpt-4.1

All text-based evidence extraction and verification uses gpt-4.1, chosen specifically for its needle-in-haystack capabilities:

- **Evidence extraction:** Searches through hundreds of pages to find exact quotes matching claims
- **High-precision retrieval:** Locates specific sentences in dense medical literature with minimal false positives
- **Completeness checking:** Re-scans documents to catch any quotes missed in the first pass
- **Exact quote verification:** Confirms extracted text exists verbatim in source documents

4.1.2 Image Analysis with o4-mini

Visual evidence (figures, tables, charts) is processed using o4-mini, a reasoning model chosen for its ability to interpret complex visual information:

- **Visual reasoning:** Interprets data trends, statistical significance, and relationships shown in charts
- **Table comprehension:** Understands structured data and can identify relevant rows/columns supporting claims
- **Diagram analysis:** Reasons about flowcharts, mechanisms, and visual explanations of processes
- **Contextual interpretation:** Understands what visual evidence actually demonstrates in context

4.1.3 Why Separate Text and Image Processing?

Processing text and images separately leverages the distinct strengths of different model types:

1. **Model specialization:** gpt-4.1 excels at needle-in-haystack tasks—finding specific quotes in massive documents—while reasoning models like o4-mini are better at interpreting visual information and drawing conclusions
2. **Task optimization:** Text evidence extraction is fundamentally a search and retrieval problem where precision matters most. Image analysis requires reasoning about relationships, trends, and visual patterns
3. **Prompt engineering:** Extraction tasks benefit from deterministic responses while visual reasoning tasks need more flexible interpretation
4. **Performance characteristics:** gpt-4.1 can process enormous text contexts efficiently for quote extraction, while reasoning models handle the cognitive load of understanding charts, diagrams, and data visualizations

4.1.4 Technical Implementation

- All LLM calls route through an HTTP gateway service for centralized request handling
- Images are stored as files (not base64) for easier inspection and debugging
- Parallel image processing is limited to prevent overwhelming the API
- Both pipelines use structured JSON schemas for predictable output formats

4.2 Three-Stage Text Evidence Pipeline

Extraction, verification, and completeness are run as distinct LLM-driven steps:

- **Stage 1:** Extract all potentially relevant quotes (high recall)
- **Stage 2:** Find additional quotes not caught in initial extraction (expand coverage)
- **Stage 3:** Verify all quotes exist and support claim (high precision)

This separation allows the stages to be optimised and tested independently.

4.3 Filesystem-Centric Architecture

The pipeline stores intermediate data on the filesystem rather than in a database:

- Human-readable JSON can be inspected without extra tools
- Hierarchical directories (document/claim/step) reflect the processing flow
- No additional infrastructure is required
- Files can be version-controlled in Git

5 Conclusion

Solstice combines layout understanding, multimodal analysis, and orchestrated LLM calls to perform medical fact-checking. Tests on multiple documents and claims indicate that the architecture can process real-world medical documentation at moderate scale.

6 Appendix: Layout Detection Examples

The following examples demonstrate Solstice’s layout detection capabilities on real documents.

6.1 Marketing Material Layout Detection

Figure 3 shows the layout detection on a pharmaceutical marketing page. The system identifies distinct marketing elements including headers, body text, and visual design components, preserving the intended visual hierarchy.

6.2 Scientific PDF Layout Detection

Figure 4 demonstrates the system handling a complex scientific page containing figures, tables, and dense academic text. This example from Hsiao et al. (2023) shows successful detection of 8 distinct elements including data tables, flowcharts, and figure captions.


These visualizations demonstrate the system’s ability to handle diverse document types, from marketing materials with complex visual designs to dense scientific publications with mixed content types. The layout detection forms the foundation for accurate text extraction and evidence retrieval.

Total elements: 19
Reading order: 19 elements

FLUBLOK COMBINES THE ADVANTAGES OF RECOMBINANT TECHNOLOGY WITH A HIGHER DOSE^{2,4}

2. Separator


3. Figure



4. Text: **AN EXACT STRAIN MATCH¹**

5. Text: Fully recombinant flu vaccine that has known and exact antigen content, Flublok ensures identical antigenic match with WHO- and FDA-selected flu strains.

6. Figure



7. Text: **3X THE ANTIGEN²**

8. Text: Flublok also contains 3x the hemagglutinin (HA) antigen content of standard-dose flu vaccines, which has been linked to greater immunogenicity vs standard-dose flu vaccines.³


9. Text: **AVOIDS MUTATIONS¹**

10. Text: Unlike egg-based flu vaccines have the potential to develop mutations during production, which may reduce their effectiveness.

11. Text: **INDUCE A MORE ROBUST ANTIBODY RESPONSE³**

12. Text: According to a study published by the CDC in January 2024, vaccination with a higher-dose recombinant flu vaccine may induce a more robust antibody response than egg-based standard-dose vaccines.

13. Figure



14. Text: **PROVIDE CROSS-PROTECTION**

15. Text: Recombinant technology leads to a broader immune response that may provide cross-protection, even in a mismatch season.⁴

16. Text: (quadrivalent) was evaluated in the pivotal trial against Fluorix (quadrivalent standard-dose vaccine). The efficacy of Flublok (quadrivalent) is relevant to Flublok (trivalent) because both vaccines are manufactured using the same process and have overlapping compositions.¹

¹Flublok is produced using a novel production platform in which recombinant HA is expressed in insect cells using a baculovirus expression vector system (BEVS). Recombinant HA antigens produced using BEVS have been shown to induce significantly higher levels of broadly cross-reactive antibodies against highly conserved regions of HA compared with egg-derived vaccines, which may potentially protect against drift-variant influenza viruses.²

²Flublok contains 45 micrograms (mcg) of HA per strain vs 15 mcg of HA per strain in a standard-dose influenza vaccine.^{3,4}

³CDC: Centers for Disease Control and Prevention; FDA: US Food and Drug Administration; WHO: World Health Organization.

17. Text: **IMPORTANT SAFETY INFORMATION**

Appropriate medical treatment must be immediately available to manage potential anaphylactic reactions following administration of Flublok.

Please see additional Important Safety Information throughout. Before administration, please see full Prescribing Information here.


18. Text: **Flublok[®]**

19. Text: **Inza Vaccine**

Figure 3: Layout detection on marketing material (FlublokOnePage). Different colors indicate detected elements: headers, body text, figures, and marketing-specific components. The detection preserves reading order and visual hierarchy essential for marketing documents.

Total elements: 8
Reading order: 8 elements

RECOMBINANT OR STANDARD-DOSE INFLUENZA VACCINE



5. Text alternated in weekly intervals of time and that during each weekly interval, approximately half the facilities administered the recombinant vaccine while the other half administered a standard-dose vaccine. The format of having alternating formulations each week at each facility was intended to emulate a random-

4. Text trial in which the vaccine formulations would be randomly assigned within each facility. This design was intended to achieve balance between the two vaccine groups, which would have similar distribution with respect to observed and unobserved risk factors at every facility and in the overall study population during

6. Title J MED 389:24 NEJM.ORG DECEMBER 14, 2023

2247

7. Title England Journal of Medicine

8. Text Downloaded from nejm.org on August 22, 2024. For personal use only.
No other uses without permission. Copyright © 2023 Massachusetts Medical Society. All rights reserved.

Figure 4: Layout detection on a complex scientific page (Hsiao et al., 2023, page 3). The system correctly identifies and separates: (1) text blocks, (2) data tables, (3) scientific figures, (4) captions, and (5) references. Numbers indicate reading order preservation.