

C4-2d: Update Data

Basic SQL - Using DB Browser for SQLite



Download **dummy.db**
from Coursemology
and use it for this part.

Execute SQL

Using UPDATE and SET


```
UPDATE Customers SET Country='Singapore'
WHERE FirstName='Thomas' and LastName='Hardy';
```


```
UPDATE Customers SET Country='Singapore';
```

THIS WILL CHANGE
EVERYONE's COUNTRY
TO 'Singapore' !!!

```
UPDATE Orders SET Quantity = Quantity + 5
WHERE Id=7;
```

This will increase
the Quantity by 5.






C4-2e: Delete Data and Drop Table

Basic SQL - Using DB Browser for SQLite

Execute SQL

Delete Record(s) in a Table




```
DELETE FROM Customers WHERE FirstName = 'Victoria';
```

Note: The Foreign Key constraint will prevent the deletion because Victoria Ashworth's Id is referred to in the Orders table.

```
DELETE FROM Customers;
```

DANGER: This will delete all the records in the table but the Table will still remain.



Execute SQL

Drop a Table

```
DROP TABLE Customers;
```

DANGER: This will delete the Table.

Note: The Foreign Key constraint will prevent this if Foreign Key is defined when creating the relating table(s).

```
DROP DATABASE Northwind;
```

NOTE: There is no drop database in SQLite.

