

## MOBILE APPLICATION DEVELOPMENT(21 Sept)

### LOCALIZATION EXAMPLE CODE:

```
package com.example.project1;

import android.os.Bundle;
import androidx.appcompat.app.AppCompatActivity;

public class MainActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
    }
}
```

```
<?xml version="1.0" encoding="utf-8"?>

<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical"
    android:gravity="center"
    android:padding="24dp">

    <TextView
        android:id="@+id/tvWelcome"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="@string/welcome_text"
        android:textSize="24sp"

        android:layout_marginBottom="16dp" />

    <Button
        android:id="@+id/btnLogin"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="20dp"

        android:layout_height="wrap_content"
        android:layout_marginTop="20dp"
        android:text="@string/login_button" />

</LinearLayout>
```

```
<?xml version="1.0" encoding="utf-8"?>

<resources>
    <string name="app_name">स्थान उदाहरण</string>

    <string name="welcome_text">स्वागत है </string>
    ⚡ <string name="login_button">लॉग इन</string>

</resources>
```

```
<resources>
    <string name="app_name">LocationExample</string>

    <string name="welcome_text">Welcome </string>
    <string name="login_button">Login</string>
    ⚡
</resources>
```

## FAB CODE:

```
package com.example.project1;

import android.os.Bundle;
import android.view.View;
import android.widget.Toast;

import androidx.appcompat.app.AppCompatActivity;
import com.google.android.material.floatingactionbutton.FloatingActionButton;

public class MainActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        FloatingActionButton fab = findViewById(R.id.fab);

        fab.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
                Toast.makeText(
                    context: MainActivity.this,
                    text: "Add Note",
                    Toast.LENGTH_SHORT
                ).show();
            }
        });
    }
}
```

```
<?xml version="1.0" encoding="utf-8"?>
```



```
<androidx.coordinatorlayout.widget.CoordinatorLayout
```

```
  ⚡ xmlns:android="http://schemas.android.com/apk/res/android"
```

```
  xmlns:app="http://schemas.android.com/apk/res-auto"
```

```
  android:layout_width="match_parent"
```

```
  android:layout_height="match_parent">
```

```
    <TextView
```

```
      android:layout_width="match_parent"
```

```
      android:layout_height="match_parent"
```

```
      android:gravity="center"
```

```
      android:text="Welcome to FAB Example"
```

```
      android:textSize="20sp" />
```

```
    <com.google.android.material.floatingactionbutton.FloatingActionButton
```

```
      android:id="@+id/fab"
```

```
      android:layout_width="wrap_content"
```

```
      android:layout_height="wrap_content"
```

```
      android:layout_gravity="bottom|end"
```

```
      android:layout_margin="16dp"
```

```
      android:src="@drawable/ic_add"
```

```
      android:contentDescription="Add Note" />
```

```
</androidx.coordinatorlayout.widget.CoordinatorLayout>
```