

Lifetime Performance Goals

A 10-year, data-driven plan (2026 - 2036) | Saumya Mishra | born May 2004 | 182.9 cm

Where you are now (Oct 2026, ~7 months into running)

Marker	Now	Note
Bodyweight	79.1 kg (BMI 23.6)	BIA ~16% fat (likely upper-teens true); get a DEXA baseline
VO ₂ max (Garmin)	46.0	38.9 (Jul 8) to 46.0 (Oct 4): +18% in 3 months
Threshold	LTHR 181 LT pace 5:24/km (app)	Tempo Oct 3: 4 x 5 min @ 5:35-5:40 at HR 181-185
Est. race fitness (flat)	5K ~26:20 10K ~54-55 HM ~2:02-2:05 (Dec)	~VDOT 36 at 10K level; mile est. ~7:20 (speed-skewed)
Speed	Sprint peak 842 W, ~8.3 m/s, 234 spm (first-ever session)	Top-end ahead of endurance - normal at 7 months
Bench	e1RM ~91 kg (best 93.3)	~50th pct on Strength Level at 75-80 kg

Ground rules

- **Percentiles mean men aged ~20-39 who race or log lifts** - already a fitter group than the general population.
- **One 95th-percentile target per season.** Everything else is maintained, never chased at the same time.
- **Primary identity: endurance-first hybrid.** 95th-pct running/triathlon + 80th-pct ('Advanced') lifting. 95th in both is near-impossible at ~75-80 kg (body mass, time, recovery).
- **Order by age sensitivity:** explosive/speed goals first (peak ~24-25), road endurance later (28-33), Ironman-type capstone 30-35. Strength is the most age-tolerant (peaks ~28-35).
- **Where no data exists, it says so** (sprint percentiles, men-only 70.3 top 5%).

The goals - 95th percentile, with data

Two running datasets disagree, so both are shown. Race-population = real finish-time distributions (RunRepeat / parkrun / Running USA via Pace Percentile; maratats). Running Level 'Elite' = 'faster than 95% of runners' (method unpublished; describes 5+ yrs competitive runners) - the stricter bar.

Endurance running

Distance	You now (est.)	95th: race population	95th: Running Level	80th: Running Level
Mile	~7:20	no data (mile rarely raced)	5:08	5:46
5K	~26:20	sub-19:00 (parkrun: sub-20 = top 7%)	17:40	19:44
10K	~54-55	sub-39:00	36:38	40:54
Half marathon	~2:02-2:05 (Dec)	sub-1:25	1:21:00	1:30:33
Marathon	-	sub-3:10 (only 4% of men break 3:00)	2:49:13	3:08:42

Both columns sit at roughly VDOT 50-55. From ~36 today that is a big but realistic 10-year climb for a fast improver who started at 22.

Strength (Strength Level, 9.9M male logged lifts, at 75-80 kg bodyweight)

Lift	You now	80th 'Advanced' (TARGET)	95th 'Elite' (stretch)
Bench press	e1RM ~91	117-124 kg	144-151 kg
Squat	-	159-168 kg	196-206 kg
Deadlift	-	186-196 kg	228-239 kg
Weighted pull-up	-	+51-53 kg	+72-74 kg

Self-reported app users skew strong; among all gym-goers these bars would be lower. 'Advanced' is the realistic hybrid target and already beats the 100 kg bench goal.

Sprint

Event	You now	Target	Data quality
100 m	~13.5 s (GPS estimate - needs a timed test)	sub-12.0	No population dataset exists. Compiled tiers (men 18-39): 14.0 beginner / 13.0 novice / 12.0 intermediate rec / 11.3 high-level rec.
400 m	untested	sub-60 s (classic club benchmark)	No reliable percentile data - treat as a benchmark, not a percentile.

Triathlon

Event	Target	Data
Goa 70.3 (Nov 2027)	Finish strong (first one)	Men 25-29 median 5:39:26
70.3 time goal	~sub-4:35 (top ~5% men, extrapolated)	Whole field: top 10% under 4:47:53, top 25% under 5:16:29 (1.4M results, 2004-26). Sub-5:00 is only ~top 15-20%.
Norseman	Black T-shirt (summit finish)	250-255 starters from 7,956 applicants (2026, ~3%); first 160 to 37 km Stavsro go to the summit.

The sequence - built around when each quality peaks

Quality	Peak age (research)
100 m sprint	24.5 +/- 2.4 (world-class track & field)
Middle distance (mile/1500)	24.9 +/- 2.8 - earliest of all
Marathon	~28-33
70.3 age-groupers	Men under 30 fastest
Ironman age-groupers	30-34 fastest; elite ~32-35
Powerlifting	~28-35, slow decline from late 30s
Ultra-endurance	mid-to-late 30s

Running economy improves with years of running and declines with age; starting at 22 shifts your endurance peak later than these averages, while sprint biology follows age regardless.

Phase	Age / years	Primary (the one 95th target)	Maintained alongside
1. Base	22-24 (2026-28)	Aerobic base; Bangalore HM (Dec 20 2026); Goa 70.3 (Nov 2027)	Lifting to 'Advanced'; bench 100 kg (Feb 2027)
2. Speed window	24-27 (2028-31)	Mile sub-5:08 5K sub-18-19 100 m ~sub-12	Aerobic base; strength (supports sprint power)
3. Road endurance + strength	27-31 (2031-35)	HM sub-1:25 marathon sub-3 70.3 ~sub-4:35 by ~30	One off-season strength block toward 90th pct
4. Capstone	30-35 (2034-39)	Norseman black T-shirt	Everything at maintenance

- **Speed has the narrowest window** - phase 2 sits on the 24-25 peak, with 2-4 years of aerobic base underneath (milers need it).
- **Endurance rewards patience** - marathon/Ironman peaks are late, and late starters peak later still.
- **70.3 time goal before ~30** - the data says under-30 men are fastest at that distance.
- **Norseman is a supply problem** - ~3% of applicants get a slot, so apply every year from the late 20s.
- **Never** pair a running time goal with a bulk or a max-strength push in the same season.

Target body composition

Body FAT (not BMI) is what predicts endurance performance, so targets are set as lean mass + body-fat %.

- **Recreational marathoners** (Basel, n=126): % body fat and training pace were the strongest predictors; BMI was not significant. Sub-2:10 elites sit under 10% fat; ~4 h runners above 15%.
- **Male Ironman age-groupers**: body fat is the strongest anthropometric predictor (rho 0.74 in one cohort); typical finisher BMI 24.3, 14.4% fat.
- **Same engine, less fat**: VO_2max per kg at 75 kg = 48.5 vs 46.0 at 79 kg (+5.5%), if the loss is fat.
- **Diminishing returns**: in the Basel model, 17% to 12% fat is worth ~3.4 min in a marathon; 12% to 10% only ~0.6 min - not worth the cost to strength, sleep and hormones.

	Lean mass	Body fat	Weight	BMI
Now (est.)	~65-66 kg	~16-18%	79.1 kg	23.6
Home / default	~67-68 kg (+2 kg over years, mostly upper body)	10-12%	~75-77 kg	22.4-23.1
Speed window (phase 2)	67-68	10-12%	75-77	~22.5-23
Strength block (off-season)	68+	13-15%	78-80	~23.5-24
Marathon / 70.3 / Norseman racing	67-68	9-11%	74-76	~22-22.7

- **First step**: a DEXA scan for a real lean-mass/fat baseline - BIA under-reads fat on muscular builds.
- **Cut rate**: no faster than ~0.5% bodyweight/week to protect lean mass and lifting.
- **Don't chase under ~9%** outside a specific race peak. For Norseman (cold fjord swim) a little fat is not a handicap.

Programs for the next two years (Oct 2026 - late 2028)

Hybrid (Fergus Crawley-style) coaching options, mapped to the phases. Current run programming stays with Garmin Coach until the Dec 20 HM; reassess after.

Window	Goal	Program / approach
Now - Dec 20 2026	Bangalore HM	Keep current setup: Garmin Coach HM plan (runs) + Posterior/Anterior/Upper lifts + 2 swims/wk. Plan is locked - don't switch mid-block.
Dec 2026 - Apr 2027	Lean surplus; bench 100 kg test (Feb); aerobic maintenance	OMNIA 'Hybrid GPP' (16 wk) or 'Hypertrophy + Half Marathon 2.0' (16 wk); or a Complete Human Performance off-season template.
May - Nov 2027	Goa 70.3 build (24-28 wk)	Best fit: 1:1 hybrid coach (OMNIA Athlete Coaching or Complete Human Performance) - 3 sports + strength + your schedule is exactly their use-case. Budget option: a 70.3 plan on TrainingPeaks + 2 maintenance lifts/wk.
Dec 2027 - 2028	Enter the speed window	OMNIA 'Strength + Sub 40 Minute 10km' (14 wk); CHP 5K/10K hybrid templates; BPN Training (Nick Bare) free Hybrid Athlete / 5K plans as low-cost options.

The options

Option	What it is	Fit for you
OMNIA Performance (Fergus Crawley, co-founder)	1:1 bespoke hybrid coaching + fixed plans: Hybrid GPP (16 wk), Hypertrophy + HM (12/16 wk), Functional Fitness + Marathon (16 wk), Strength + Sub-40 10K (14 wk), Strength + Full-Distance Triathlon (17 wk, \$120 on TrainingPeaks).	Closest to 'Fergus types'. Plans are fixed blocks; for the 70.3 + swim, use 1:1 (pricing by application).
Complete Human Performance (Alex Viada)	The original hybrid coaching outfit: 1:1 coaching, group tracks, 12-20 wk templates (every running distance, triathlon, off-season), HYBRD app (free strength + 5K/10K/HM/M plans with subscription).	Strong for triathlon + strength; Viada's book is the reference text.
BPN Training (Nick Bare)	Free app: Hybrid Athlete, 5K, Half Marathon, Marathon programs (12-16 wk).	Low-cost entry; no swim/triathlon.
Reading	Alex Viada, 'The Hybrid Athlete' (2015) / 'The Ultimate Hybrid Athlete' (2024).	Principles to self-check any plan.

Checks before buying: confirm current prices and that a coach can program swimming for a 70.3. Prices/plan lists were verified from public listings in Oct 2026 and may change. Some 'best hybrid app' rankings online are published by the apps themselves - ignore those.

Sources

- Running Level - 1 Mile / 5K / 10K / Half / Marathon standards: runninglevel.com/running-times/
- Pace Percentile - Running statistics (RunRepeat, parkrun, Running USA): pacepercentile.com/running-statistics/
- RunDataLab - What is a good 5K time (parkrun; RunRepeat 107.9M results): rundatalab.com/articles/what-is-a-good-5k-time
- Marathon statistics (marastats: 4% of men sub-3): marathonhandbook.com/what-is-a-good-marathon-time/ ; sub3-marathon.com/marathon-statistics/
- Strength Level - Bench / Squat / Deadlift / Pull-ups standards: strengthlevel.com/strength-standards/
- 100 m tiers (no population dataset): marathonhandbook.com/average-100-meter-time/ ; trackandfieldapp.com/how-fast-is-the-average-person-in-the-100m/
- TriTimes - Average Half Ironman time (1,398,305 results): tritimes.org/stats/average-half-ironman-time
- Norseman - About: nxtri.com/about-norseman
- Haugen et al. - Peak age and performance progression in world-class track-and-field athletes (IJSP 2018)
- Solberg et al. - Peak age in world-class weightlifting and powerlifting (IJSP 2019)
- Age of peak performance in Ironman triathlon (Extreme Physiology & Medicine); The best triathletes are older in longer races (PMC4176841)
- Running economy affected by running experience and aging (Physiology & Behavior, ScienceDirect S0031938422003365)
- Barandun/Knechtle et al. - Running speed during training and percent body fat predict race time in recreational male marathoners (OAJSM 2012)
- Knechtle et al. - Body fat and Ironman performance in recreational male triathletes; Personal best times predict Ironman race time (PMC3781890)
- Schumann et al. 2022 - Compatibility of concurrent aerobic and strength training (Sports Medicine 52:601-612)
- Wilson et al. 2012 - Concurrent training meta-analysis (J Strength Cond Res)
- OMNIA Performance: omnia-performance.com ; TrainingPeaks plan tp-330336 | Complete Human Performance: completehumanperformance.com | BPN Training app

Data gaps called out honestly: no population data for 100 m / 400 m; men-only 70.3 top-5% not published (extrapolated); Running Level methodology unpublished; Strength Level is self-reported app data.