

Copyright © 2013 John Smith

PUBLISHED BY PUBLISHER

BOOK-WEBSITE.COM

Licensed under the Creative Commons Attribution-NonCommercial 3.0 Unported License (the "License"). You may not use this file except in compliance with the License. You may obtain a copy of the License at http://creativecommons.org/licenses/by-nc/3.0. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

First printing, March 2013



-1	Part One	
1	Logika Matematika	7
1.1	Pernyataan Berkuantor	7
1.2	Pernyataan Penyangkal (Lingkaran)	7
1.3	Penarikan Kesimpulan	7
1.3.1 1.3.2 1.3.3	Numbered List  Bullet Points  Descriptions and Definitions	7
2	Induksi Matematika	9
2.1	Metode Pembuktian Langsung dan Tidak Langsung	9
2.1.1 2.1.2	Several equations	
2.2	Kontradiksi	9
2.3	Induksi Matematis	10
2.4	Remarks	10
2.5	Corollaries	10
2.6	Kontradiksi	10
2.6.1 2.6.2	Several equations	
2.7	Examples	10
2.7.1 2.7.2	Equation and Text	

2.8	Exercises	11
2.9	Problems	11
2.10	Vocabulary	11
3	Pertidaksamaan Linear Dua Variabel	13
3.1	Pengertian Pertidaksamaan Linear Dua Variabel	13
3.2	Penerapan Pertidaksamaan Linear Dua Variabel	13
4	Program Linear Dua Variabel	15
4.1	Pengertian Program Linear Dua Variabel	15
4.2	Sistem Pertidaksamaan Linear Dua Variabel	15
4.3	Nilai Optimum Fungsi Objektif	15
4.4	Penerapan Program Linier Dua Variabel	15
5	Matriks	17
5.1	Pengertian Matriks	17
5.2	Operasi Matriks	17
5.3	Determinan dan Invers Matriks Berorde 2x2 dan 3x3	17
5.4	Pemakaian Matriks Pada Pransformasi Geometri	17
6	Barisan dan Deret	19
6.1	Pola Bilangan	19
6.2	Barisan dan Deret Aritmatika	19
6.3	Barisan dan Deret Geometri	19
Ш	Part Two	
7	Limit Fungsi Aljabar	23
7.1	Table	23
7.2	Figure	23
8	Turunan Fungsi Aljabar	25
8.1	Pengertian Turunan	25
8.2	Sifat-Sifat Turunan Fungsi Aljabar	25
8.3	Penerapan Turunan Fungsi Aljabar	25
8.4	Nilai-Nilai Stasioner	25
8.5	Fungsi Naik dan Fungsi Turun	25
8.6	Persamaan Garis Singgung dan Garis Normal	25
9	Integral Tak Tentu Fungsi Aljabar	27
9.1	Pengertian Integral Tak Tentu Fungsi Aljabar	27
9.2	Sifat-Sifat Integral Tak Tentu Fungsi Aljabar	27

9.3	Penerapan Integral Tak Tentu Fungsi Aljabar		
	Bibliography	29	
	Books	29	
	Articles	29	

# Part One

	Logika Matematika 7
1.1	Pernyataan Berkuantor
1.2	Pernyataan Penyangkal (Lingkaran)
1.3	Penarikan Kesimpulan
2	Induksi Matematika 9
2.1	Metode Pembuktian Langsung dan Tidak Langsung
2.2	Kontradiksi
2.3	Induksi Matematis
2.4	Remarks
2.5	Corollaries
2.6	Kontradiksi
2.7	Examples
2.8	Exercises
2.9 2.10	Problems Vocabulary
2.10	Vocabulary
2	Build II Buy II to
3	Pertidaksamaan Linear Dua Variabel . 13
3.1	Pengertian Pertidaksamaan Linear Dua Variabel
3.2	Penerapan Pertidaksamaan Linear Dua Variabel
4	Due survey line ou Deep Verilale et
4	Program Linear Dua Variabel 15
4.1	Pengertian Program Linear Dua Variabel
4.2 4.3	Sistem Pertidaksamaan Linear Dua Variabel
4.3	Nilai Optimum Fungsi Objektif Penerapan Program Linier Dua Variabel
4.4	renerapari riogiam timei bua variabei
5	Matriks
5.1	Pengertian Matriks
5.1	Operasi Matriks
5.3	Determinan dan Invers Matriks Berorde 2x2 dan 3x3
0.0	Dolom in an adminion wants bolorae 2x2 dam exe
5.4	Pemakaian Matriks Pada Pransformasi Geometri
6	Barisan dan Deret
6.1	Pola Bilangan
6.2	Barisan dan Deret Aritmatika
6.3	Barisan dan Deret Geometri



## 1.1 Pernyataan Berkuantor

Kuantor dari suatu pernyataan adalah istilah yang digunakan untuk menyatakan "berapa banyak" objek di dalam suatu kalimat atau pembicaraan. Selain untuk menyatakan kuantifikasi, kuantor juga biasa digunakan untuk mengubah kalimat terbuka menjadi suatu kalimat deklaratif.

## 1.2 Pernyataan Penyangkal (Lingkaran)

This statement requires citation [book\_key]; this one is more specific [article\_key].

#### 1.3 Penarikan Kesimpulan

Lists are useful to present information in a concise and/or ordered way<sup>1</sup>.

#### 1.3.1 Numbered List

- 1. The first item
- 2. The second item
- 3. The third item

## 1.3.2 Bullet Points

- The first item
- The second item
- The third item

#### 1.3.3 Descriptions and Definitions

Name Description Word Definition Comment Elaboration

<sup>&</sup>lt;sup>1</sup>Footnote example...



## 2.1 Metode Pembuktian Langsung dan Tidak Langsung

This is an example of theorems.

#### 2.1.1 Several equations

This is a theorem consisting of several equations.

Theorem 2.1.1 — Name of the theorem. In  $E = \mathbb{R}^n$  all norms are equivalent. It has the properties:

$$|||\mathbf{x}|| - ||\mathbf{y}||| \le ||\mathbf{x} - \mathbf{y}||$$
 (2.1)

$$||\sum_{i=1}^{n} \mathbf{x}_{i}|| \leq \sum_{i=1}^{n} ||\mathbf{x}_{i}|| \quad \text{where } n \text{ is a finite integer}$$
 (2.2)

#### 2.1.2 Single Line

This is a theorem consisting of just one line.

**Theorem 2.1.2** A set  $\mathcal{D}(G)$  in dense in  $L^2(G)$ ,  $|\cdot|_0$ .

### 2.2 Kontradiksi

This is an example of a definition. A definition could be mathematical or it could define a concept.

**Definition 2.2.1 — Definition name.** Given a vector space E, a norm on E is an application, denoted  $||\cdot||$ , E in  $\mathbb{R}^+ = [0, +\infty[$  such that:

$$||\mathbf{x}|| = 0 \Rightarrow \mathbf{x} = \mathbf{0} \tag{2.3}$$

$$||\lambda \mathbf{x}|| = |\lambda| \cdot ||\mathbf{x}|| \tag{2.4}$$

$$||x + y|| \le ||x|| + ||y|| \tag{2.5}$$

#### 2.3 Induksi Matematis

**Notation 2.1.** Given an open subset G of  $\mathbb{R}^n$ , the set of functions  $\varphi$  are:

- 1. Bounded support G;
- 2. Infinitely differentiable;

a vector space is denoted by  $\mathcal{D}(G)$ .

#### 2.4 Remarks

This is an example of a remark.



The concepts presented here are now in conventional employment in mathematics. Vector spaces are taken over the field  $\mathbb{K}=\mathbb{R}$ , however, established properties are easily extended to  $\mathbb{K}=\mathbb{C}$ .

#### 2.5 Corollaries

This is an example of a corollary.

Corollary 2.5.1 — Corollary name. The concepts presented here are now in conventional employment in mathematics. Vector spaces are taken over the field  $\mathbb{K} = \mathbb{R}$ , however, established properties are easily extended to  $\mathbb{K} = \mathbb{C}$ .

#### 2.6 Kontradiksi

This is an example of propositions.

#### 2.6.1 Several equations

**Proposition 2.6.1 — Proposition name.** It has the properties:

$$\left| ||\mathbf{x}|| - ||\mathbf{y}|| \right| \le ||\mathbf{x} - \mathbf{y}|| \tag{2.6}$$

$$\left|\left|\sum_{i=1}^{n} \mathbf{x}_{i}\right|\right| \leq \sum_{i=1}^{n} \left|\left|\mathbf{x}_{i}\right|\right| \quad \text{where } n \text{ is a finite integer}$$
(2.7)

#### 2.6.2 Single Line

**Proposition 2.6.2** Let  $f, g \in L^2(G)$ ; if  $\forall \varphi \in \mathcal{D}(G), (f, \varphi)_0 = (g, \varphi)_0$  then f = g.

#### 2.7 Examples

This is an example of examples.

#### 2.7.1 Equation and Text

**Example 2.1** Let  $G = \{x \in \mathbb{R}^2 : |x| < 3\}$  and denoted by:  $x^0 = (1,1)$ ; consider the function:

$$f(x) = \begin{cases} e^{|x|} & \text{si } |x - x^0| \le 1/2\\ 0 & \text{si } |x - x^0| > 1/2 \end{cases}$$
 (2.8)

The function f has bounded support, we can take  $A = \{x \in \mathbb{R}^2 : |x - x^0| \le 1/2 + \varepsilon\}$  for all  $\varepsilon \in ]0; 5/2 - \sqrt{2}[$ .

2.8 Exercises

#### 2.7.2 Paragraph of Text

■ Example 2.2 — Example name. Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

2.8 Exercises

This is an example of an exercise.

**Exercise 2.1** This is a good place to ask a question to test learning progress or further cement ideas into students' minds.

#### 2.9 Problems

Problem 2.1 What is the average airspeed velocity of an unladen swallow?

## 2.10 Vocabulary

Define a word to improve a students' vocabulary. **Vocabulary 2.1 — Word.** Definition of word.



- 3.1 Pengertian Pertidaksamaan Linear Dua Variabel
- 3.2 Penerapan Pertidaksamaan Linear Dua Variabel



- 4.1 Pengertian Program Linear Dua Variabel
- 4.2 Sistem Pertidaksamaan Linear Dua Variabel
- 4.3 Nilai Optimum Fungsi Objektif
- **4.4** Penerapan Program Linier Dua Variabel



- **5.1** Pengertian Matriks
- 5.2 Operasi Matriks
- 5.3 Determinan dan Invers Matriks Berorde 2x2 dan 3x3
- 5.4 Pemakaian Matriks Pada Pransformasi Geometri



- 6.1 Pola Bilangan
- 6.2 Barisan dan Deret Aritmatika
- 6.3 Barisan dan Deret Geometri

## Part Two

<b>7</b> 7.1 7.2	Limit Fungsi Aljabar	23
8 8.1 8.2 8.3 8.4 8.5 8.6	Turunan Fungsi Aljabar Pengertian Turunan Sifat-Sifat Turunan Fungsi Aljabar Penerapan Turunan Fungsi Aljabar Nilai-Nilai Stasioner Fungsi Naik dan Fungsi Turun Persamaan Garis Singgung dan Garis Normal	25
<b>9</b> 9.1 9.2 9.3	Integral Tak Tentu Fungsi Aljabar	27
	Bibliography Books Articles	29



## **7.1 Table**

Treatments	Response 1	Response 2
Treatment 1	0.0003262	0.562
Treatment 2	0.0015681	0.910
Treatment 3	0.0009271	0.296

Table 7.1: Table caption

## 7.2 Figure

Placeholder Image

Figure 7.1: Figure caption



- 8.1 Pengertian Turunan
- 8.2 Sifat-Sifat Turunan Fungsi Aljabar
- 8.3 Penerapan Turunan Fungsi Aljabar
- 8.4 Nilai-Nilai Stasioner
- 8.5 Fungsi Naik dan Fungsi Turun
- 8.6 Persamaan Garis Singgung dan Garis Normal



- 9.1 Pengertian Integral Tak Tentu Fungsi Aljabar
- 9.2 Sifat-Sifat Integral Tak Tentu Fungsi Aljabar
- 9.3 Penerapan Integral Tak Tentu Fungsi Aljabar



Books Articles