



Created database with the name of **'custom'**:



Created the table with name of **'temp_data'**:

```
acadgild@localhost:~  
File Edit View Search Terminal Help  
10-03-1990      381920  15  
10-01-1991      302918  22  
12-02-1990      384902   9  
10-01-1991      123112  11  
14-02-1990      283901  12  
10-03-1991      381920  16  
10-01-1990      302918  23  
12-02-1991      384902  10  
10-01-1993      123112  11  
14-02-1994      283901  12  
10-03-1993      381920  16  
10-01-1994      302918  23  
12-02-1991      384902  10  
10-01-1991      123112  11  
14-02-1990      283901  12  
10-03-1991      381920  16  
10-01-1990      302918  23  
12-02-1991      384902  10  
Time taken: 0.106 seconds, Fetched: 20 row(s)  
hive> show tables;  
OK  
temp_data  
Time taken: 0.05 seconds, Fetched: 1 row(s)  
hive> █
```

Inserted data in above table as given format:



The screenshot shows a Linux desktop with a dark blue background. On the left sidebar, there are icons for 'Computer', 'acadgild's Home', 'Trash', and 'Terminal'. The top panel displays 'Applications', 'Places', 'System', and system status including 'Mon Nov 6, 8:44 AM' and the username 'acadgil'. A terminal window titled 'acadgild@localhost:~' is open, showing the output of a Hive command. The output lists 20 rows of data with columns for date, a 5-digit ID, and a count. Below the data, it states 'Time taken: 0.091 seconds, Fetched: 20 row(s)' and shows the Hive command being executed: 'hive> load data local inpath 'file:///home/acadgild/sessionHive.txt' into table temp_data;'.

```
OK
10-01-1990      123112  10
14-02-1991      283901  11
10-03-1990      381920  15
10-01-1991      302918  22
12-02-1990      384902   9
10-01-1991      123112  11
14-02-1990      283901  12
10-03-1991      381920  16
10-01-1990      302918  23
12-02-1991      384902  10
10-01-1993      123112  11
14-02-1994      283901  12
10-03-1993      381920  16
10-01-1994      302918  23
12-02-1991      384902  10
10-01-1991      123112  11
14-02-1990      283901  12
10-03-1991      381920  16
10-01-1990      302918  23
12-02-1991      384902  10
Time taken: 0.091 seconds, Fetched: 20 row(s)
hive> load data local inpath 'file:///home/acadgild/sessionHive.txt'
> into table temp_data;
```

Computer

acadgild's Home

Trash

Terminal

acadgild@localhost:~

File Edit View Search Terminal Help

```
hive> select * from temp_data;
```

OK

10-01-1990	123112	10
14-02-1991	283901	11
10-03-1990	381920	15
10-01-1991	302918	22
12-02-1990	384902	9
10-01-1991	123112	11
14-02-1990	283901	12
10-03-1991	381920	16
10-01-1990	302918	23
12-02-1991	384902	10
10-01-1993	123112	11
14-02-1994	283901	12
10-03-1993	381920	16
10-01-1994	302918	23
12-02-1991	384902	10
10-01-1991	123112	11
14-02-1990	283901	12
10-03-1991	381920	16
10-01-1990	302918	23
12-02-1991	384902	10

Time taken: 0.091 seconds, Fetched: 20 row(s)

```
hive>
```