Transaction in hive

```
hive> set hive.support.concurrency = true;
hive> set hive.enforce.bucketing = true;
hive> set hive.exec.dynamic.partition.mode = nonstrict;
hive> set hive.txn.manager = org.apache.hadoop.hive.ql.lockmgr.DbTxnManager;
hive> set hive.compactor.initiator.on = true;
hive> set hive.compactor.worker.threads = 5;
hive> use default;
Time taken: 1.068 seconds
CREATING TABLE
hive> CREATE TABLE college(clg_id int,clg_name string,clg_loc string) clustered by
(clg_id) into 5 buckets stored as orc TBLPROPERTIES('transactional'='true');
Time taken: 6.831 seconds
hive> show tables;
OK
college
customer_hive
first
Time taken: 0.155 seconds, Fetched: 3 row(s)
hive>
LOADING DATA
hive> INSERT INTO table college values(1,'nec','nlr'),(2,'vit','vlr'),
(3,'srm','chen'),(4,'lpu','del'),(5,'stanford','uk'),(6,'JNTUA','atp'),
(7,'cambridge','us');
OK
```

```
hive>
hive>select * from college;
OK
      stanford
                    uk
      JNTUA atp
1
              nlr
      nec
7
      cambridge
                     us
2
      vit
              vlr
3
      srm
             chen
4
       1pu
              del
Time taken: 0.553 seconds, Fetched: 7 row(s)
RE INSERTING SAME VALUES
hive> INSERT INTO table college values(1,'nec','nlr'),(2,'vit','vlr'),
(3,'srm','chen'),(4,'lpu','del'),(5,'stanford','uk'),(6,'JNTUA','atp'),
(7,'cambridge','us');
Time taken: 250.844 seconds
hive>
hive>select * from college;
OK
5
      stanford
                     uk
      stanford
5
                     uk
      JNTUA atp
6
1
      nec
              nlr
      JNTUA atp
6
1
      nec
              nlr
7
      cambridge
                     us
2
      vit
              vlr
7
      cambridge
                     us
2
      vit
              vlr
3
       srm
              chen
3
              chen
```

Time taken: 336.718 seconds

srm

```
4
      1pu
             del
4
       1pu
             del
Time taken: 0.33 seconds, Fetched: 14 row(s)
UPDATING TABLE DATA
-----
hive> UPDATE college set clg_id = 8 where clg_id = 7;
FAILED: SemanticException[Error 10302]: Updating values of bucketing columns is not
supported. Column clg_id
hive>UPDATE college set clg_name = 'IIT' where clg_id = 6;
OK
Time taken: 31.33 seconds
hive>select * from college;
OK
5
      stanford
                    uk
5
      stanford
                    uk
6
      IIT
             atp
1
             nlr
      nec
6
      IIT atp
1
      nec
             nlr
7
      cambridge
                    us
2
      vit
             vlr
7
      cambridge
                    us
2
      vit
             vlr
3
             chen
      srm
3
      srm chen
4
      1pu
             del
4
      1pu
             del
OK
Time taken: 0.34 seconds, Fetched: 14 row(s)
```

DELETING TABLE DATA

hive>delete from college where clg_id=5;

OK

Time taken: 31.33 seconds
hive>select * from college;

OK

- 5 stanford uk5 stanford uk
- 6 IIT atp
- 6 IIT atp
- 7 cambridge us
- 2 vit vlr
- 7 cambridge us
- 2 vit vlr
- 3 srm chen
- 3 srm chen
- 4 lpu del
- 4 lpu del

OK

Time taken: 0.34 seconds, Fetched: 12 row(s)