



Arambhika Enablers

Nickel & Copper Battery Connectors: Mfg. & Dist.

COMPANY CATALOG

About Us

Our Key Strengths & Capabilities

We believe the above strengths enable us to deliver consistent quality.

- Production support during emergency and urgent requirements.
- Complete in-house setup of all machineries along with an integrated plating plant.
- No tooling cost charged for running / repeat products.
- Very low development lead time, enabling faster product finalization.
- Proven experience in catering to reputed brands, public listed companies, etc.
- Core specialization in:
 - Nickel Strips
 - Copper Busbars
 - Aluminium Busbars

What Sets Us Apart in Battery Components

Speed, scale, and reliability — built in-house.



Fully In-House Manufacturing

[Integrated Plating Facility](#)

End-to-end in-house manufacturing with an integrated plating plant and capacity up to 25 tonnes per month.



Emergency Production Support

[Fast & Reliable Manufacturing](#)

Dedicated production support to meet emergency and urgent customer requirements without delays.



Rapid Custom Development

[Zero Tooling Cost](#)

No tooling charges and ultra-fast custom product development with lead times under 7 days.



Trusted Industry Partner

[Proven Brand Experience](#)

Proven track record serving leading energy brands.

Nickel Strip Plated



Nickel Strip Plated 1P 6×0.15 mm
Strip size: 6 x 0.15 mm thick. Material: Nickel-plated
Price: 440/KG

Min Qty: 3 KG

Availability: Now



Nickel Strip Plated 1P 8×0.15 mm
Strip size: 8 x 0.15 mm thick. Material: Nickel-plated
Price: 440/KG

Min Qty: 3 KG

Availability: Now



Nickel Strip Plated 1P 10×0.15 mm
Strip size: 10 x 0.15 mm thick. Material: Nickel-plated
Price: 440/KG

Min Qty: 3 KG

Availability: Now



Nickel Strip Plated 2P(18650) 26×0.15 mm
Strip size: 26 × 0.15 mm for 18650 2P (H-type) layout Central depth: 12 mm with 19 mm pitch Material: Nickel-plated
Compatible holder: 19 mm pitch cell holder
Price: 740/KG

Min Qty: 3 KG


Availability: Now



Nickel Strip Plated 2P(21700) 31×0.15 mm
Strip size: 31 × 0.15 mm for 21700 2P (H-type) layout Central depth: 15 mm with 23 mm pitch Material: Nickel-plated
Compatible holder: 23 mm pitch cell holder
Price: 740/KG

Min Qty: 3 KG

Availability: Now




Nickel Strip Plated 2P(32650) 46.5×0.15 mm
Strip size: 46.5 × 0.15 mm for 32650 2P (H-type) layout Central depth: 22.4 mm with 34.4 mm pitch Material: Nickel-plated
Compatible holder: 34.4 mm pitch cell holder
Price: 740/KG

Min Qty: 3 KG

Availability: Now

Nickel Strip Plated




Nickel Strip Plated 1P 0.12mm custom widths

Strip size: (2mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm) x 0.12 mm thick. Material: Nickel-plated
Price: 440/KG

Min Qty: 3 KG

Availability: On Request



Nickel Strip Plated 1P 0.20mm custom widths

Strip size: (2mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm) x 0.20 mm thick. Material: Nickel-plated
Price: 440/KG

Min Qty: 3 KG

Availability: On Request



Nickel Strip Plated 2P(18650) 26x0.12 mm

Strip size: 26 x 0.12 mm for 18650 2P (H-type) layout Central depth: 12 mm with 19 mm pitch Material: Nickel-plated
Compatible holder: 19 mm pitch cell holder
Price: 740/KG

Min Qty: 3 KG

Availability: On Request



Nickel Strip Plated 2P(18650) 26x0.20 mm

Strip size: 26 x 0.20 mm for 18650 2P (H-type) layout Central depth: 12 mm with 19 mm pitch Material: Nickel-plated
Compatible holder: 19 mm pitch cell holder
Price: 740/KG

Min Qty: 3 KG

Availability: On Request



Nickel Strip Plated 2P(21700) 31x0.12 mm

Strip size: 31 x 0.12 mm for 21700 2P (H-type) layout Central depth: 15 mm with 23 mm pitch Material: Nickel-plated
Compatible holder: 23 mm pitch cell holder
Price: 740/KG

Min Qty: 3 KG

Availability: On Request




Nickel Strip Plated 2P(21700) 31x0.20 mm

Strip size: 31 x 0.20 mm for 21700 2P (H-type) layout Central depth: 15 mm with 23 mm pitch Material: Nickel-plated
Compatible holder: 23 mm pitch cell holder
Price: 740/KG

Min Qty: 3 KG

Availability: On Request

Nickel Strip Plated



Nickel Strip Plated 2P(32650) 46.5×0.12 mm

Strip size: 46.5 × 0.12 mm for 32650 2P (H-type) layout Central depth: 22.4 mm with 34.4 mm pitch Material: Nickel-plated Compatible holder: 34.4 mm pitch cell holder
Price: 740/KG

Min Qty: 3 KG

Availability: On Request



Nickel Strip Plated 2P(32650) 46.5×0.20 mm

Strip size: 46.5 × 0.20 mm for 32650 2P (H-type) layout Central depth: 22.4 mm with 34.4 mm pitch Material: Nickel-plated Compatible holder: 34.4 mm pitch cell holder
Price: 740/KG

Min Qty: 3 KG

Availability: On Request

Nickel Strip Pure



Nickel Strip Pure 1P 6×0.15 mm
Strip size: 6 x 0.15 mm thick. Material: Pure Nickel
Price: 2900/KG

Min Qty: 3 KG

Availability: Now



Nickel Strip Pure 1P 8×0.15 mm
Strip size: 8 x 0.15 mm thick. Material: Pure Nickel
Price: 2900/KG

Min Qty: 3 KG

Availability: Now



Nickel Strip Pure 1P 10×0.15 mm
Strip size: 10 x 0.15 mm thick. Material: Pure Nickel
Price: 2900/KG

Min Qty: 3 KG

Availability: Now



Nickel Strip Pure 2P(18650) 26×0.15 mm
Strip size: 26 × 0.15 mm for 18650 2P (H-type) layout Central depth: 12 mm with 19 mm pitch Material: Pure Nickel
Compatible holder: 19 mm pitch cell holder
Price: 3750/KG

Min Qty: 3 KG


Availability: Now



Nickel Strip Pure 2P(21700) 31×0.15 mm
Strip size: 31 × 0.15 mm for 21700 2P (H-type) layout Central depth: 15 mm with 23 mm pitch Material: Pure Nickel
Compatible holder: 23 mm pitch cell holder
Price: 3750/KG

Min Qty: 3 KG

Availability: Now



Nickel Strip Pure 2P(32650) 46.5×0.15 mm
Strip size: 46.5 × 0.15 mm for 32650 2P (H-type) layout Central depth: 22.4 mm with 34.4 mm pitch Material: Pure Nickel
Compatible holder: 34.4 mm pitch cell holder
Price: 3750/KG

Min Qty: 3 KG

Availability: On Request


Nickel Strip Pure



Nickel Strip Pure ZigZag 32.96x.15 mm
Width: 32.96 mm Central depth: 19.00 mm Material: Pure Nickel
Price: 4600/KG

Min Qty: 3 KG


Availability: Now



Nickel Strip Pure 1P 0.12mm custom widths
Strip size: (2mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm) x 0.12 mm thick. Material: Pure Nickel
Price:

Min Qty: 3 KG

Availability: On Request



Nickel Strip Pure 1P 0.20mm custom width
Strip size: (2mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm) x 0.20 mm thick. Material: Pure Nickel
Price:

Min Qty: 3 KG

Availability: On Request



Nickel Strip Pure 2P(18650) 26x0.12 mm
Strip size: 26 x 0.12 mm for 18650 2P (H-type) layout Central depth: 12 mm with 19 mm pitch Material: Pure Nickel
Compatible holder: 19 mm pitch cell holder
Price: 3750/KG

Min Qty: 3 KG


Availability: On Request



Nickel Strip Pure 2P(21700) 31x0.12 mm
Strip size: 31 x 0.12 mm for 21700 2P (H-type) layout Central depth: 15 mm with 23 mm pitch Material: Pure Nickel
Compatible holder: 23 mm pitch cell holder
Price: 3750/KG

Min Qty: 3 KG

Availability: On Request



Nickel Strip Pure 2P(32650) 46.5x0.12 mm
Strip size: 46.5 x 0.12 mm for 32650 2P (H-type) layout Central depth: 22.4 mm with 34.4 mm pitch Material: Pure Nickel
Compatible holder: 34.4 mm pitch cell holder
Price: 3750/KG

Min Qty: 3 KG

Availability: On Request

Nickel Strip Pure




Nickel Strip Pure 2P(18650) 26×0.20 mm

Strip size: 26 × 0.20 mm for 18650 2P (H-type) layout Central depth: 12 mm with 19 mm pitch Material: Pure Nickel
Compatible holder: 19 mm pitch cell holder
Price: 3750/KG

Min Qty: 3 KG

Availability: On Request




Nickel Strip Pure 2P(21700) 31×0.20 mm

Strip size: 31 × 0.20 mm for 21700 2P (H-type) layout Central depth: 15 mm with 23 mm pitch Material: Pure Nickel
Compatible holder: 23 mm pitch cell holder
Price: 3750/KG

Min Qty: 3 KG

Availability: On Request



Nickel Strip Pure 2P(32650) 46.5×0.20 mm

Strip size: 46.5 × 0.20 mm for 32650 2P (H-type) layout Central depth: 22.4 mm with 34.4 mm pitch Material: Pure Nickel
Compatible holder: 34.4 mm pitch cell holder
Price: 3750/KG

Min Qty: 3 KG

Availability: On Request

Copper Bus Bars



COPPER BUS BAR Universal 2mm

Dimension: T 2mm Material: Pure Copper Color: Silver
Price: 42/Piece

Min Qty: 3 Piece

Availability: Now



COPPER BUS BAR Universal 1.5mm

Dimension: T 1.5mm Material: Pure Copper Color: Silver
Price: 21/Piece

Min Qty: 3 Piece

Availability: Now



COPPER BUS BAR Offsets Options

Dimension: T multiple Material: Pure Copper Color: Silver
Price: Depends on Size/Piece

Min Qty: 3 Piece

Availability: On Request

Prismatic Batteries



Prismatic Battery Cell HighStar 3.2V 100Ah

Safest Lithium Chemistry. High specific energy and High capacity. Long Life Cycles and extended shelf life. High capacity, low internal resistance, good coulombic efficiency.

Price: 2400/Piece

Min Qty: 3 Piece

Availability: On Request



Prismatic Battery Cell Ganfeng 3.2V 100Ah

High Capacity: 100Ah for extended usage periods. Stable Voltage: Consistent 3.2V output for reliable operation. Long Cycle Life: Supports thousands of charge/discharge cycles. Safe Chemistry: LiFePO4 technology with excellent thermal stability. High Energy: 320Wh capacity for demanding applications. Durable Design: Prismatic form factor for easy integration.

Price: 2300/Piece


Min Qty: 3 Piece

Availability: On Request

Contact Us

SALES OFFICE

Arambhika Enablers

 Plot No. C-03, Sector 4, Greater Noida, Uttar Pradesh - 201318

+91 9307480409

|

+91 8112662827


info@arambhikaenablers.in

EMAIL

info@arambhikaenablers.in

MANUFACTURING UNIT

Swastik Metal Components

 Plot No. 153, Udyog Kendra-II, Ecotech-III, Greater Noida - 201306