



Tour & Travels



Tour & Travels



Minimal FD Set and BCNF Proof

Accommodation

Accommodation_ID -> Accommodation_Name
Accommodation_ID -> Accommodation_Type
Accommodation_ID -> Street
Accommodation_ID -> Landmark
Accommodation_ID -> City
Accommodation_ID -> State
Accommodation_ID -> Pincode
Accommodation_ID -> Check_In_Time
Accommodation_ID -> Check_Out_Time
Accommodation_ID -> User_Rating
Accommodation_ID -> Star_Category
Accommodation_ID -> Starting_Price

Here we can infer from the given FDs that Accommodation_ID is the key. It matches the key from the relation. Hence 'Accommodation' is in BCNF.

Room_Type

{Accommodation_ID, Room_Type_ID} -> Room_Type_Name
{Accommodation_ID, Room_Type_ID} -> Capacity
{Accommodation_ID, Room_Type_ID} -> Bed_Type
{Accommodation_ID, Room_Type_ID} -> Area
{Accommodation_ID, Room_Type_ID} -> View
{Accommodation_ID, Room_Type_ID} -> Extra_Capacity
{Accommodation_ID, Room_Type_ID} -> Total_Rooms

Here we can infer from the given FDs that {Accommodation_ID, Room_Type_ID} is the key. It matches the key from the relation. Hence 'Room_Type' is in BCNF.

Available_Rooms

{Accommodation_ID, Room_Type_ID} -> Check_In_Date
{Accommodation_ID, Room_Type_ID} -> Check_Out_Date
{Accommodation_ID, Room_Type_ID} -> Available_Rooms

Here we can infer from the given FDs that {Accommodation_ID, Room_Type_ID} is the key. It matches the key from the relation. Hence 'Available_Rooms' is in BCNF.

Accommodation_Fares

{Accommodation_ID, Room_Type_ID} -> Base_Price
{Accommodation_ID, Room_Type_ID} -> Mattresses
{Accommodation_ID, Room_Type_ID} -> Breakfast
{Accommodation_ID, Room_Type_ID} -> Lunch_Or_Dinner
{Accommodation_ID, Room_Type_ID} -> Lunch_And_Dinner
{Accommodation_ID, Room_Type_ID} -> Zero_Cancellation
{Accommodation_ID, Room_Type_ID} -> Taxes
{Accommodation_ID, Room_Type_ID} -> Grand_Total

Here we can infer from the given FDs that {Accommodation_ID, Room_Type_ID} is the key. It matches the key from the relation. Hence 'Accommodation_Fares' is in BCNF.

Accommodation_Refund_Rules

{Accommodation_ID, Room_Type_ID} -> Grace_Period
{Accommodation_ID, Room_Type_ID} -> Cancellation_Penalty

Here we can infer from the given FDs that {Accommodation_ID, Room_Type_ID} is the key. It matches the key from the relation. Hence 'Accommodation_Refund_Rules' is in BCNF.

Transportation_Owner

{Transportation_Owner_ID, Transportation_Type} -> Transportation_Owner_Name

Here we can infer from the given FDs that {Transportation_Owner_ID, Transportation_Type} is the key. It matches the key from the relation. Hence 'Transportation_Facilities_Owner' is in BCNF.

Station

Station_Code -> Station_Name
Station_Code -> City
Station_Code -> Transportation_Type

Here we can infer from the given FDs that Station_Code is the key. It matches the key from the relation. Hence 'Station' is in BCNF.

Classes

Class_ID -> Class_Name
Class_ID -> Transportation_Type

Here we can infer from the given FDs that Class_ID is the key. It matches the key from the relation. Hence 'Classes' is in BCNF.

Transportation

Transportation_ID -> Source_Code
Transportation_ID -> Destination_Code
Transportation_ID -> Departure
Transportation_ID -> Arrival
Transportation_ID -> Transportation_Name
Transportation_ID -> Transportation_Type
Transportation_ID -> Transportation_Owner_ID
Transportation_ID -> User_Rating

Here we can infer from the given FDs that Transportation_ID is the key. It matches the key from the relation. Hence 'Transportation' is in BCNF.

Transportation_Class

{Transportation_ID, Class_ID} -> Total_Seats
{Transportation_ID, Class_ID} -> Hand_Luggage

{Transportation_ID ,Class_ID } -> Check-In_Luggage

Here we can infer from the given FDs that {Transportation_ID ,Class_ID} is the key. It matches the key from the relation. Hence 'Transportation_Class' is in BCNF

Routes

{Transportation_ID,Station_Code } -> Stop_Number

{Transportation_ID,Station_Code } -> Arrival_Time

{Transportation_ID,Station_Code } -> Halt

{Transportation_ID,Station_Code } -> Km_From_Origin

Here we can infer from the given FDs that {Transportation_ID,Station_Code } is the key. It matches the key from the relation. Hence 'Routes' is in BCNF.

Avialable_Seats

{Transportation_ID ,Class_ID } -> Departure_Timestamp

{Transportation_ID ,Class_ID } -> Arrival_Timestamp

{Transportation_ID ,Class_ID } -> Available_Seats

Here we can infer from the given FDs that {Transportation_ID ,Class_ID} is the key. It matches the key from the relation. Hence 'Available_Seats' is in BCNF.

Transportation_Fares

{Transportation_ID ,Class_ID } -> Base_Price

{Transportation_ID ,Class_ID } -> Child_Discount

{Transportation_ID ,Class_ID } -> Breakfast

{Transportation_ID ,Class_ID } -> Lunch

{Transportation_ID ,Class_ID } -> Dinner

{Transportation_ID ,Class_ID } -> Zero_Cancellation

{Transportation_ID ,Class_ID } -> Taxes

Here we can infer from the given FDs that {Transportation_ID ,Class_ID } is the key. It matches the key from the relation. Hence 'Transportation_Fares' is in BCNF.

Transportation_Refund_Rules

{Transportation_ID ,Class_ID } -> Grace_Period

{Transportation_ID ,Class_ID } -> Cancellation_Penalty

Here we can infer from the given FDs that {Transportation_ID ,Class_ID } is the key. It matches the key from the relation. Hence 'Transportation_Refund_Rules' is in BCNF.

Package

Package_ID -> Package_Name

Package_ID -> Starting_Price

Here we can infer from the given FDs that Package_ID is the key. It matches the key from the relation. Hence 'Package' is in BCNF.

Offers

{Offer_ID, Package_ID} -> Offer_Name

{Offer_ID, Package_ID} -> No_Of_Days

{Offer_ID, Package_ID} -> No_Of_Nights
{Offer_ID, Package_ID} -> Capacity
{Offer_ID, Package_ID} -> No_Of_Accommodations
{Offer_ID, Package_ID} -> No_Of_Transportations
{Offer_ID, Package_ID} -> Price

Here we can infer from the given FDs that {Offer_ID, Package_ID} is the key. It matches the key from the relation. Hence 'Offers' is in BCNF.

Offer_Dates

Here we have no FDs, meaning all the attributes are keys. It matches the key from the relation. Hence 'Offer_Dates' is in BCNF.

Offer_Accommodation

{Offer_ID, Check-In_Date, Check-Out_Date, Accommodation_ID} -> Room_Type_ID

Here we can infer from the given FDs that {Offer_ID, Check-In_Date, Check-Out_Date, Accommodation_ID} is the key. It matches the key from the relation. Hence 'Offer_Accommodation' is in BCNF.

Offer_Transportation

{Offer_ID, Departure_Timestamp, Arrival_Timestamp, Transportation_ID} -> Class_ID

Here we can infer from the given FDs that {Offer_ID, Journey_Start_Date, Journey_End_Date, Transportation_ID} is the key. It matches the key from the relation. Hence 'Offer_Transportation' is in BCNF.

Consumer

Consumer_ID -> UserName
Consumer_ID -> Password
Consumer_ID -> Prev_Password

Here we can infer from the given FDs that Consumer_ID is the key. It matches the key from the relation. Hence 'Consumer' is in BCNF.

Consumer_Profile

Consumer_ID -> First_Name
Consumer_ID -> Last_Name
Consumer_ID -> Email_ID
Consumer_ID -> Mobile_No
Consumer_ID -> DoB
Consumer_ID -> Age
Consumer_ID -> Gender
Consumer_ID -> City
Consumer_ID -> Rating

Here we can infer from the given FDs that Consumer_ID is the key. It matches the key from the relation. Hence 'Consumer_Profile' is in BCNF.

Bank_Details

{Consumer_ID, Account_No} -> Account_Holder_Name

{Consumer_ID,Account_No} -> IFSC_Code
{Consumer_ID,Account_No} -> UPI_ID
{Consumer_ID,Account_No} -> Credit_Card_No
{Consumer_ID,Account_No} -> Debit_Card_No

Here we can infer from the given FDs that {Consumer_ID,Account_No} is the key. It matches the key from the relation. Hence 'Bank_Details' is in BCNF.

Invoice_Details

Invoice_ID -> Total_Amount
Invoice_ID -> Taxes
Invoice_ID -> Category_Discount
Invoice_ID -> Grand_Total
Invoice_ID -> Total_Amount_Paid
Invoice_ID -> Amount_left
Invoice_ID -> Next_Installment

Here we can infer from the given FDs that Invoice_ID is the key. It matches the key from the relation. Hence 'Invoice_Details' is in BCNF.

Booking

Booking_ID -> Facility_Type
Booking_ID -> Consumer_ID
Booking_ID -> Invoice_ID
Booking_ID -> Booking_Date
Booking_ID -> No_Of_Travellers

Here we can infer from the given FDs that Booking_ID is the key. It matches the key from the relation. Hence 'Booking' is in BCNF.

Transactions

Transaction_ID -> Invoice_ID
Transaction_ID -> Transaction_Mode
Transaction_ID -> Amount
Transaction_ID -> Transaction_TimeStamp

Here we can infer from the given FDs that Transaction_ID is the key. It matches the key from the relation. Hence 'Transactions' is in BCNF.

Accommodation_Booking

Booking_ID -> Accomodation_ID
Booking_ID -> Room_Type_ID
Booking_ID -> Check_In_Date
Booking_ID -> Check_Out_Date
Booking_ID -> No_Of_Rooms

Here we can infer from the given FDs that Booking_ID is the key. It matches the key from the relation. Hence 'Accommodation_Booking' is in BCNF.

Accommodation_Add_On

Booking_ID -> Breakfast

Booking_ID -> Lunch_Or_Dinner
Booking_ID -> Lunch_And_Dinner
Booking_ID -> No_Of_Mattresses
Booking_ID -> Zero_Cancellation

Here we can infer from the given FDs that Booking_ID is the key. It matches the key from the relation. Hence 'Accommodation_Add_On' is in BCNF.

Transportation_Booking

Booking_ID -> Transportation_ID
Booking_ID -> Class_ID
Booking_ID -> Departure_Timestamp
Booking_ID -> Arrival_Timestamp
Booking_ID -> PNR

Here we can infer from the given FDs that Booking_ID is the key. It matches the key from the relation. Hence 'Transportation_Booking' is in BCNF.

Transportation_Add_On

Booking_ID -> Breakfast
Booking_ID -> Lunch
Booking_ID -> Dinner
Booking_ID -> Zero_Cancellation

Here we can infer from the given FDs that Booking_ID is the key. It matches the key from the relation. Hence 'Transportation_Add_On' is in BCNF.

Seats

Here we have no FDs, meaning all the attributes are keys. It matches the key from the relation. Hence 'Seats' is in BCNF.

Package_Booking

Booking_ID -> Package_ID
Booking_ID -> Offer_ID
Booking_ID -> Date_From
Booking_ID -> Date_To

Here we can infer from the given FDs that Booking_ID is the key. It matches the key from the relation. Hence 'Package_Booking' is in BCNF.

Package_Booking_Details

Here we have no FDs which means that all the attributes are keys. It matches the key from the relation. Hence 'Package_Booking_Details' is in BCNF.

Travellers

Traveller_ID -> First_Name
Traveller_ID -> Last_Name
Traveller_ID -> Age
Traveller_ID -> Gender
Traveller_ID -> Category

Traveller_ID -> Booking_ID

Here we can infer from the given FDs that Traveller_ID is the key. It matches the key from the relation.
Hence 'Travellers' is in BCNF.

Cancellation

Cancellation_ID -> Booking_ID

Cancellation_ID -> Cancellation_Date

Cancellation_ID -> Cancellation_Penalty

Cancellation_ID -> Total_Refundable_Amount

Cancellation_ID -> Refund_Status

Here we can infer from the given FDs that Cancellation_ID is the key. It matches the key from the relation.
Hence 'Cancellation' is in BCNF.