



केन्द्रीय प्रदूषण नियंत्रण बोर्ड
CENTRAL POLLUTION CONTROL BOARD
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भारत सरकार
MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE GOVT. OF INDIA

BY SPEED POST

B-29016/IPC-I/Fertilizer/149

August 07, 2019

To

The Regional Director
Central Pollution Control Board
3rd Floor, Sahkar Bhawan,
North TT Nagar, Bhopal-462003


Sub: Submission of Ground Water analysis report by the Unit M/s. Trent Chemical Industries, Plot No-184, AKVN Industrial Area, Meghnagar, Distt.Jhabua, Meghnagar, Madhya Pradesh-457779-reg.

Sir,

This has reference to ground water analysis report submitted by the Unit M/s. Trent Chemical Industries, Plot No-184, AKVN Industrial Area, Meghnagar, Distt.Jhabua, Meghnagar, Madhya Pradesh-457779 vide letters dated July 05, 2019 and August 02, 2019 (copy enclosed). The analysis report of ground water samples taken from piezometric wells of the unit show presence of BOD, thereby indicating the possibility of ground water contamination.

You are, therefore, requested to inspect the unit for investigation of any ground water polluting activity carried out by the Unit. The inspection report may be submitted to IPC-I division by 26.08.2019.

Encl: As above

Yours faithfully,

(Dinabandhu Gouda)
Additional Director & I/C IPC -I

TRENT CHEMICAL INDUSTRIES

Corporate Office : 801, Siddhivinayak Tower B, B/h. DCP Office, Nr. Katariya Motors, Off. S.G. Highway,
Makarba, Ahmedabad-380051, Gujarat, India. Phone : +91-79-26812827

Date: 02.08.2019

To
Shri Dinabandh Gouda,
Additional Director and I/C IPC-I,
Central Pollution Control Board,
'Parivesh Bhavan', East Arjun Nagar,
Delhi-110032

Subject: Clarification regarding COD result of ground water analysis report

Ref No: CPCB letter No. B-29016/04/06/IPC-I/3835, Dated: 12.07.2019


Dear Sir,

Please note that after receiving the above mentioned letter from your office regarding discrepancy in result of COD, we have consulted M/s. Bhagwati Enviro Care Pvt. Ltd. (MoEF Recognized laboratory) which has analysed the said water sample & it has been concluded by them that it was merely typographical mistake that COD was mentioned 2.4 mg/L in place of 24 mg/L. However M/s. Bhagwati Enviro Care Pvt. Ltd. has issued us revised analysis report with COD as 24 mg/L. We have attached Original copy of corrected report for your record. Therefore, we request you to cancel previous report of the location "Water of Piezometer (Point-1)" and consider attached report as final report.

Thanking you

Yours faithfully

For, TRENT CHEMICAL INDUSTRIES



Authorized signatory

CC to,

The Regional Director,
Central Pollution Control Board
3rd Floor, Sakhar Bhawan,
North TT Nagar, Bhopal-462003

Enclo.

As above


S/8115
EPCAS
R. P/
RA (M)
Anif
05.8.19



Bhagwati Enviro Care Pvt. Ltd.



Certificate No: TC 6830

■ MOEF Recognized Laboratory ■ Enlisted with GPCB ■ Environmental Consultants, Auditors & Analyst
 ■ Specialized In REIA, EIA, EC, CPCB registration, WWTP, STP, APCM
 ■ ISO:9001, ISO:14001, & OHSAS:18001 Certified Company
TEST CERTIFICATE

Company Name and Address

M/s. Trent Chemical Plot No 184, AKVN Industrial Area, Village: Megh Nagar, Jhabua-457779, Madhya Pradesh.	Report No: ULR -TC683018000001196P Issue Date: 18/06/2019 Sample Ref No: BECPL/LAB/S/2019061409 Customer's Reference : By mail
---	---

Description of Sample	: Water of Piezometer (Point – 1)	Quantity/No of Sample	: 5. 0 lit / One
Date of Sampling	: Not Mentioned	Sampling Procedure	: Grab Sample
Sample Receipt Date	: 14/06/2019	Date of Performance of Test	: 14/06/2019
Sample Submitted By	: Client	Packing / Seal	: Unseal
Test Parameter	: As per Table	Date of Completion of Test	: 18/06/2019
Analysis By	: Nilesh, Matin		

Sr. No.	Test Parameters	Results	Test Method	Unit
1	pH	7.9	IS 3025 (Part – 11) 2017	--
2	Total Dissolved Solids	371	IS 3025 (Part 16) 2017	mg/l
3	Iron*	< 0.01	APHA, 3111-B, 22nd Ed., 2012	mg/l
4	Chloride	65.3	IS 3025 Part – 32, 2014	mg/l
5	BOD (27°C @ 3day)	8.8	IS 3025 (Part 44) 2014	mg/l
6	Chemical Oxygen Demand	24	IS 3025 (Part 58) 2017	mg/l

* These Parameters are not under NABL Scope.

Sample Ref No: BECPL/LAB/S/2019061409

Customer's Reference : By mail

Analyzed By:

Nilesh/Matin

Water of Piezometer
(Point – 1)
Not Mentioned
14/06/2019
Client
As per Table
Nilesh, Matin

Authorized Signatory

Mahesh Oza (Q.M.)
Date: 18/06/19

Quantity/No of Sample
Sampling Procedure
Date of Performance of Test
Packing / Seal
Date of Completion of Test

Parameters	Results	Test Method	Unit
	7.9	IS 3025 (Part – 11) 2017	--
Total Dissolved Solids	371	IS 3025 (Part 16) 2017	mg/l
Iron*	< 0.01	APHA, 3111-B, 22nd Ed., 2012	mg/l
Chloride	65.3	IS 3025 Part – 32, 2014	mg/l
BOD (27°C @ 3day)	8.8	IS 3025 (Part 44) 2014	mg/l
Chemical Oxygen Demand	24	IS 3025 (Part 58) 2017	mg/l

1 of 1

* These Parameters are not under NABL Scope.

Corporate Office:-

Authorized Signatory

28,29,30, Parmeshwar Estate-II, Phase-I, Opp: AMCO Bank, GIDC Estate, Vatva, Ahmedabad-382445. Gujarat. India.

Tel: +91-79- 40083051/52/53

www.bhagwatienviro.in Email: shailesh@bhagwatienviro.com, amar@bhagwatienviro.com

CIN No: U84199GJ2003PTC43198

Date: 18/06/19

TRENT CHEMICAL INDUSTRIES

Corporate Office : 801, Siddhivinayak Tower B, B/h. DCP Office, Nr. Katiyari Motors, Off. S.G. Highway, Makarba, Ahmedabad-380051, Gujarat, India. Phone : +91-79-26812827

Date: 05.07.2019

MPPCB ID: 31400

प्रीय प्रदूषण नियंत्रण बोर्ड
जरिवेश भवन, पूर्ण अर्जुन नगर, दिल्ली-१२

120351

08 JUL 2019

Central Pollution Control Board
Parivesh Bhavan, East Arjun Nagar, Delhi-37

To
✓ Shri Dr. Prashant Gargava
Member secretary
Central Pollution Control Board,
Parivesh Bhavan, East Arjun Nagar,
Delhi-110032

120351/MS
91714

MC
1PC-I

Subject: Submission of Ground water analysis reports

Reference: CPCB Revocation letter no. B-29016/04/IPC-I/9788, Dated: 06.08.2018

Respected Sir,

With reference to Specific condition given in CPCB revocation letter no. B-29016/04/ IPC-I/9788, Date 06.08.2018, earlier we had submitted first round Ground water analysis reports analyzed by Regional laboratory, M.P. Pollution control board, Indore in July-2018 whereas Second round Ground water analysis reports were submitted to CPCB in Feb-19. analyzed by MoEF recognized Laboratory with NABL accreditation & enlisted with Gujarat Pollution control Board as an Environmental Auditor to Central Pollution Control Board, Delhi in Feb-19.

In continuation of Compliance of CPCB Revocation letter dated 6.08.2018, we herewith submit half yearly Ground water analysis reports analyzed by M/s. Bhagwati Envirocare Pvt. Ltd. of the samples taken from the same locations as per previous round. It is to be kindly noted that M/s. Bhagwati Envirocare Pvt. Ltd. is MoEF recognized Laboratory with NABL accreditation & enlisted with Gujarat Pollution control Board as an Environmental Auditor

We would also like to inform you that we have already sent soft copy of attached Ground water analysis reports to IPC-I, CPCB on e-mail ID's dye.cpcb@gov.in, gurnamsingh.cpcb@nic.in & ashbirsingh@gmail.com on 05.07.2019.

So, you are cordially requested to consider above in your record please.

Thanking you

Yours faithfully

For, TRENT CHEMICAL INDUSTRIES

Authorized Signatory

Encl.: Half yearly Ground Water Analysis reports

Copy to,

1. The Advisor (CP Division), Ministry of Environment, Forests and Climate change, Prithvi wing, 2nd Floor, Room no. 216, Indira Paryavaran Bhavan Aliganj, Jor Bagh Road, New Delhi-110003

2. The Regional Director, Central Pollution Control Board, 3rd Floor, Sahkar Bhavan, North TT nagar, Bhopal-462 003



Bhagwati Enviro Care Pvt. Ltd.



Certificate No: TC 6830

■ MOEF Recognized Laboratory ■ Enlisted with GPCB ■ Environmental Consultants, Auditors & Analyst
 ■ Specialized In REIA, EIA, EC, CPCB registration, WWTP, STP, APCM
 ■ ISO:9001, ISO:14001, & OHSAS:18001 Certified Company

TEST CERTIFICATE

Company Name and Address

M/s. Trent Chemical
 Plot No 184, AKVN Industrial Area,
 Village: Megh Nagar,
 Jhabua-457779, Madhya Pradesh.

Report No: ULR -TC683018000001192P
 Issue Date: 18/06/2019
 Sample Ref No: BECPL/LAB/S/2019061407
 Customer's Reference : By mail

Description of Sample	: Tube Well water of Fatehpura	Quantity/No of Sample	: 5.0 lit / One
Date of Sampling	: Not Mentioned	Sampling Procedure	: Grab Sample
Sample Receipt Date	: 14/06/2019	Date of Performance of Test	: 14/06/2019
Sample Submitted By	: Client	Packing / Seal	: Unseal
Test Parameter	: As per Table	Date of Completion of Test	: 18/06/2019
Analysis By	: Nilesh, Matin		

Sr. No.	Test Parameters	Results	Test Method	Unit
1	pH	7.6	IS 3025 (Part - 11) 2017	--
2	Colour*	< 1	APHA, 2120-B, 22nd Ed., 2012	Co.pt
3	Total Dissolved Solids	618	IS 3025 (Part 16) 2017	mg/l
4	Iron*	< 0.01	APHA, 3111-B, 22nd Ed., 2012	mg/l
5	Chloride	93.7	IS 3025 Part - 32, 2014	mg/l
6	BOD (27°C @ 3day)	2	IS 3025 (Part 44) 2014	mg/l
7	Chemical Oxygen Demand	22	IS 3025 (Part 58) 2017	mg/l
8	Alkalinity as CaCO ₃ *	350	IS 3025 Part - 23, 2014	mg/l
9	Total Hardness as CaCO ₃	148	IS 3025 Part - 21, 2014	mg/l
10	Calcium Hardness as CaCO ₃	104	IS 3025 Part - 40, 2014	mg/l
11	Magnesium Hardness as CaCO ₃	44	IS 3025 Part - 46, 2014	mg/l
12	Sulphate	79	IS 3025 Part - 24, 2014	mg/l
13	Sodium	160	IS 3025 Part 45, 2017	mg/l

* These Parameters are not under NABL Scope.

Analyzed By:

Nilesh/Matin

Authorized Signatory

Mahesh Oza (Q.M.)

Date: 18/06/19

1 of 1

Corporate Office:-

28,29,30, Parmeshwar Estate-II, Phase-I, Opp. AMCO Bank, GIDC Estate, Vatva, Ahmedabad-382445. Gujarat, India.
 Tel: +91-79- 40083051/52/53
www.bhagwatienviro.in Email: shailesh@bhagwatienviro.com, amar@bhagwatienviro.com
 CIN No: U84199GJ2003PTC43198

160	IS 3025 Part 45, 2017
160	IS 3025 Part - 24, 2014
160	IS 3025 Part 45, 2017



**Bhagwati
Enviro Care Pvt. Ltd.**



Certificate No: TC 6830

■ MOEF Recognized Laboratory ■ Enlisted with GPCB ■ Environmental Consultants, Auditors & Analyst
 ■ Specialized In REIA, EIA, EC, CPCB registration, WWTP, STP, APCM
 ■ ISO:9001, ISO:14001, & OHSAS:18001 Certified Company

TEST CERTIFICATE

Company Name and Address

M/s. Trent Chemical Plot No 184, AKVN Industrial Area, Village: Megh Nagar, Jhabua-457779, Madhya Pradesh.	Report No: ULR -TC68301800001193P Issue Date: 18/06/2019 Sample Ref No: BECPL/LAB/S/2019061406 Customer's Reference : By mail
---	--

Description of Sample	: Tube Well water of Bafna Public School, Meghnagar	Quantity/No of Sample	: 5. 0 lit / One
Date of Sampling	: Not Mentioned	Sampling Procedure	: Grab Sample
Sample Receipt Date	: 14/06/2019	Date of Performance of Test	: 14/06/2019
Sample Submitted By	: Client	Packing / Seal	: Unseal
Test Parameter	: As per Table	Date of Completion of Test	: 18/06/2019
Analysis By	: Nilesh, Matin		

Sr. No.	Test Parameters	Results	Test Method	Unit
1	pH	7.6 ✓	IS 3025 (Part – 11) 2017	--
2	Colour*	< 1 ✓	APHA, 2120-B, 22nd Ed. 2012	Co.pt
3	Total Dissolved Solids	423 ✓	IS 3025 (Part 16) 2017	mg/l
4	Iron*	< 0.01 ✓	APHA, 3111-B, 22nd Ed., 2012	mg/l
5	Chloride	68 ✓	IS 3025 Part – 32, 2014	mg/l
6	BOD (27°C @ 3day)	52 ✓	IS 3025 (Part 44) 2014	mg/l
7	Chemical Oxygen Demand	4.4 ✓	IS 3025 (Part 58) 2017	mg/l
8	Alkalinity as CaCO ₃	260 ✓	IS 3025 Part – 23, 2014	mg/l
9	Total Hardness as CaCO ₃	204 ✓	IS 3025 Part – 21, 2014	mg/l
10	Calcium Hardness as CaCO ₃	148 ✓	IS 3025 Part – 40, 2014	mg/l
11	Magnesium Hardness as CaCO ₃	56 ✓	IS 3025 Part – 46, 2014	mg/l
12	Sulphate	53.5 ✓	IS 3025 Part – 24, 2014	mg/l
13	Sodium	70 ✓	IS 3025 Part 45, 2017	mg/l

* These Parameters are not under NABL Scope.

Analyzed By:

Nilesh/Matin

Authorized Signatory

Mahesh Oza (Q.M.)

Date: 18/6/19

1 of 1

Corporate Office:-

28,29,30, Parmeshwar Estate-II, Phase-I, Opp. AMCO Bank, GIDC Estate, Vatva, Ahmedabad-382445. Gujarat. India.

Tel: +91-79- 40083051/52/53

www.bhagwatienviro.in Email: shailesh@bhagwatienviro.com, amar@bhagwatienviro.com

CIN No: U84199GJ2003PTC43198



Bhagwati Enviro Care Pvt. Ltd.



Certificate No: TC 6830

■ MOEF Recognized Laboratory ■ Enlisted with GPCB ■ Environmental Consultants, Auditors & Analyst
 ■ Specialized In REIA, EIA, EC, CPCB registration, WWTP, STP, APCM
 ■ ISO:9001, ISO:14001, & OHSAS:18001 Certified Company

TEST CERTIFICATE

Company Name and Address

M/s. Trent Chemical Plot No 184, AKVN Industrial Area, Village: Megh Nagar, Jhabua-457779, Madhya Pradesh.	Report No: ULR -TC68301800001194P Issue Date: 18/06/2019 Sample Ref No: BECPL/LAB/S/2019061408 Customer's Reference : By mail
---	--

Description of Sample	: Tube Well water of Agro Phos, Meghnagar	Quantity/No of Sample	: 5. 0 lit / One
Date of Sampling	: Not Mentioned	Sampling Procedure	: Grab Sample
Sample Receipt Date	: 14/06/2019	Date of Performance of Test	: 14/06/2019
Sample Submitted By	: Client	Packing / Seal	: Unseal
Test Parameter	: As per Table	Date of Completion of Test	: 18/06/2019
Analysis By	: Nilesh, Matin		

Sr. No.	Test Parameters	Results	Test Method	Unit
1	pH	7.7	IS 3025 (Part – 11) 2017	--
2	Colour*	< 1 ✓	APHA, 2120-B, 22nd Ed., 2012	Co.pt
3	Total Dissolved Solids	286 ✓	IS 3025 (Part 16) 2017	mg/l
4	Iron*	< 0.01 ✓	APHA, 3111-B, 22nd Ed., 2012	mg/l
5	Chloride	59.6 ✓	IS 3025 Part – 32, 2014	mg/l
6	BOD (27°C @ 3day)	3	IS 3025 (Part 44) 2014	mg/l
7	Chemical Oxygen Demand	17.6	IS 3025 (Part 58) 2017	mg/l
8	Alkalinity as CaCO ₃	180 ✓	IS 3025 Part – 23, 2014	mg/l
9	Total Hardness as CaCO ₃	180 ✓	IS 3025 Part – 21, 2014	mg/l
10	Calcium Hardness as CaCO ₃	92 ✓	IS 3025 Part – 40, 2014	mg/l
11	Magnesium Hardness as CaCO ₃	88 ✓	IS 3025 Part – 46, 2014	mg/l
12	Sulphate	24 ✓	IS 3025 Part – 24, 2014	mg/l
13	Sodium	50	IS 3025 Part 45, 2017	mg/l

* These Parameters are not under NABL Scope.

Analyzed By:

Nilesh/Matin

Authorized Signatory

Mahesh Oza (Q.M.)

Date: 16/06/19

1 of 1

Corporate Office:-

28,29,30, Parmeshwar Estate-II, Phase-I, Opp. AMCO Bank, GIDC Estate, Vatva, Ahmedabad-382445. Gujarat. India.
 Tel: +91-79- 40083051/52/53
www.bhagwatienviro.in Email: shailesh@bhagwatienviro.com, amar@bhagwatienviro.com
 CIN No: U84199GJ2003PTC43198



**Bhagwati
Enviro Care Pvt. Ltd.**



Certificate No: TC-6830

DEF Recognized Laboratory ■ Enlisted with GPCB ■ Environmental Consultants, Auditors & Analyst

■ Specialized In REIA, EIA, EC, CPCB registration, WWTP, STP, APCM

■ ISO:9001, ISO:14001, & OHSAS:18001 Certified Company

TEST CERTIFICATE

Company Name and Address

Trent Chemical Plot No 184, AKVN Industrial Area, Village: Megh Nagar, Jhabua-457779, Madhya Pradesh.	Report No: ULR -TC683018000001195P Issue Date: 18/06/2019 Sample Ref No: BECPL/LAB/S/2019061405 Customer's Reference : By mail
--	---

Description of Sample	: Tube Well water of Amlipathar, Meghnagar	Quantity/No of Sample	: 5.0 lit / One
Date of Sampling	: Not Mentioned	Sampling Procedure	: Grab Sample
Date Receipt Date	: 14/06/2019	Date of Performance of Test	: 14/06/2019
Date Submitted By	: Client	Packing / Seal	: Unseal
Parameter	: As per Table	Date of Completion of Test	: 18/06/2019
Analysis By	: Nilesh, Matin		

Test Parameters	Results	Test Method	Unit
pH	7.8 ✓	IS 3025 (Part – 11) 2017	--
Colour*	< 1 ✓	APHA, 2120-B, 22nd Ed., 2012	Co.pt
Total Dissolved Solids	779 ✓	IS 3025 (Part 16) 2017	mg/l
Iron*	< 0.01 ✓	APHA, 3111-B, 22nd Ed., 2012	mg/l
Chloride	145 ✓	IS 3025 Part – 32, 2014	mg/l
BOD (27°C @ 3day)	2.1 ♂	IS 3025 (Part 44) 2014	mg/l
Chemical Oxygen Demand	8.9 ↗	IS 3025 (Part 58) 2017	mg/l
Alkalinity as CaCO ₃	300 ↘	IS 3025 Part – 23, 2014	mg/l
Total Hardness as CaCO ₃	212 ↘	IS 3025 Part – 21, 2014	mg/l
Calcium Hardness as CaCO ₃	136 ↘	IS 3025 Part – 40, 2014	mg/l
Magnesium Hardness as CaCO ₃	76 ↘	IS 3025 Part – 46, 2014	mg/l
Sulphate	14 ↘	IS 3025 Part – 24, 2014	mg/l
Sodium	180 ↘	IS 3025 Part 45, 2017	mg/l

These Parameters are not under NABL Scope.

Analyzed By:

Mahesh Oza
Matin

Authorized Signatory

Mahesh Oza (Q.M.)
Date: 18/6/19

1 of 1

Corporate Office:-

Parmeshwar Estate-II, Phase-I, Opp. AMCO Bank, GIDC Estate, Vatva, Ahmedabad-382445. Gujarat. India.

Tel: +91-79- 40083051/52/53

www.bhagwatienviro.in Email: shailesh@bhagwatienviro.com, amar@bhagwatienviro.com

CIN No: U84199GJ2003PTC43198



Bhagwati Enviro Care Pvt. Ltd.



Certificate No: TC 6830

■ MOEF Recognized Laboratory ■ Enlisted with GPCB ■ Environmental Consultants, Auditors & Analyst

■ Specialized in REIA, EIA, EC, CPCB registration, WWTP, STP, APCM

■ ISO:9001, ISO:14001, & OHSAS:18001 Certified Company

TEST CERTIFICATE

Company Name and Address

M/s. Trent Chemical Plot No 184, AKVN Industrial Area, Village: Megh Nagar, Jhabua-457779, Madhya Pradesh.	Report No: ULR -TC683018000001196P Issue Date: 18/06/2019 Sample Ref No: BECPL/LAB/S/2019061409 Customer's Reference : By mail
---	---

Description of Sample	: Water of Piezometer (Point – 1)	Quantity/No of Sample	: 5. 0 lit / One
Date of Sampling	: Not Mentioned	Sampling Procedure	: Grab Sample
Sample Receipt Date	: 14/06/2019	Date of Performance of Test	: 14/06/2019
Sample Submitted By	: Client	Packing / Seal	: Unseal
Test Parameter	: As per Table	Date of Completion of Test	: 18/06/2019
Analysis By	: Nilesh, Matin		

Sr. No.	Test Parameters	Results	Test Method	Unit
1	pH	7.9 ✓	IS 3025 (Part – 11) 2017	--
2	Total Dissolved Solids	371 ✓	IS 3025 (Part 16) 2017	mg/l
3	Iron*	< 0.01 ✓	APHA, 3111-B, 22nd Ed., 2012	mg/l
4	Chloride	65.3 ✓	IS 3025 Part – 32, 2014	mg/l
5	BOD (27°C @ 3day)	8.8 ✓	IS 3025 (Part 44) 2014	mg/l
6	Chemical Oxygen Demand	2.4 ✓	IS 3025 (Part 58) 2017	mg/l

* These Parameters are not under NABL Scope.

Analyzed By:

Nilesh/Matin

Authorized Signatory

Mahesh Oza (Q.M.)
Date: 18/6/19

1 of 1

Corporate Office:-

28,29,30, Parmeshwar Estate-II, Phase-I, Opp. AMCO Bank, GIDC Estate, Vatva, Ahmedabad-382445. Gujarat. India.

Tel: +91-79- 40083051/52/53

www.bhagwatienviro.in Email: shailesh@bhagwatienviro.com, amar@bhagwatienviro.com

CIN No: U84199GJ2003PTC43198



Bhagwati Enviro Care Pvt. Ltd.



Certificate No: TC 6830

■ MOEF Recognized Laboratory ■ Enlisted with GPCB ■ Environmental Consultants, Auditors & Analyst
 ■ Specialized In REIA, EIA, EC, CPCB registration, WWTP, STP, APCM
 ■ ISO:9001, ISO:14001, & OHSAS:18001 Certified Company

TEST CERTIFICATE

Company Name and Address

M/s. Trent Chemical Plot No 184, AKVN Industrial Area, Village: Megh Nagar, Jhabua-457779, Madhya Pradesh.	Report No: ULR -TC683018000001197P Issue Date: 18/06/2019 Sample Ref No: BECPL/LAB/S/2019061410 Customer's Reference : By mail
---	---

Description of Sample	: Water of Piezometer (Point - 2)	Quantity/No of Sample	: 5.0 lit / One
Date of Sampling	: Not Mentioned	Sampling Procedure	: Grab Sample
Sample Receipt Date	: 14/06/2019	Date of Performance of Test	: 14/06/2019
Sample Submitted By	: Client	Packing / Seal	: Unseal
Test Parameter	: As per Table	Date of Completion of Test	: 18/06/2019
Analysis By	: Nilesh, Matin		

Sr. No.	Test Parameters	Results	Test Method	Unit
1	pH	8.1	IS 3025 (Part - 11) 2017	--
2	Total Dissolved Solids	365	IS 3025 (Part 16) 2017	mg/l
3	Iron*	< 0.01	APHA, 3111-B, 22nd Ed., 2012	mg/l
4	Chloride	59.6	IS 3025 Part - 32, 2014	mg/l
5	BOD (27°C @ 3day)	6	IS 3025 (Part 44) 2014	mg/l
6	Chemical Oxygen Demand	40	IS 3025 (Part 58) 2017	mg/l

* These Parameters are not under NABL Scope.

Analyzed By:

Nilesh/Matin

Authorized Signatory

Mahesh Oza (Q.M.)
Date: 18/6/19

1 of 1



Bhagwati Enviro Care Pvt. Ltd.



Certificate No: TC 6830

■ MOEF Recognized Laboratory ■ Enlisted with GPCB ■ Environmental Consultants, Auditors & Analyst
 ■ Specialized In REIA, EIA, EC, CPCB registration, WWTP, STP, APCM
 ■ ISO:9001, ISO:14001, & OHSAS:18001 Certified Company

TEST CERTIFICATE

Company Name and Address

M/s. Trent Chemical Plot No 184, AKVN Industrial Area, Village: Megh Nagar, Jhabua-457779, Madhya Pradesh.	Report No: ULR -TC68301800001198P Issue Date: 18/06/2019 Sample Ref No: BECPL/LAB/S/2019061411 Customer's Reference : By mail
---	--

Description of Sample	: Water of Piezometer (Point – 3)	Quantity/No of Sample	: 5. 0 lit / One
Date of Sampling	: Not Mentioned	Sampling Procedure	: Grab Sample
Sample Receipt Date	: 14/06/2019	Date of Performance of Test	: 14/06/2019
Sample Submitted By	: Client	Packing / Seal	: Unseal
Test Parameter	: As per Table	Date of Completion of Test	: 18/06/2019
Analysis By	: Nilesh, Matin		

Sr. No.	Test Parameters	Results	Test Method	Unit
1	pH	7.9 ✓	IS 3025 (Part – 11) 2017	--
2	Total Dissolved Solids	356 ✓	IS 3025 (Part 16) 2017	mg/l
3	Iron*	< 0.01 ✓	APHA, 3111-B, 22nd Ed., 2012	mg/l
4	Chloride	48.3 ✓	IS 3025 Part – 32, 2014	mg/l
5	BOD (27°C @ 3day)	3.7 ✓	IS 3025 (Part 44) 2014	mg/l
6	Chemical Oxygen Demand	17.7 ✓	IS 3025 (Part 58) 2017	mg/l

* These Parameters are not under NABL Scope.

Analyzed By:

Nilesh/Matin

Authorized Signatory

Mahesh Oza (Q.M.)

Date: 18/6/19

1 of 1

Corporate Office:-

28,29,30, Parmeshwar Estate-II, Phase-I, Opp. AMCO Bank, GIDC Estate, Vatva, Ahmedabad-382445. Gujarat. India.
 Tel: +91-79- 40083051/52/53
www.bhagwatienviro.in Email: shailesh@bhagwatienviro.com, amar@bhagwatienviro.com
 CIN No: U84199GJ2003PTC43198



Bhagwati Enviro Care Pvt. Ltd.



Certificate No: TC 6830

■ MOEF Recognized Laboratory ■ Enlisted with GPCB ■ Environmental Consultants, Auditors & Analyst
 ■ Specialized In REIA, EIA, EC, CPCB registration, WWTP, STP, APCM
 ■ ISO:9001, ISO:14001, & OHSAS:18001 Certified Company

TEST CERTIFICATE

Company Name and Address

M/s. Trent Chemical Plot No 184, AKVN Industrial Area, Village: Megh Nagar, Jhabua-457779, Madhya Pradesh.	Report No: ULR -TC683018000001199P Issue Date: 18/06/2019 Sample Ref No: EECPL/LAB/S/2019061412 Customer's Reference : By mail
---	---

Description of Sample	: R. O. Reject Water	Quantity/No of Sample	: 5. 0 lit / One
Date of Sampling	: Not Mentioned	Sampling Procedure	: Grab Sample
Sample Receipt Date	: 14/06/2019	Date of Performance of Test	: 14/06/2019
Sample Submitted By	: Client	Packing / Seal	: Unseal
Test Parameter	: As per Table	Date of Completion of Test	: 18/06/2019
Analysis By	: Nilesh, Matin		

Sr. No.	Test Parameters	Results	Test Method	Unit
1	pH	7.9	IS 3025 (Part – 11) 2017	--
2	Total Dissolved Solids	837	IS 3025 (Part 16) 2017	mg/l
3	Iron*	< 0.01	APHA, 31 1-B, 22nd Ed., 2012	mg/l
4	Chloride	145	IS 3025 Part – 32, 2014	mg/l
5	BOD (27°C @ 3day)	< 2	IS 3025 (Part 44) 2014	mg/l
6	Chemical Oxygen Demand	4.4	IS 3025 (Part 58) 2017	mg/l

* These Parameters are not under NABL Scope.

Analyzed By:

Nilesh/Matin

Authorized Signatory

Mahesh Oza (Q.M.)
Date: 18/6/19



Bhagwati Enviro Care Pvt. Ltd.



Certificate No: TC 6630

■ MOEF Recognized Laboratory ■ Enlisted with GPCB ■ Environmental Consultants, Auditors & Analyst
 ■ Specialized In REIA, EIA, EC, CPCB registration, WWTP, STP, APCM
 ■ ISO:9001, ISO:14001, & OHSAS:18001 Certified Company

TEST CERTIFICATE

Company Name and Address

M/s. Trent Chemicol Plot No 184, AKVN Industrial Area, Village: Megh Nagar, Jhabua-457779, Madhya Pradesh.	Report No: ULR -TC68301800001200P Issue Date: 18/06/2019 Sample Ref No: BICPL/LAB/S/2019061413 Customer's Reference : By mail
---	--

Description of Sample	: R. O. Permeate Water	Quantity/No of Sample	: 5. 0 lit / One
Date of Sampling	: Not Mentioned	Sampling Procedure	: Grab Sample
Sample Receipt Date	: 14/06/2019	Date of Performance of Test	: 14/06/2019
Sample Submitted By	: Client	Packing / Seal	: Unseal
Test Parameter	: As per Table	Date of Completion of Test	: 18/06/2019
Analysis By	: Nilesh, Matin,		

Sr. No.	Test Parameters	Results	Test Method	Unit
1	pH	7.6	IS 3025 (Part – 11) 2017	--
2	Total Dissolved Solids	174	IS 3025 (Part 16) 2017	mg/l
3	Iron*	< 0.01	APHA, 3111-B, 22nd Ed., 2012	mg/l
4	Chloride	28.4	IS 3025 Part – 32, 2014	mg/l
5	BOD (27°C @ 3day)	< 2	IS 3025 (Part 44) 2014	mg/l
6	Chemical Oxygen Demand	4.4	IS 3025 (Part 58) 2017	mg/l

* These Parameters are not under NABL Scope.

Analyzed By:

Nilesh/Matin

Authorized Signatory

Mahesh Oza (Q.M.)
Date: 18/6/19

1 of 1

Corporate Office:
 28,29,30, Parmeshwar Estate-II, Phase-I, Opp. AMCO Bank, GIDC Estate, Vatva, Ahmedabad-382445. Gujarat. India.
 Tel: +91-79- 40083051/52/53
www.bhagwatienviro.in Email: shailesh@bhagwatienviro.com, amar@bhagwatienviro.com
 CIN No: U84199GJ2003PTC43198

Mahesh Oza
Date:



Bhagwati Enviro Care Pvt. Ltd.



Certificate No: TC 6830

■ MOEF Recognized Laboratory ■ Enlisted with GPCB ■ Environmental Consultants, Auditors & Analyst
 ■ Specialized In REIA, EIA, EC, CPCB registration, WWTP, STP, APCM
 ■ ISO:9001, ISO:14001, & OHSAS:18001 Certified Company

TEST CERTIFICATE

Company Name and Address

M/s. Trent Chemical Plot No 184, AKVN Industrial Area, Village: Megh Nagar, Jhabua-457779, Madhya Pradesh.	Report No: ULR -TC68301800001201P Issue Date: 18/06/2019 Sample Ref No: EECPL/LAB/S/2019061414 Customer's Reference : By mail
---	--

Description of Sample	: MEE Condensate	Quantity/No of Sample	: 5. 0 lit / One
Date of Sampling	: Not Mentioned	Sampling Procedure	: Grab Sample
Sample Receipt Date	: 14/06/2019	Date of Performance of Test	: 14/06/2019
Sample Submitted By	: Client	Packing / Seal	: Unseal
Test Parameter	: As per Table	Date of Completion of Test	: 18/06/2019
Analysis By	: Nilesh, Matin		

Sr. No.	Test Parameters	Results	Test Method	Unit
1	pH	7.6	IS 3025 (Part – 11) 2017	--
2	Total Dissolved Solids	155	IS 3025 (Part 16) 2017	mg/l
3	Iron*	< 0.01	APHA, 3111-B, 22nd Ed., 2012	mg/l
4	Chloride	22.7	IS 3025 Part – 32, 2014	mg/l
5	BOD (27°C @ 3day)	< 1	IS 3025 (Part 44) 2014	mg/l
6	Chemical Oxygen Demand	< 2	IS 3025 (Part 58) 2017	mg/l

* These Parameters are not under NABL Scope.

Analyzed By:

Nilesh/Matin

Authorized Signatory

Mahesh Oza (Q.M.)

Date: 18/6/19

Corporate Office:
 28,29,30, Parmeshwar Estate-II, Phase-I, Opp. AMCO Bank, GIDC Estate, Vatva, Ahmedabad-382445. Gujarat. India.
 Tel: +91-79- 40083051/52/53
www.bhagwatienviro.in Email: shailesh@bhagwatienviro.com, amar@bhagwatienviro.com
 CIN No: U84199GJ2003PTC43198

Mahesh Oza (Q.M.)

Date: 18/6/19