

Dated 01.05.2018

## Sub: Illegal operation of Industrial Units

Placed below is a letter from Sh. Kamlesh Paswan Hon'ble Member of Parliament (Lok Sabha) informing that certain polluting industries are operating within 10 KMs from Himayatsagar and Osmansagar lakes inspite of orders of Government of Andhra Pradesh (08.03.1996) to the contrary. Names of M/s.Indian Immunologicals Limited and M/s. Biological E Limited have specifically mentioned and it is stated that Andhra Pradesh Pollution Control Board had issued show cause notices to these units in the year 2011 and that both the units fall in Red category.

Hon'ble Member of Parliament has stated that both the aforesaid units continue to operate illegally and he has asked for appropriate action in the matter.

The aforesaid units currently fall in the jurisdiction of Telegana State Pollution Control Board. Therefore, status in the matter may immediately be ascertained and appropriate action be ensured before the 20<sup>th</sup> May 2018 so that Hon'ble MP can then be informed about action taken in the matter.

(S.P.S.Parihar)

01/24/18

Member Secretary

/I/C.PEP

VIP-RU-

monded for necessary action pleas

Encl:a/a

DH-1PC-T

( TS1.8

We may nequist RD, Benzalum to submit report

AD(OG)

Copy to rose Dinya, As

## KAMLESH PASWAN

Member of Parliament (Lok Sabha) 67-Bansgaon, Gorakhpur

#### Member:

- Standing Committee on Food, Consumer Affairs & Public Distribution
- Standing Committee on Commerce
- Consultative Committee: Labour and Employment
- Committee on Petitions
- North-Eastern Railway User's Consultative Committee

To, Sh. S.P. Singh Parihar, Chairman, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi 110032, India




25, Ferozeshah Road New Delhi-110 001 Phone: 011-23782550

B.R.D. Medical College North Gate, Gorakhpur (U.P.)

Phone: 0551-2506575

Mobile: 9415086756, 9013180277 E-mail: kamleshpassi67@gmail.com



Sub: Illegal operation of polluted business units near Himayatsagar and Osmansagar Lakes.

Sir,

I would like inform your good office about illegal operations of certain red category polluted units within the prohibited location of Himayatsagar and Osmansagar lakes.

- The Government of Andhra Pradesh (AP) vide G.O No. 111 M.A. dated 08.03.1996 issued a direction prohibiting the location of certain polluting industries within 10 KMs of Himayatsagar and Osmansagar lakes. This direction of the Government has been repeatedly affirmed through various Government Notifications as well as certain Court Orders. As such, the direction stands unaltered till date and no polluting industry can be located within 10 kms of the said lakes without the consent of the relevant pollution control board.
- Pursuant to the aforementioned Orders of the Government, the AP Pollution Control Board (APPCB) set-up a Task Force Committee to identify and investigate industries operating within 10 kms of the said lakes. After a thorough investigation, APPCB's Committee identified and published a list of 56 industries, which were operating within a 10 Km radius of the Himayatsagar and Osmansagar lakes and were thus required to re-locate to a location beyond 10 kms of the said lakes. Two such industries were: (i) M/s. Indian Immunologicals Limited in Rakshapuram, Gochibowli, RR District (M/s. IIL); and (ii) M/s. Biological E Limited in Gaganpahad, RR District (M/s. BEL). were on the 32 and 36 no. on the list of identified units to be shift from the prohibited location of lakes.
- Subsequently, show cause notices were formally issued to the aforesaid 2 industries seeking their response as to why they should not be directed to re-locate. Having perused the responses of the 2 industries, the APPCB's Committee concluded on 01.06.2011 that both the industries were 'Red Category' polluting industries and were indeed located within 10 kms of the said lakes. As such, the Task Force Committee on 08.06.2012 recommended that a notice be

## KAMLESH PASWAN

Member of Parliament (Lok Sabha) 67-Bansgaon, Gorakhpur

# सत्यमेव जयंते

#### Member:

- Standing Committee on Food, Consumer Affairs & Public Distribution
- Standing Committee on Commerce
- Consultative Committee: Labour and Employment
- Committee on Petitions
- North-Eastern Railway User's Consultative Committee

25, Ferozeshah Road New Delhi-110 001 Phone: 011-23782550

B.R.D. Medical College North Gate. Gorakhpur (U.P.)

Phone: 0551-2506575

Mobile: 9415086756, 9013180277 E-mail: kamleshpassi67@gmail.com

issued to both industries to submit a time-bound action plan within 30 days for shifting of their respective units outside 10 kms of the said lakes. Accordingly, the APPCB issued notices to the 2 industries on 23.06.2012 with the above mentioned directions.

• Despite nearly 6 years having passed since the above notices were issued, I understand that units of both the industries, which were operational within the prohibited 10 km radius of the two lakes and were directed to be re-located, continue to be active. The units are yet to be shut-down and re-located in terms of the clear mandate of the APPCB [now the Telangana State Pollution Control Board (TSPCB)]. In fact, from what I understand, an inspection of the units was carried out by the TSPCB in 2015 and both units were found to be operational in the Inspection Report dated 02.05.2015.

Sir, therefore, In view of the above facts and circumstances, As both the companies fall under the "red category" as per the list of TSPCB, I request you to provide the following information from your good office:

If the said units continue to be operational, Have M/s. Indian Immunologicals Limited and (ii) M/s. Biological E Limited obtained any additional approvals/consents/permissions for operating the said units; and Why have such actions/proceedings not resulted in shutting down and re-location of the said units to an area beyond 10 kms of Himayatsagar and Osmansagar lakes despite the clear directions of the Government and Courts??

As per the attachment herewith as of 02.08.2017, these units still seems to be illegally operating and creating pollution and human health hazards and the government choosing to ignore the above facts. Your immediate appropriate action will be highly appreciated.

Kindly keep me update with necessary steps taken by the government of Telangana.

Thanking You, kamlesh Paswan

Copy To:

The Hon'ble Environment and Climate change Minister

Govt. of India

# TELANGANA STATE POLLUTION CONTROL BOARD

Paryavarana Bhavan, A-III, Industrial Estate, Sanathnagar, Hyderabad-500 018 Phones: 040-23887500 Fax: 040 - 23887519



Lr No. GEN-75/ PCB/U-I/TF/RTI/ 2016 - 320

Date:02.08.2017

To The Public Information Officer, T.S. Pollution Control Board, Sanathnagar, Hyderabad.

Sub:

TSPCB-Unit-I- Furnishing the information under

Information Act, 2005 - Reg.

Ref:

U.O Note. 20/Q2/TSPCB/RTI Act'05/2017-170 dated 16.05.2017.

With reference to the subject and reference cited above, the applicant has sought certain information on shifting of industries located in 10 km radius of Osmansagar & Himayathsagar lakes. In this regard, the information available is furnished as follows:

rnished as f	Ollows:
Point	Information / Reply furnished
No.	
1.	Copy of notice dated 19.11.2010 is enclosed.
2. 3.	Copy of inspection report dated 20.08.2010 is enclosed.
3.	<del>-</del> -
4.	Copy of minutes of the meeting held on 22.03.2012 is enclosed.
5.	Copy of minutes of the meeting held on 08.06.2012 is enclosed.
5.	Notice dated 10.02.2011issued to M/s Indian Immunological Ltd., could not be traced. However, will be sent at a later date.
7:50	There is no clarity on what information is sought by the applicant
77	"Report of MS, APPCB regarding inspections taken of M/s Indian Immunological Ltd.,"
8	Copy of the notice dated 23.06.2012 issued to M/s Indian Immunological Ltd is enclosed.
9.	The Board has identified 56 industries for re-location from 10 KM radius of OS & HS lakes. The list enclosed.
10.	Inspection report dated 02.05.2015 is enclosed.
11:	No amendments are carried out further after GO Ms No 111 MA & UD Department dated 08.03.1996
12.×	Yes. The details may be obtained from concerned section
13.	The action taken by the Board is summarized as follows:
	1. The Board issued CFO order to the industry, which was expired on 30.04.2000. Subsequently, the industry's CFO application dated 20.05.2009 was returned as the industry was identified for re-location as per the GO.Ms.No.111 and as per the decision of the High Power Committee constituted by the Govt.
	2. As per the Homble High Court Orders and industry was inspected by the Committee Constituted by the Board on 02.05.2015 and observed that the industry is complying with most of the Board directions.

3. As per the earlier categorization of industries during 2013, \$\frac{\pi}{2016}\$, the industry falls under Red category. However, as per the latest categorization of CPCB during 2016, the line of activity of the industry (Bio-technology) has not been mentioned. The CPCB guidelines states that in case of industry not been mentioned in any category, the respective Board shall-constitute a committee and decide the category. In this case, till the category of the industry is decided by the Board, the earlier category under which the industry was considered may hold good (Red category).

Encl: as above

Senior Environmental Engineer (Unit – I)







Grams : Kalusya Niverana Website :www.apspcb.org

## BY REGD. POST WITH ACK. DUE

#### Notice No. 10KM-128/PCB/TF-BO/2012- 175

#### Date: 23.06.2012

M/s.Indian Immunologicals Limited, Survey No. 26, Rakshapuram, Gachibowii(V), Serilingampally(M), Rangareddy District - Water (Prevention and Control of Pollution) Amendment Act, 1988 - Air (Prevention and Control of Pollution) Amendment Act, 1987 - Located within prohibited zone of 10 Kms radius of Himayatsagar and Osmansagar Lakes - Hearing held on 08.06.2012 on relocation of industries - Notice - Issued - Reg.


Ref: 1. Inspection of your industry by the Board officials on 20.08.2010.
2. Notice No.10KM-13/PCB/ZO-HYD/2011-1331, Dt 19.11.2010.

- 3. Hearing held on 01.06,2011.
- 4. Meeting held in the chambers of Chief Secretary of Govt., of A.P on 22.03.2012.
- 5. Hearing held on 08.06.2012.
- WHEREAS, you are operating the Industry located at Survey No. 26, Rakshapuram, Gachibowli(V), Serilingampally(M), Rangareddy District which is within the 10 kms radius of Osmansagar and Himayatsagar lakes.
- 2. The Board vide reference 2<sup>rd</sup> cited issued show cause notice to your industry on 10.02.2011 for locating industry within prohibited zone of 10 KM radius of Himayatsagar & Osmansagar lakes, operating without consents of the Board, causing pollution in the area and not shifting the industry from the prohibited
- 3. Vide reference 3rd cited, you were given an opportunity for hearing before the Board's Task Force Committee on 01.06.2011. The representatives of your industry have attended the hearing and informed the following to the committee:
  - a. Their industry is situated in an area of about 214 acres and operating since 1981 and wholly owned subsidiary of the National Dairy Development Board.
  - b. They are manufacturing life saving vaccines for animals & human and supply these vaccines to the GoI and several state govt's.,.
  - They are not causing any pollution due to the present activity.
  - d. They requested to allow them to operate in the existing premises as shifting their industry requires considerable time and huge investment.

After detailed discussions, the committee directed the industry representatives to furnish time bound action plan for relocation of the industry within a week.

- 4. During the meeting held on 22.03.2012 in the chambers of Chief Secretary of Govt., of A.P vide reference 4th cited, it was directed that the MS, APPCB will examine the nature of the pollution by your industry and reasonability of your request to take a decision in this regard.
- 5. Vide reference  $5^{\text{th}}$  cited, you were given an opportunity for hearing before the Board's Task Force Committee on 08.06.2012. Your representative attended the hearing and Informed the following to the committee:
  - a. Their facility is the only facility in Asia manufacturing vaccines for animals for Foot-Mouth-Disease (FMD) and also exporting these vaccines to about 42 countries all over the world.
  - b. They employ directly about 1500 employees and indirectly to many people.





c. They have approached various State Govts. for shifting their unit.
d. They requested the Board to allow to operate comply any environmental standards precrit e. They also requested the Board to accept under Water & Air Acts and issue consequenced for replacation as they are facion discovered. granted for re-location as they are facing di without the consents.

After detailed discussions, the committee recunit for submission of time bound action plan unit to outside the 10 KM radius of Osman: Board shall communicate the same to Govt. (constituted for the purpose of monitoring the taking suitable decision

6. In view of the above, you are hereby directed within 30 days for shifting of the unit to Osmansagar & Himsystagar lakes, failing wit to initiate action against your industry unit (Prevention and Control of Pollution). Amen. 31(A) of the Air (Prevention and Control of Pollution).

M/s.Indian Immunologicals Limited, Mys.Indian Immunologicals Limited Survey No. 26, Rakshapuram, Gachibowli(V), Serilingampally(M), Rangareddy District.


Senior Environmental I (Task Force - Board



# List of 56 industries identified for shifting from 10 km radius of Osmansagar & Himayathsagar lakes.

	Osinansayai & minayauisayai iakesi
SI No.	Name of the industry
1.	M/s. Nava Shakti Silk Mills, Mailardevpally, R.R.District.
2.	M/s. Kanak Silk Mills Pvt.Ltd., Sy.No.220/4, Peddashapur (V), Shamshabad (M), R.R.District.
3.	M/s. Sri Mahalaxmi Tex-prints Pvt. Ltd., Sy.No.81, Madanapally (V), Shamshabad (M), R.R.District.
4.	M/s. Lalaji Silk Mills Pvt. Ltd., Sy.No.662/P, Satamrai, Shamshabad (M), R.R.District.
5.	M/s. B. S. Silk Mills Pvt. Ltd., Gaganpahad, R.R.District.
6.	M/s. Bhavani Silk Mills (Formerly M/s Om Jai Bhavani Silk Mills), Sy.No.209/P, Tondapally, Shamshabad(M), R.R.District.
7.	M/s. Pavan Silk Mills Pvt. Ltd., Sy.No.246, Gaganpahad, R.R.District.
8.	M/s. Priyanaka Refineries, Sy.No.659, Satamrai (V), Shamshabad (M), R.R.District.
9.	M/s. Dulchand Industries, Gaganpahad, R.R.District.
10.	M/s. Govardhan Industries, Gaganpahad, R.R.District.
11.	M/s. Anil Refinery Pvt. Ltd., (M/s Sunlite Refineries (P) Ltd.,) Plot No.187, mailardevpally, Kattedan, R.R. District.
12.	M/s. Pavan Oil Industries, Sy.No.136, Gaganpahad, R.R.District.
13.	M/s. Sarda Agro Oil Pvt. Ltd., Sy. No. 655 & 656/1, Satamrai (V), Shamshabad (M), Ranga Reddy district.
14.	M/s. Lohiya Industries, Sy.No.165, Gaganpahad, R.R.District.
15.	M/s. Sheetal Refineries, Sy.No.341, Gaganpahad, R.R.District.
16.	M/s. Ramcharan Oil Industrie, Sy. No. 72 & 73, Old Kurnool Rolad, Kattedan, R.R. District.
17.	M/s Swasthick Oleo Chemicals Ltd., Gaganpahad, R.R.District.
18.	M/s. Maheswari Oil Industries Ltd., 8-4-101, Mailardevpally (V), Rajendranagar (M), R.R.District.
19.	M/s. Naresh Industries, Plot No.73, IE, Kattedan, R.R.District.
20.	M/s. Prakash Oil Refineries, Plot No.20/A, IE, Kattedan, R.R.District.
21.	M/s. Maniyar Industries, 7-4-117/3/B, Gaganphad, R.R.District.
22.	M/s. Kedia Solvent Oil Industries Ltd., Bahadurapura, Hyderabad District.
23.	M/s. Shalimar Agrotech Ltd., Bahadurapura, Hyderabad District.
24.	M/s. Garg Steels, Sy. No. 303/1 & 2, Janwada, Shankarpally (M), R.R. District.
25.	M/s. Neha Steels, Sy. No. 303/1&2, Janwada (V), Shankarpally, R.R. District
26.	M/s. Sunder Ispath, Sy. No. 231, Ganganpahad, Shamshabad (M), R.R. District
27.	M/s. Sir Tirumala Srinivasa Industries, 6-8-111/1, Kattedan, R.R. District.
28.	M/s. Pancharathna Metal Processors Ltd., Sy.No.163, Kokapet (V), Rajendranagar (M), R.R.District.
29.	M/s. Shivshakthi Steel Re-rolling Mills, R.R.District.
30.	M/s. Binjusaria Metal Box Company Ltd., Sy.No.139, Gaganpahad, R.R.District.
31.	M/s. Mahavir Ispath, Kattedan, R.R.District.
32.	M/s. Biological E Limited, Gaganpahad, R.R.District.
33.	M/s. Uni Sankyo, (Fermentation Unit), Unit-I, 7-4-115, Sy. No. 258 & 259, Ganganpahad, R.R District. & M/s. Uni Sankyo Ltd., (Formulation Unit), Unit-II, 7-4-92, Sy. No. 219, Gaganpahad, R.R. District.
34.	M/s. Annapurna Chemicals, Road No.32, Plot No.104, IE kattedan, R.R.District.
35.	M/s. Ganesh Chemicals, Sy.No.320, (Sy.No.222, Opp: M/s. Interet India Pvt. Ltd.,) Gaganpahad (Shamshabad Road), R.R.District.
36.	M/s. Indian Immunologicals Ltd., Survey No. 26, Rakshapuram, Gachibouli, R.R.District.
37.	M/s. Khoday Industries Hyd Pvt. Ltd., (Formerly M/s. Omar Khayyam wineries), Shamshabad (M), R.R.District.

38.	M/s. Bagga Distilleries (Formerly M/s. Gemini Distilleries), Sy.No.34-B,
programme and a second second second	Satamrai, Shamshabad (M), R.R.District.
39.	M/s. Paras Collin Distilleries, Satamrai, R.R.District.
40.	M/s. Sunder Synthetics (located within the premises of M/s. Sunder
	Steels), Sy.No.231, Gaganpahad, Shamshabad Mandal, R.R.District.
41.	M/s. Saro Rubber & Allied Products, Bahadurapura, Hyderabad District.
42.	M/s. Sun Paper Ltd., Kanakamamidi (V), Moinabad (M), R.R.District.
43.	M/s. Bhanu Handmade paper Ltd., Surangal (V), Moinabad (M), R.R.District.
44.	M/s. Rane Engine Valves, Sy.No.177/7, 8, 9 & 21, Aziznagar (V), Moinabad (M), R.R.District.
45.	M/s. Supreme Hand Made Papers ICA Ltd., Sy.No.95, Murthuzaguda (V), Moinabad (M), R.R.District.
46.	M/s. Ras Poly &uild Products (P) Ltd., Sy.No.75, Kanakamamidi (V), Moinabad (M), R.R.District.
47.	M/s. VNJ Agro Foods (P) Ltd., Sy.No.88, Murtuzgudda (V), Moinabad (M), R.R.District.
48.	M/s. Patwari Plastics (P) Ltd., Sy.No.652, 657, Shamshabad (V&M), R.R.District.
49.	M/s. Dhariwal Precured Re-treading Company, Plot No.5-125/1, IE,
1	Kattedan, R.R.District.
50.	M/s. Meenakshi Paper Mills Pvt. Ltd., Sy.No.659, Satamrai (V),
:	Shamshabad (M), R.R.District.
51.	M/s. Leo Laminates, Sy.No.252, Gaganpahad, R.R.District.
52.	M/s. Bharat Heavy Electricals Ltd., R.C. Puram, Medak District.
53.	M/s. Anil Re-rolling Mills, Kollur (V), Medak District.
54.	M/s Arun Ispat Lidwon Kollus (V), Modals District
55.	M/s. Arun Ispat Udyog, Kollur (V), Medak District.
56.	M/s. Visaka Industries Ltd., Yelumala (V), R.C. Puram (M), Medak District
. OC.	M/s. Hindalco Industries Ltd., (formerly M/s. Annapurna Foils Ltd.,) Kollur
	(V), Medak District



r			
	1. Name and address of the industry:		M/s. Indian Immunological Ltd. (A Wholl Owned Subsidiary of the National Dair Development Board), Sy.No.26, Rakshapuran Gachibowli, Rangareddy District
-	2. Date of Inspection	# 1	02.05.2015
	3. Whether valid CFE / CFO is there or n	ot?	The Board has issued CFO to the industry validation of the Board is not sold as the second of the second in the second of the second of the industry as the industry is located in 10 Km radius of HS & Ollakes.
	4. Consented products	(	he industry is involved in production of faccines -70 million doses/annum.  Animal and Human Vaccines viz Foot & fouth Disease, T.T., HPP-B, Pertussis vaccines)
:	5. Actual production made during last year as per ER-1	one E	R-I not submitted.
1	. Quantity of wastewater generation:	$\dashv$	
	(a) Process & Wash: (b) Blow downs: (c) Domestic:	,	20 KLD KLD
		(p K)	KLD lant-20 kld,Colony-14 KLD. Holding farm-30 LD)
7.	Details of effluent treatment plant	7 Th	e industry has installed STP - 90 KL/day,
	facilities		P-240 KL/day and RO Plant - 10 KL/hr.
8.	T T T T T T T T T T T T T T T T T T T	sub	ring inspection, ETP & RO and STP are in cration. Legal samples have been collected and omitted to Board Office for analysis.
9.	Whether the entire effluent is being treate	d Ye	
10.	The status of recycling arrangements et	The	
1.	(With all evidences including photograph	e the	outlet of ETP is being sent to RO plant and
	LK returns so as to establish whether the	e lton	RO permeates are being used for cooling er. STP treated water is using for on land for
		ear	dening and the farm.
11	meeting the norms	1 -	D Die tutilit.
11.	Whether having by pass arrangements of	f No	
12.	treated or untreated effluents		
1	Compare the data of effluent generation and effluent sent to CETP	n   Not	applicable
13.	Total area of the plant and built up	T-1	1. 214
	Francaure outif all	100	l : 214 Acres;
		Dul	t up area : 38 Acres
14.	Area available for on land irrigation	100	acres
15.	Whether the industry is discharging		400
16	effluents outside premises / seeping underground	Duri	ng inspection, no discharges were observed.
16.	Details of no. of furnaces / boilers and control equipment provided		TPH (HSD fired) boiler, 1 x 3 TPH (HSD) boiler, 1 x 3 TPH (Furnace Oil Fired)
	· · · · · · · · · · · · · · · · · · ·	DOTTE	L.

The industry is operating only 5 TPH At Operational status of Air Pollution control Boiler and provided a stack height of 100 kg. equipment The industry is sending: 1. ETP sludge -Details of solid waste (including ETP 18. Kgs/Annum (Approximately) to M/s. HW. sludge) generated and quantity disposed Dundigal. for last one year 2.Bio-Medical waste - 1.20 Tons (approximate) to M/s. Semb Ramky. The industry has obtained membership of M/s. Semb Ramky.

#### 14) Remarks:

1. M/s. Indian Immunological Ltd. (A Wholly Owned Subsidiary of the National Dairy Development Board) located at Sy.No.26, Rakshapuram, Gachibowli, Rangareddy District and involved in manufacturing Animal and Human Vaccines.

2. The industry is producing Animal and Human Vaccines viz., Foot & Mouth Disease, T.T., HPP-B,

Pertisis vaccines, etc.,

3. The industry provided ETP of 240 KLD with Collection tank, Neutralization tank, Aeration tank, Clarifier, Secondary aeration, Settling tank - 2 Nos. followed by RO plant.

The industry has provided STP of capacity 90 KLD for treatment of domestic sewage with Collection tank, Aeration tank and settling tank.

The industry has 1 x 5 TPH (HSD fired) boiler, 1 x 3 TPH (HSD Fired) boiler & 1 x 3 TPH (Furnace Oil fired) Boiler.

The industry has D.G. Sets: 2 x 1500 KVA + 2 x 1010 KVA + 2 x 500 KVA with acoustic enclosures and silencers as noise control equipment.

7. The Legal samples were collected and submitted at Board Laboratory for analysis. The results are as follows:

Sample details / collection point Sample code

5023 Resetricted inlet Unrestricted inlet 5004

Restricted and unrestricted combined inlet 5823 Clarifier inlet (outlet of aeration tank) 5026 5000 Ciarifier

RO nermeate 5029 RO rejects

,	Method (*)		Results						
Farameters	No.	' Unit	5023	5024	5025	5026	5027	5028	5029
Maria	4500-B	-	7.76	7.98	7.68	7.48	7.73	8.04	7.60
Total Suspended Solids	2540-D	mg/L	25	<5	12	13	<5	<5	<5
Total Dissolved Solids (TDS)	2540-C	mg/L	1151	772	1010	1227	1049	739	1221
Chlorides as Cl	4500-CITB	mg/L	377	173	306	372	275	164	328
Sulphates as SO.	4500-SO, F-E	mg/L	89	53	70	88	79	68	108
Chemical Oxygen Demand	:5220-B	mg/L	63	19	49	17	14	5	11
BOD 3 at 27 <sup>6</sup> C	IS 3025, 1993	mg/L	13	-	10	-	-	<u> </u>	

Results related to sample as received.

(\*) Standard methods of APHA, 22<sup>nd</sup> Edition.

From the above reports it is to submit that the ETP is functioning well and the treated water is within

the permissible limits.

8. The RO Rejects 30 KLD is sent to solar evaporation pond within the industry premises. The Board is not encouraging solar evaporation ponds and the same was informed to the industry representative. The industry representative has informed that the industry is proposing to go for Zero Liquid Discharge (ZLD) of effluents by installing Multiple Effect Evaporator and Agitated Thin Film Dryer (ATFD) / day and further it was stated that all the boilers will be converted into LPG fired and the industry has sanctioned Rs. 3.0 Crores for converting into ZLD system.

Details of photographs taken and samples | Photographs enclosed

J.Sumathi,

collected

ISO, Board Office, Hyderabad

repanand, SEE, ZO, HYD

M.Dayanand, EE, RO, HYD

M.G.V. Chalapathi Rao, Reid., Scientist IICT

- Magail - Magail Francis - Magail Franc

ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL OTNICE HYDERABAD

4th Floor, PODUPU Bhavan, Hyderayad Collectorate Complex, Nampally, Hyderabad

Notice No. 10KM-13/PCB/TF-BO/2010- [33]

Date: 19.11,2010

Sub: M/s. Indian Immunologicals Limited, Survey No. 26, Rakshapuram, Gachibowli(V), Serilingampally(M), Rangareddy District - Water (Prevention and Control of Pollution) Amendment Act, 1988 - Air (Prevention and Control of Pollution) Amendment Act, 1987 - Located within prohibited zone of 10 Kms radius of Himayatsagar and Osmansagar Lakes and operating without Consents of the Board - Causing pollution in the area and not shifting the industry from the prohibited zone - Show Cause Notice - Issued - Reg.

Ref: Inspection of your industry by the Board officials on 20.08.2010.

- You are operating the industry located at Survey No. 26, Rakshapuram, Gachibowli(V), Serilingampally(M), Rangareddy District and engaged in Veterinary Vaccines.
- 2. The Board officials inspected your industry on 20.08.2010 and observed the following:
  - a. M/s. Indian Immunologicals Limited is located at Survey No. 26, Rakshapuram, Gachibowli (V), Serilingampally (M), Rangareddy District and engaged in the manufacture of Veterinary vaccines. The industry has manufactured various Vaccines of 71.4 Million Doses during the year 2009-10.
  - b. The effluents generated from process, washings, boiler blow down and regeneration sections along with domestic waste water generated from the plant is treated in the ETP and part of the treated wastewater after passing through RO system is being reused in the cooling tower makeup, remaining is discharged on land for gardening.
  - c. The industry is also having a sewage treatment plant for colony domestic wastewater with the following units: Septic tank, Collection tank and Aeration tank. During the inspection, the STP was under maintenance.
  - d. The industry is having 3 diesel fired boilers of capacity 5 TPH, 2 X 3 TPH and a common chimney of 30 m height is provided to the boilers. Out of the three boilers, 5 TPH boiler is under use and the remaining 2 Nos. of 3 TPH boilers are kept as standby.
  - e. The industry generates solid waste such as ETP sludge, Bio Medical Waste and waste oils. The ETP sludge is lifted to TSDF, Dundigal. The details of ETP sludge sent to TSDF (in Kgs.): Jan'10 290, Feb'10 235, Apr'10 490, May'10 280, Jun'10 455 and July'10 375.
  - f. BMW sent to M/s. SembRamky, a CBMWTF located at Isnapur(V), Patancheru(M). The details of BMW sent (in Kgs.): Feb'10 107, Mar'10 216, Apr'10 161, May'10 159, Jun'10 136.5 and July'10 115.
  - g. The industry has lifted 300 Lt of waste oils to M/s. Tanu Petrochemicals, IDA. Pashamailaram on 15.03.2010.
  - h. The Board issued CFO to the industry in month of October 1997 with validity upto 30.04.2000 and HWA issued on 23.09.2000 with validity upto 22.09.2002. The industry has been applying for renewal of the CFO & HWA. The latest application for renewal was submitted on 20.05.2009 and the same was returned by this office on 11.06.2009 in view of the GO. Ms. 111 and subsequent Court Orders.
- 3. You are well awared that your industry should comply with the orders / directions of the Hon'ble Supreme Court / G.O.Ms.No.111 dated 08.03.1996, MA & UD Department and any other Govt. Orders / Notices pertaining to prohibition of activities within 10 KM radius of Osmansagar and Himayatsagar Lakes and relocation of industries.

\$ 70°

3013

Prosolit

4. Hence, you are hereby directed to Show Cause as to why action should not be initional against your industry for closure under section 33(A) of the Water (Prevention and Control Pollution) Amendment Act, 1988 and under section 31(A) of the Air (Prevention and Control of Pollution) Amendment Act, 1987 for operating the pollution potential industry in respect of air and water pollution without valid Consents of the Board, even after expiry of CFO on 30.04.2000 and even after issue of GO Ms No.111, dated 08.03.1996 of Municipal Administration and Urban Development Department, Government of Andhra Pradesh and subsequent Court Orders, causing pollution in the area and also not shifting the industry from the prohibited zone of 10 Kms radius of Himayatsagar and Osmansagar Lakes. Your reply to this notice, along with all the relevant information including records pertaining to the purchases and stock of all the raw materials and products, shall reach this office within 15 days after receipt of this notice, failing which the Board is constrained to take action against your industry for closure and directions for disconnection of power supply to your industry, without giving any further opportunity.

JOINT CHIEF ENVIRONMENTAL ENGINEER

To M/s.Indian Immunologicals Limited Survey No. 26, Rakshapuram, Gachibowli(V), Serilingampally(M), Rangareddy District

#### Copy to:

1 The Senior Environmental Engineer, Task Force, Board Office, Hyderabad for information and necessary action.

2/The EE, RO-II, RR, APPCB for information and necessary action.

# GENERAL INFORMATION REPORT ON INDUSTRIES LOCATED WITHIN 10 KMS PROHIBITED AREA

1. Name & address of the industry M/s.Indian Immunologicals Limited, Survey No. 26, Rakshapuram, Gachibowli(V), Serilingampally(M),

Rangareddy District.

Inspection conducted by 2.

> ii. Representatives of the industry present.

iii. Date

GPRS readings & Surroundings 3.

> Latitude Longitude East: West:

South:

North:

4.

Area of the plant

Project cost

i. Category of the industry

ii. Line of activity - (e.g. Textile, Edible Oil, Pharmaceuticals, eic.,)

Raw materials names with 5. quantities (TPM)

Products & By Products б. manufactured with quantities (TPM)

Process in brief 6.

B. Rajender, AEE

Sri. Ramakrishna Reddy. Manager(Engg.) Sri. Kumara Swamy Manager (Engg.)

20.08.2010

N 17º 27' 14.3" E 0780 20' 54.9" M/s. CMC Ltd., SBI campus

Gachibowli to Lingampally Road followed by

Hyderabad Central University.

Open land

Total area - 216 Ac

**RED-HAZ** Vaccines

List enclosed

Veterinary Vaccines - 71.4 Million Doses per

Annum

Preparation of virus seed in 300L fermenter → fermentation for 48 hrs → Decontamination with 0.02% citric acid solution → Collection of BHK cells → fermentation for 55 to 65 hrs → Decontamination  $\rightarrow$ clarification Inactivation → transfer → Concentration → unloading of antigen concentrate -> Cold storage -> quality control tests -> Final

blending and filling.

Excess Production capacities when compared to CFO or records available.

Details of equipment to be 8. dismantled to reduce the production

The industry is presently manufacturing 71.4 Million Doses per Annum. The consented capacities were not mentioned in the CFO order dated .10.1997.

CFO issued on .10.1997, Validity: 30.04.2000 HWA issued on 23.09.2000,

Validity: 22,09,2002.

The industry has been applying for renewal of the CFO & HWA. The latest application for renewal was submitted on 20.05.2009 and the same was returned by this office on 11.06.2009 in view of the GO. Ms. 111.

### SOURCE AND CONTROL OF WATER POLLUTION

i. Source of wates supply

Municipal supply

ii. Water consumption (KLD)

a) Process

b) Washings

c) Boiler feed & regeneration d) Cooling (makeup)

e) Gardening / Irrigation

fi Domestic

150 KLD

120 KLD

70 KLD (recycled water)

:}

:}

:}

:}

160 KLD ( Plant - 40 KLD.

(Colony - 20 KLD &

(Holding farm - 100 KLD)

TOTAL

( fresh water - 430 KLD & Recycled water -70 KLD)

iii Waste water generation

(KLD)

a: Process

b: Washes

c: Boiler blow down

d) Re-generation

e) Domestic

100 KLD

3 KLD

20 KLD

64 KLD ( Plant - 20 KLD,

(Colony - 14 KLD &

(Holding farm - 30 KLD)

TOTAL

187 KLD

#### 8. TREATMENT FACILITIES

a) Treatment units (please indicates names & sizes)

The industry has provided ETP for the trade effluents and domestic wastewater generated from the plant. The details are:

Wastewater collection cum Decontamination tanks (2 Nos.)  $-1 \times 1.5 \times 5M$ , Holding tanks(3Nos.) - 6 x 6 x 2.5 M, equatization cum Neutralization tank, Aeration Tanks 1 & 2 - 8 x 8 x 2 M, Thickener, Sand bed - 18 x 15 x 0.3 M, Spray pond - 18 x 15 x 0.5 depth, collection tanks (2 Nos.) - 6 x 3 x 2.6 M, Sand and Carbon filters, MGF and RO Plant and RO permeate collection tanks - 2 x 5 KL HDPE tanks ( above ground). (lay out

Enclosed).

# STP for Colony sewage:

Septic tanks - 3 Nos., collection tank, and aeration tank  $-16 \times 16 \times 2.9 \text{ m}$ .



b) Whether all the units of ETP are : in operation, if not state the

reasons

Quantity of treated water reused

d) Points of effluent (legal) sample : colleted

70 KLD

30

1. Inlet of ETP

2. Out let of ETP before used for gardening.

e) Point of disposal

Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening.

Colony Domestic: On land for gardening.

SOLID WASTE / HAZARDOUS WASTE

> i. Section from where it is generated. (Hazardous / Non-Hazardous).

ii. Quantity

1. ETP,

2. Bio Medical Waste,

3. DG Sets.

1. ETP studge- 300 Kgs/month.

2. Bio Medical Waste - 100 Kg/month,

3. Waste oils from DG sets - 200 LPA.

iii. Mode of disposal (facilities provided) (on site / off-site)

1. ETP sludge - to TSDF, Dundigal .

2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur.

3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamailaram.

SOURCE OF AIR POLLUTION 10.

Diesel fired Boilers - 3 Nos.,

BMW Incinerator (presently not in use) and

DG Sets - 3 Nos.

i. Capacity 5TPH,

3TPH & 3 TPH ( as stand by)

DG Sets - 1010 KVA, 500 KVA & 500 KVA.

ii. Fuel used

**HSD** 

Height of the stack / stacks

Boilers: Common stack of 30 meters.

Incinerator: A Stack of 30 M

DG Sets: Stack of 18 ft

Nature of control equipment

Boilers: Common stack of 30 meters.

Incinerator: A Stack of 30 M

DG Sets: Acoustic enclosures are provided.

Whether the control equipment is in operation at the time of inspection.

vi. Whether the industry has provided sampling port hole(s) as per the standard

Yes

specifications

11. REMARKS

a) Any Illegal Discharges

b) Whether alternate site allocated: or acquired

c) Place of alternate site

.d) Amount paid for the site

e) Time bound action plan from industry for shifting

The industry has not submitted any action plan for relocation.

f) Other remarks

The industry is having following raw material storage facilities. Chemicals storage:

- 1. Diesel Storage tank 15 KL, 20 KL & 20 KL MS tanks
- 2. HCL 2 x 5 KL PP FRP tanks
- 3 Caustic Lye 2 x 15 KL MS tanks

### g) Observations & Conclusion

- 1. M/s. Indian mmunologicals Limited is located at Survey No. 26, Rakshapuram, Gachibowli (V), Serilingampally (M), Rangareddy District and engaged in the manufacture of Veterinary vaccines. The industry has manufactured various Vaccines of 71.4 Million Doses during the year 2009-10.
- The effluents generated from process, washings, boiler blow down and regeneration sections along with domestic waste water generated from the plant is treated in the ETP and part of the treated wastewater after passing through RO system is being reused in the cooling tower makeup, remaining is discharged on land for gardening. The samples of inlet and outlet of ETP before used for gardening were collected and submitted at Central Laboratory for analysis.
- 3. The industry is also having a sewage treatment plant for colony domestic wastewater with the following units: Septic tank, Collection tank and Aeration tank. During the inspection, the STP was under maintenance.
- The industry is having 3 diesel fired boilers of capacity 5 TPH, 2 X 3 TPH and a common chimney of 30 m height is provided to the boilers. Out of the three boilers, 5 TPH boiler is under use and the remaining 2 Nos. of 3 TPH boilers are kept as standby.
- The industry generates solid waste such as ETP sludge, Bio Medical Waste and waste oils. The ETP sludge is lifted to TSDF, Dundigal. The details of ETP sludge sent to TSDF (in Kgs.): Jan'10 290, Feb'10 235, Apr'10 490, May'10 280, Jun'10 455 and July'10 375.
- 6 BMW sent to M/s. SembRamky, a CBMWTF located at Isnapur(V), Patancheru(M). The details of BMW sent (in Kgs.): Feb'10 107, Mar'10 216, Apr'10 161, May'10 159, Jun'10 136.5 and July'10 115.
- 7 The industry has lifted 300 Lit of waste oils to M/s. Tanu Petrochemicals, IDA, Pashamailaram on 15.03.2010.
- 8. The Board issued CFO to the industry on .10.1997 with validity upto 30.04.2000 and HWA issued on 23.09.2000 with validity upto 22.09.2002. The industry has been applying for renewal of the CFO & HWA. The latest application for renewal was submitted on 20.05.2009 and the same was returned by this office on 11.06.2009 in view of the GO. Ms. 111.

B. Refinence )

S. APPA RAO, LAS., Principal Secretary to Government & Commissioner for Industrial Promotion



Industries & Commerce Department Government of Andhra Pradesh D-Block, 2nd Floor,

Secretarial, Hyderabad - 500 022. © : OII.: +91-40-2345 4449 Fax: +91-40-2345 2985

Res: +91-40-2355 1455

e-mail: prisecy\_clp\_inds@ap.gov.in www.aponline.com



# 370/INF/A1/2011, Dated:27.03.2011.

Avidandra. An

Sub:-Minutes of the meeting on 22.03.2012 at 3.00 P.M. in the chambers of the Chief Secretary to Government on shifting of Industries located within 10 Kms radius of Osmansagar and Himayathsagar lakes - communicated -Reg.

-1) Govt.D.O.Lr.No.370/INF/A1/2011, dt.17.03.2012. 2)Minutes of the meeting to review the shifting of polluting Industries held by Chief Secretary to Govt. on 22.03.2012 at. 3.00-P.M.

>><<

I am to enclose herewith a copy of Minutes of the Meeting held on 22.03.2012 at 3.00 P.M. in the Chambers of the Chief Secretary to Government on shifting of Industries located within 10 kms radius of Osmansagar and Himayathsagar lakes as per G.O.Ms.No.111, Municipal Administration & Urban Development Department, dated.08.03.1996, for taking necessary action and to report the action taken to Government by 02.04.2012 so as to enable this department to submit report to A.P. Lokayukta.

APPA RAO)

Sri Muddada Ravinchandra, IAS., Member Secretary, Andhra Pradesh Pollution Control Board Hyderabad (w.e).



# MINUTES OF THE MEETING TO REVIEW THE SHIFTING OF POLLUTING INDUSTRIES HELD BY CHIEF SECRETARY TO GOVT. ON 22/03/2012 AT 3,00 P.M.

A meeting was held by the Chlef Secretary to review the action taken on the decisions taken in the earlier meeting for shifting the polluting industries from the catchment area located within the radius of 10 KMs of Osmansgar and Himayatsagar. The list of officers who attended the meeting is enclosed.

The committee noted that out of the 176 industries, 117 were closed and 59 are in operation. Out of 59 units, 17 units have taken land earlier and subsequently another 17 units have taken land from APIIC and 3 units have procured land privately. The balance 22 units are yet to acquire land. The decisions taken in the earlier meeting and their implementation has been review as follows:

1] The sub-committee consisting of Commissioner of Industries, VC & MD. APIIC, the Member Secretary, APPCB have inspected the sites at Industrial Park at Butchinelly, Indhrekeren of Medak District and Rakamcheria of Rangareddy district on 30/7/2011 fixed the time frame of relocation of industries. For 15 units, the time frame was fixed as follows:

5/9/2011 commencement of civil works.

5/10/2011 commencement of machinery installation

5/2/2012 completion of civil and mechanical works

5/6/2012 completion of installation of machinery including Boller

5/8/2012 closing of operations in the existing industry location which is within 10 KM of Osmansagar and Himayatsagar etc.

in the case of another 2 units, the completion of installation of machinery including bollers was given as 5/8/2012 and the date of closing the operations was given as 05/08/2012 and other dates are same as the first category.



- 2] The follow-up action was reviewed and it was noticed that in 12 cases where notices were given for closure of industries for non-adherence of the time frame by APPCB, they have obtained stay orders from the Appellate Tribunal. The member Secretary, APPCB has been instructed to take up review with the Appellate Tribunal and see that the stay orders are vacated by the Tribunal so that the further action can be taken. [Action: Member Secretary, APPCB].
- 3] It is also decided to issue closure notices to the 22 units which have not produced land after filing Caveat before the Appellate Tribunal, (Action: Member Secretary, APPCB).
- 4] In case of the 20 units, who have procured land, the Cot, MD, APIIC and MS, APPCB to interact with them and fix the time frame as was done earlier for the 17 units. [Action; MD, APIIC, Cot, MS, APPCB].
- 5) It was brought to the notice of the committee by the Member Secretary, APPCB that M/s. Uni-Sankyo, M/s. Indian immuniologies Limited and M/s Biological E Limited have requested for time. M/s. Uni-Sankyo have requested for two years time and Indian Immuniologies Limited have requested for five years time as the clearances for new site requires tot of time. It was decided that the MS, APPCB will examine the nature of pollution by these agencies and reasonability of their request and take a decision in this regard. In the case of M/s, Visakha Industries, it is decided to file a Writ Petition before the Hon'ble High Court against the orders of the Appellate Authority.
- 6] In the case of M/s. Hindalco Industries Limited, it is decided to give time up to 31/03/2014 for closing down the operations at the present location considering the large-scale operations and huge investment made by them.
- 7] It is also decided to agree with the request of M/s. BHEL for converting their Oll fired boller into the LPG Boiler and for shifting the electroplating section to a location beyond 10 Kms radius by December 2012.



8) It was noticed that the APIIC has fully developed the Industrial Parks at Indrakaran and Butchinelly. However, to clarify the doubts of the entrepreneurs, it is suggested that the MD, APIIC, Member Secretary, APPCB and Commissioner of Industries should organize a Joint visit of the entrepreneurs and resolve the problems in supply of electricity and water, etc.

9] It is also decided that the Collector of Ranga Reddy and Medak should issue instructions to all the local bodies which are having official person's in charge to immediately take up the case of clearances and sanction of building plans etc.

10] In the case of Rakamcherla, Collector, Ranga Reddy has to hand over Ac.28 guntas 6 of land for laying approach road to the Industrial Park. Collector promised to hand over the land by 31/03/2012.

11] As the APIIC has given these plots in all the 3 industrial Estates at concessional rates below its cost price, VC & MD, APIIC to submit proposal to the Government for release of balance amount.

12) All the officers are requested to take immediate action and submit report before 30/03/2012 so that the same can be submitted to the A. P. Lokayukta.

784 26/3/12

24/3



Minutes of the hearing before the Board's Task Force Committee meeting held on 08.06.2012.

## Agenda No: 1

# Regarding shifting of 4 industries from 10KM radius of Osmansagar and Himayathsagar lakes.

The Board has conducted a meeting on 05.08.2011, 01.10.2011 & 02.04.2012 at APPCB, Board Office, Hyderabad regarding shifting of industries from 10KM radius of Osmansagar and Himayathsagar lakes. During the meeting, the industries were directed to shift by 05.08.2012. During the meeting M/s Uni-Sankyo, M/s.Indian Immunologicals Limited and M/s Biological E Ltd requested the Board to grant two / three / five years time for their units to shift from the existing locations stating that they manufacture essential vaccines for which establishing a new setup with all necessary dearances is time consuming. The same was communicated to the Government for taking necessary action.

During the meeting held on 22.03.2012 in the chambers of Chief Secretary, it was directed that the MS APPCB will examine the nature of the pollution by M/s Unisankyo, M/s.Indian Immunologicals Limited., and M/s Biological E Ltd., and reasonability of the request to take a decision.

# The details of the industries are as below:

# M/s. Biological E. Ltd., Sy. No. 252-257 & 259, Gaganpahad, Ranga Reddy

1.	Category of the industry	Red hazardous	
	Line of activity	Bulk Vaccine manufacturing	
	Month & Year of	1975	]
-	commissioning	1-27.5	
2.	Raw materials names with	Casein, Peptone Sod	
<u> </u>	quantities (TPM)	Casein, Peptone, Sod Dextrose etc.	ium Chloride
3.	Products & By Products	0 4	
	manufactured with quantities	Production quantities for t	he period from
	(TPM)	Jun'2010 to Dec'2010 are a  1) Tetanus vaccine	s follows:
		2) Pertussis vaccine	326 L
		3) Anti-snake venom	5972 L
		4) Anti – Tetainnus toxide	1584 L
		Total	266 L
		Average	8148 L
			1154 ↓/
		The above every	month
		The above quantities are	the products
		which have cleared by QC.	
to a comment	A CONTRACTOR OF THE PROPERTY O	The actual production is malso includes	ore as it also
4.		rejected products are dis	posed in Kill
<b>→</b> .	SOURCE AND CONTROL OF		
	WATER POLLUTION		
	Source of water supply	Tanker supply	
	water consumption (KLD)	- 30ppiy	
a b	· Process	2.00 KLD	
C	Washings	1.00 KLD	
a	Boiler feed	5.00 KLD	
e	Cooling (makeup)	1.00 KLD	
F	Gardening	treated effluents	
	Domestic	4.00 KLD	
	TOTAL	14.00 KLD	
<del>_</del> +	Waste water generation		
<u>a</u>	Process	0.20 KLD	
<u>b</u>		1.00 KLD	

37. M/s. Khoday Industries Hyd Pvt. Ltd., (Formerly M/s. Omar Khayyam wineries), Shamshabad (M), R.R.District.

- <u>;</u> c-		0.10 KLD			
C C		0.50 KLD			
<u>e</u>		0.05 KLD (10 KL / 20 days			
f		4.00 KLD			
	TOTAL	5.80 KLD			
5.	TREATMENT FACILITIES		2 42 5 16		
1	Treatment units (please	Collection cum aerati	on 2 x 13.5 KL		
Ì	indicates names & sizes)	tanks			
		Settling tank	2 KL		
		Sand filter	700 1011		
		Process chemical read	tor 700 LPH		
		(UV.radiation)	F 1/2		
		Collection tank	5 KL		
		Carbon filter	3.5.40:		
		Pretreated effluent tank	7.5 KL		
		Sand filter followed by car			
		Collection tank	5 KL		
		RO plant	1800 LPH		
-		RO Permeate Collection ta	nk 7.5 KL		
		RO rejects Collection tank			
		Sludge drying beds			
	Whether all the units of ETP	ETP units were in operati	on at the time of		
	are in operation, if not state	inspection			
	the reasons	,			
	Quantity of treated water	30 % of total effluents i.e	. RO permeate is		
	reused (KLD)	used for onland gardening	]-		
	Point of disposal	Treated effluents (RO permeate) - u			
		for gardening within indu	stry premises.		
		RO rejects - Solar evapor	ation		
5.	SOLID WASTE / HAZARDOUS	ETP sludge	Coal ash		
	WASTE				
	Section from where it is	sludge drying beds	Boiler		
1	generated. (Hazardous / Non-				
	Hazardous).				
·	Quantity	30 kg/month	8 TPM		
-	Mode of disposal (facilities	Disposed as BMW to	Brick		
1	provided) (on site / off-site)	common facility i.e M/s.	manufacturers		
4		G J Multiclave (I), Pvt.			
1		Ltd.			
17.	SOURCE OF AIR POLLUTION	Boiler	Boiler (standby)		
	Capacity	2 TPH	1 TPH		
1	Fuel used	Coal	Coal		
1	Height of the stack / stacks	1.5 TPD	<u> </u>		
1	Nature of control equipment	Dust collector and			
1	The control of carry	water scrubber			
1	Whether the control equipmen				
i	is in operation at the time of	if			
	inspection.				
	Whether the industry ha	s Provided			
İ	provided sampling port hole(s				
	as per the standar	á l			
	specifications				
	apocinous.				
	Any Illegal Discharges	There was no disch	large of effluents		
8	Ally Illegal Disciol ges	outside industry premi	ises at the time of		
1		increction			
	VIII - the - althography city	The industry represent	rative informed that		
	Whether alternate site allocated or acquired	they have not planne	d any relocation of		
-	allocated of acdured	their industry.			
-1	į.	U-1-17 17 17 17 17 17 17 17 17 17 17 17 17 1			

John

The Board officials inspected the industry on 20.01.2011 & 28.01.2011 and observed the following :

- M/s. Biological E. Ltd. Is located at Sy. No. 252-257 & 259, Gaganpahad, Ranga Reddy District and engaged in Bulk Vaccine manufacturing. The industry has manufacturing Tetanus vaccine, Pertussis vaccine, Anti-snake venom & Anti – Tetannus toxide by using raw materials Casein, Peptone, Sodium Chloride, Dextrose etc.
- Total consumption of water 14 KLD and wastewater generation is 5.80 KLD.
- 3. The industry is having ETP and RO for treating the effluents. 30 % of total effluents i.e. RO permeate is used for onland gardening. The treated effluents (RO Permate) used for gardening with in the premises and RO rejects is disposed by Solar is Evaporation Pond. Septic tank is provided for domestic effluents.
- The industry is having 2 boilers with capacities of 2TPH & 1 TPH (Standby)
  using coal as a fuel.
- The industry has provided Dust collector and wet scrubber for air pollution control.
- Treated effluents were observed to be used onland application. As the industry is located within 10 km radius area of Osmansagar and Himayathsagar lakes, onland application of treated effluents is not be permitted.
- Smell is observed in the industry premises. The smell is emanating from Kill Tanks (2 x 2 KL capacity) where rejected products are destroyed by heating at 121°C for 1 hour.
- 8. The GM, DIC, RR District addressed a letter dated 01.07.2006 to the industry requesting to approach APIIC for allotment of land to relocate their industry. However, the industry made representation to the Commissioner of Industries dated 26.07.2006 requesting to withdraw the notice dt. 01.07.2006 stating that their industry is not categorized as polluting one.
- The industry is a polluting industry i.e. bulk vaccines and covered under Red category.
- The industry representative informed that they have not planned any relocation of their industry.

The Board vide notice dated 10.02.2011 issued a show cause notice to the industry for locating the industry within prohibited zone of 10 KM radius of Himayatsagar & Osmansagar lakes, operating without consents of the Board, causing pollution in the area and not shifting the industry from the prohibited zone.

The industry vide letter dated 24.02.2011 has given reply the show cause notice stating the following:

- They have taken up work of sand bed filtration system to further reduce the suspended solids in the effluent.
- They have fully operated comprehensive ETP and RO system for treating the effluents. The effluent generation is almost negligible.
- 3. Provided dust collector and wet scrubber for the boilers.
- They have kill tanks to destroy all biological organisms by heating at 121 deg.C for one hr.
- 5. They have contract with M/s G.J.Multiclave for lifting and for treating blodegradable waste from the site.
- They have been submitting application for renewal of CFQ and the Board advised not to submit the application as there is in-principle decision not to grant any CFO renewals.

The case was reviewed before the committee on 01.06.2011 for taking suitable action against the industry. The representatives of the industry attended the hearing and informed the following to the committee:

- They have fullfledged ETP & RO system to treat the effluents generated from their activity.
- They have kill tanks to destroy all biological organizms by heating at 121 deg.C for one hour.
- 37. M/s. Khoday Industries Hyd Pvt. Ltd., (Formerly M/s. Omar Khayyam wineries), Shamshabad (M), R.R.District.

3. They are ready to change the boiler fuel from coal to oil.

 They requested to allow them to operate in the existing premises as their industry is a non-polluting industry.

### The committee noted the following:

- The industry's activity is categorized under 'Red' category i.e., Biotechnology/Fermentation industry including manufacture of yeast, beer etc.
- The industry generates effluents for which the industry has provided ETP & RO system and the rejects of the RO system are disposed in solar evaporation pond.
- 3. The industry generates ETP sludge which is disposed as Bio-Medical Waste to M/.s G.J.Multiclave (I) Pvt., Ltd.,
- The industry is having boilers of 2 TPH & 1 TPH coal fired boilers which are sources of air pollution.
- The industry has pollution potential and is located within 10 KM radius of Himayatsagar & Osmansagar lakes.

After detailed discussions, the committee directed the industry representatives to furnish time bound action plan for relocation of the industry within three days. In case no action plan is received, a notice shall be issued to the industry to submit time bound action plan for relocation of the industry.

# M/s.Uni-Sankvo Ltd (Fermentation unit), Unit-I, 7-4-115, Sy.No.258,259. Gaganapahad, Ranga Reddy District.

1.	i. Category of the industry	Red hazardous		
	ii. Line of activity	Fermentation	Unit (Bulk Vaccine	
		manufacturing	).	
	iii. Month & Year of	1970		
	commissioning		·	
	iv. Consent Status			
2.	Raw materials used	Com steep	liquor, Peptone, Dextrose,	
	A CALLEGE CONTRACTOR C		ide, magnesium sulphates,	
•		_	sulphates, glyserine, yeast	
		, ,	osphoric acid, ammonium	
			ssium hydroxide, etc.	
3.	Products & By Products	Bulk vaccines.		
	manufactured with quantities		or the period from July 2010	
	(TPM)	manufactured	following products were	
			nicroorganism	
		,	ive yeasts - other	
}		Preparations used in animal feeding     Other		
ļ			duction quantities are as	
		follows:	occorr quantum are as	
		Jul'2010	23713 kg + 8280 L	
		Aug'2010	20126 kg + 4620 L	
		Sep'2010	14237 kg + 4360 L	
1	40	Oct'2010	18636 kg + 4580 L	
į	Property of the Control of the Contr	Nov'2010	10847 kg + 4640 L	
	The state of the s	Dec 2010	12843 kg + 4030 L	
	· ·	Average prod	uction is 16733.6 kg / month	
1.		and 5085 L / month		
4.	SOURCE AND CONTROL OF			
	WATER POLLUTION	<u> </u>		
	i. Source of water supply	Borewell and	tanker supply	
	ii. Water consumption (KLD)			
	a) Process	10.00 KLD		
	b) Washings	3.00 KLD		

B

ſ <del>.</del>						
`	c) Boiler feed	10 KLD				
<b>}</b>	d) Cooling (makeup)	1.00 KLD				
4	e) Gardening	treated effluents				
-	f) Domestic :	6.00 KLD				
-	TOTAL	30.00 KLD				
	III. Waste water generation					
-	a) Process	10,00 KLD				
-	b) Washes	3.00 KLD			····	
-	c) Cooling bleed off	0.02 KLD (2 KL	/2-			
-	d) Boiler blowdown	1.00 KLD	7 3 1	ilonths)		
	e) Re-generation	0.50 KLD (10 K	1 / 2/	2		
	f) Domestic	Canteen - 4 KL	<del>5/ 2</del> /	o days)		
.}		Tollets - 2 KLD	-			
<del> </del>	TOTAL	20.52 KLD				
5.	TREATMENT FACILITIES	144.02 ((1)				
	a) Treatment units (please	Collection tank				
	indicates names & sizes)	Primary satel			12 KL	
		Primary settling Aeration tank -	tank		7 KL	
1		Secondania	1		20 KL	
		Secondary setti Aeration tank -	ing ta	nk	1 KL	
		Tertiary settling	<u>ц</u>		20 KL	
}		Storage tank	cank		1 KL	
		Sand files for			9 KL	
		Sand filter follow	ved b	y carbon	filter	
		Final treated an storage tank	id filt	ered wat	er 12 KL	
	1					
	b) Whether all the units of ETP	Sludge drying beds  ETP units were in operation at the time of				
	are in operation, if not state		קס חו	eration a	it the time of	
	the reasons	inspection				
	c) Quantity of treated water					
	reused (KLD)	20 KLD				
	d) Points of effluent (legal)					
	sample colleted	<u> </u>				
	e) Point of disposal	Treated effluent	<u> </u>	used fr	or cardenine	
		MICHOLIN THOUSTRY D	remi	Se-5		
	•	Domestic effice	nts f	rom toil	ete - Cootic	
		Lenk			co - Septic	
6.	SOLID WASTE / HAZARDOUS	ETP sludge	Ash	from	Waste oil	
	WASTE		boile			
	i. Section from where it is	sludge drying	Boile	er	DG sets	
	generated. (Hazardous /	beds			1 - 3 - 3 - 3	
	Non-Hazardous).					
	ii. Quantity	20 kg/day	1 TF	M	50 LPM	
	ili. Mode of disposal (facilities	liced an	·		Recyclers	
	provided) (on site / off-site)	manure for		ufactur	cy wers	
		gardening	ers			
7.	SOURCE OF ACC TOLL	within industry				
	SOURCE OF AIR POLLUTION  L. Capacity	Boiler		DG set		
		2 TPH		250 lev/	4	
	ii. Fuel used	Coal / fuel bric	kets	Diesel		
	[i] Unioh - F.d	(ground nut shell	<u>)                                     </u>			
	III. Height of the stack / stacks	2 TPD				
	iv. Nature of control					
1		Multi cyclone	and			
	equipment -	water scrubber	.			
	v. Whether the control	Water caribb				
-	equipment is in operation	Water scrubber	was			
1	at the time of inspection.	not in operation	-			
{	at the time of incoamor.					

BOOK I	vi. Whether the industry has provided sampling port hole(s) as per the standard specifications	Provided
	a) Any Illegal Discharges	There was no discharge of effluents outside industry premises at the time of inspection.
	b) Whether alternate site allocated or acquired	

The Board officials inspected the industry on 19.01.2011 & 22.01.2011 and observed the following:

- M/s.Uni -Sankyo Ltd (Fermentation unit), Unit-I,is located at 7-4-115, Sy.No.258, 259, Gaganapahad, Ranga Reddy District and engaged in the manufacture of Bulk Vaccine by the Fermentation. The industry has manufactured Culture of microorganism, Yeast - active yeasts - other, Preparations used in animal feeding & Other by using raw materials Corn steep liquor, Peptone, Dextrose, Calcium chloride, magnesium sulphates, manganese sulphates, glyserine, yeast extracts, phosphoric acid, ammonium solution, potassium hydroxide, etc.
- 2. Total consumption of water 30 KLD and wastewater generation is 20.5 KLD.
- The industry having a ETP for treating the effluents. The treated effluents is used for gardening with in the premises. Septic tank is provided for domestic effluents.
- The industry is having boiler with capacity of 2TPH using coal / fuel brickets as a fuel and DG set of capacity 250 KVA using diesel as fuel.
- 5. The industry has provided multi cyclone with wet scrubber.
- Treated effluents were observed to be used onland application. As the industry is located within 10 km radius area of Osmansagar and Himayathsagar lakes, onland application of treated effluents is not be permitted.
- ETP sludge which is used as manure is not allowed and it shall be disposed as biomedical waste to the authorized common bio-medical waste treatment facilities.
- 8. The industry representative informed that they are already planning to relocate the operations to other site. Industry has applied for CFE of the Board to set up similar industry at Plot No. 19 22, Sy. No. 11, 12, Biotech Park, Phase-III, Genome Valley, Karakapatla (V), Mulugu (M), Medak District, which is under process. The industry representative has informed though they have applied for establishing similar unit in Biotech park, there is no confirmed time for dosure of this unit.

The Board vide order dated 10.02.2011 issued a show cause notice to the industry for locating the industry within prohibited zone of 10 KM radius of Himayatsagar & Osmansagar lakes, operating without consents of the Board, causing pollution in the area and not shifting the industry from the prohibited zone.

The industry vide letter dated 22.02.2011 has given reply the show cause notice stating the following:

- Presently they are using the treated effluents for onland applications. Now they propose to send these treated effluents to M/s JETL, since, they became member of M/s. JETL.
- Regarding ETP studge, they undertake to dispose the same to authorized Common Bio-Medical Treatment facilities.
- 3. They have been applying the for renewal of CFO for time to time, but the Board is not accepting the applications, since, the industry is located within the 10 KM of Himayatsagar & Osmansagar lakes.
- 4. They have purchased land at Bio-Tech park, Phase III, Genome Valley, Kakarpatla, Mulugu (M), Medak District and requested the Board to give time to relocating the manufacturing activity to the said new facility upon its completion.

The case was reviewed before the committee on 01.06.2011 for taking suitable action against the industry. The representatives of the industry attended the hearing and informed the following to the committee:

- 1. They are willing to shift their industry to Bio-Tech park, Phase III, Genome Valley, Kakarpatia, Mulugu (M), Medak District for which they have obtained CFE during Feb' 2011 from the Board.
- 2. It takes 2 years for relocation of the industry.
- 3. They will submit time bound action plan for shifting of their industry

After detailed discussions, the committee directed the industry representatives to furnish time bound action plan for relocation of the industry within three days. In case no action plan is received, a notice shall be issued to the industry to submit

M/s. Uni Sankvo, Unit -II, (Formulation Unit), 7-4-92, Sy.No. 219. Gaganpahad, Ranga Reddy District.

1.	Coucyoff of the indicat	ry Tomas					
-	The or activity		zardous				
1	I TOTAL & YEAR OF	TOTTUIADO	n (Harmonial injections)				
-	commissioning	1975	Formulation (Harmonial injections)				
12.	Consent States						
7.	Kaw materials names	th lib					
3.	YUGODTIES (TDM)		SH, HMG, Progesterone, Manni noi, Benzyi benzoata				
3.	riodilitte p. n	Benzyl alcol	noi, Benzyi benzoate, etc.				
	manufactured with quanti	Pormulation	of it				
	(TPM)	ues ER-1 for	of Harmonial injections. As the period from July 2010 following injections.				
		Decizoin	fall - " " " JUIV 2010				
		1 (Danish china	a "Dections				
		1) Chononic	Gonadotrophin				
		2) Menotropi	in Spinii				
		3)Urofolliotro	Ppin				
		4) Sodium C	rloride				
		1 - ) Progester	מחל				
	•	[D] MVdraw, p	ma =				
		monthly prod	uction quantities are as follows				
		Jul'2010	The street as follows				
		2010	4,09,393 amps				
		Aug'2010					
		Sep'2010	3,35,759 amps				
		Oct 2010					
		Nov'2010	4,44,693 amos				
		Dec 2010	4,07,423 amps				
		Average	3,52,404 amps				
	SOURCE AND	month prod	3,52,404 amps uction is 4,70,607 amps /				
- 1	SOURCE AND CONTROL OF		amps /				
a	- COUNTY						
	Source of water supply Water coop	Borewell					
a	COISUMDOON (KI D)	DOLEMBII					
5	PIOCESS	0.05 KLD					
	Washings	5.50 KLD					
1	Boiler feed	1-30 KD					
	Cooling (makeup)	0.20 KLD					
İ	Gardening	8.00 KID (4					
1		8.00 KLD (treats	ed effluents)				
+	Domestic	3.00 KLD (fresh	water)				
-	Waste	9.70 KLD					
+	Waste water generation						
+	Process						
+-	Washes	5 50 10 5					
+-	Cooling bleed off	5.50 KLD					
	Boiler blowdown	0.02 KLD (2 KL /	3 months)				

37. M/s. Khoday Industries Hyd Pvt. Ltd., (Formerly M/s. Omar Khayyam wineries), Shamshabad (M), R.R.District.

**新報**集

£	Re-generation	1.00 KLD (7 K	L / week	)		
f	Domestic	Canteen - 1 K				
		Toilets - 1 KU	)			
	TOTAL	8.52 KLD				
5.	TREATMENT FACILITIES					
	Treatment units (please	Collection / ne	utralizat	ion tank	2 x 2 KL	
	indicates names & sizes)	Primary clarifi	er		4 KL	
		Aeration tank			12 KL	
		Secondary da				
		Treated efflue	nt collect	tion tank	2 x 5 KL	
	·	Sand filter foll	owed by	carbon fi	Iter	
		Filtered water		tank	12 KL	
		Sludge drying				
	Whether all the units of ETP	1	re in op	eration a	t the time of	
	are in operation, if not state	inspection				
	the reasons				·	
	Quantity of treated water	8 KLD				
	reused (KLD)					
	Point of disposal	{		ed for gai	rdening within	
		industry prem				
		Domestic efflu				
5.	SOLID WASTE / HAZARDOUS	ETP sludge	Waste h	rusk	Dead	
	WASTE	L			animals	
1	Section from where it is	sludge	Animals	(rats,	Animals	
	generated. (Hazardous / Non-	drying beds	mice)		(rats, mice)	
	Hazardous).		Testing		Testing	
				nusk is	area.	
ŧ	-			bed for		
			animals	·	<del></del>	
į	Quantity	1	2 TPM		2 – 3 kg/day	
		kg/day			14/- 6 3	
1	Mode of disposal (facilities	Used as			M/s. G J	
	provided) (on site / off-site)	manure for	manura	icturers	Multiclave	
		gardening (I) Pvt. Lt			(CBMW	
;	•	within			facility)	
	COURCE OF ATA POLITICAL	industry	tor	DG set	) (acinty)	
7.	SOURCE OF AIR POLLUTION	Electrical hea	CEL	250 KVA		
4	Capacity	36 KWH			`	
į	Fuel used	Electricity		Diesel	2	
	Any Illegal Discharges	There was no discharge of effluents outsi- industry premises at the time of inspection			tuents outside	
		industry prer	nises at	ine ame a	or inspection.	

The Board officials inspected the industry on 19.01.2011 & 22.01.2011 and observed the following :

- M/s.Uni –Sankyo Ltd Unit-2 (Formulation Unit), is located at 7-4-92, Sy. No. 219, Gaganpahad, Ranga Reddy District and engaged in Formulation of Harmonial injections i.e injections Chorionic Gonadotrophin, Menotropin, Urofolliotropin, Sodium Chloride, Progesterone, Hydroxy Progesterone by using raw materials HP HCG, FSH, HMG, Progesterone, Mannitol, Benzyl alcohol, Benzyl benzoate, etc.
- 2. Total consumption of water 9.70 KLD and wastewater generation is 8.52
- The industry having a ETP for treating the effluents. The treated effluents is
  used for gardening with in the premises. Septic tank is provided for domestic
  effluents.
- 4. The industry is having electrical heater with capacity of 36 KWH and DG set of capacity 250 KVA using diesel as fuel.
- 5. Treated effluents were observed to be used onland application. As the industry is located within 10 km radius area of Osmansagar and Himayathsagar lakes, onland application of treated effluents is not be permitted.

CX

6. Waste husk which is used for testing animals, shall not be disposed to brick manufacturers and instead it shall be disposed as biomedical waste to the authorized common bio-medical waste treatment facilities. Similarly, the ETP sludge shall also be disposed to BMW common facilities.

January . .

7. The industry representative informed that they are already planning to relocate the operations to other site. Industry has applied for CFE of the Board to set up similar industry at Plot No. 8, Phase-II, S.P. Biotech Park, Genome Valley, Kholtur (V), Shameerpet (M), RR District, which is under process. The industry representative has informed though they have applied for establishing similar unit in Biotech park, there is no confirmed time for closure of this unit.

The Board vide order dated 10.02.2011 issued a show cause notice to the industry for locating the industry within prohibited zone of 10 KM radius of Himayatsagar & Osmansagar lakes, operating without consents of the Board, causing pollution in the area and not shifting the industry from the prohibited zone.

The industry vide letter dated 26.02.2011 has given reply the show cause notice stating the following:

- Presently they are using the treated effluents for onland applications. Now they propose to send these treated effluents to M/s JETL, since, they became member of M/s. JETL.
- Regarding waste husk & ETP sludge, they undertake to dispose the same to authorized Common Bio-Medical Treatment facilities.
- They have been applying for renewal of CFO for time to time, but the Board is not accepting the applications, since, the industry is located within the 10 KM of Himayatsagar & Osmansagar lakes.
- 4. They have purchased land at S.P. Bio-Tech park, Phase II, Genome Valley, Koltur (V), Shameerpet (M), Rangareddy District and requested the Board to give time to relocating the manufacturing activity to the said new facility upon its completion.

The case was reviewed before the committee on 01.06.2011 for taking suitable action against the industry. The representatives of the industry attended the hearing and informed the following to the committee:

- They are willing to shift their industry to S.P. Bio-Tech park, Phase II, Genome Valley, Koltur (V), Shameerpet (M), Rangareddy District for which they have obtained CFE during May' 2011 from the Board.
- 2. It takes 3 years for relocation of the industry.
- They will submit time bound action plan for shifting of their industry within three days.

After detailed discussions, the committee directed the industry representatives to furnish time bound action plan for relocation of the industry within three days. In case no action plan is received, a notice shall be issued to the industry to submit time bound action plan for relocation of the industry.

# No. 26. Rakshapuram.

1	Category of the industry	Red Hazardous
-	Line of activity	Vaccines
-	Month & Year of commissioning	1983
2	Raw materials names with quantities	
3	Products & By Products manufactured	Veterinary Vaccines - 71.4 Million Doses per Annum

37. M/s. Khoday Industries Hyd Pvt. Ltd., (Formerly M/s. Omar Khayyam wineries), Shamshabad (M), R.R.District.

4	Manufacturing Process	Preparation of virus seed in 300L
		fermenter -> fermentation for 48 hrs ->
		Decontamination with 0.02% citric acid
		solution → Collection of BHK ceils →
		fermentation for 55 to 65 hrs ->
		clarification → Decontamination →
ſ		Inactivation → transfer → Concentration
		→ unloading of antigen concentrate →
ļ		Cold storage → quality control tests →
		Final blending and filling.
5	Consent Status	CFO issued on 10.1997
	Consent States	Validity: 30.04.2000
		HWA issued on 23.09.2000,
1		Validity: 22:09.2002. The industry has been applying for
į		
!		renewal of the CFO & HWA. The latest
		application for renewal was submitted on
	<u> </u>	20.05.2009 and the same was returned
ĺ		by this office on 11.06.2009 in view of
İ	•	the GO. Ms. 111.
6	Excess Production capacities	The industry is presently manufacturing
1	when compared to CFO or	71.4 Million Doses per Annum. The
i i	records available.	consented capacities were not mentioned
1		in the CFO order dated .10.1997.
7	SOURCE AND CONTROL OF	
	WATER POLLUTION	
	Source of water supply	Municipal supply
	Water consumption (KLD)	
	Process	150 KLD
!•	Washings	
	Boiler feed & regeneration	120 KLD
	Cooling (makeup)	70 KLD ( recycled water)
	Gardening / Imgation	
<del></del>	Domestic	160 KLD ( Plant - 40 KLD,
;	Donnesde	(Colony - 20 KLD & (Holding farm - 100)
1	t	
		, ,
	TOTAL	KLD)
	TOTAL	KLD) S00 KLD
	TOTAL	KLD) 500 KLD (fresh water - 430 KLD & Recycled water
		KLD) S00 KLD
	Waste water generation	KLD) 500 KLD ( fresh water - 430 KLD & Recycled water - 70 KLD)
	Waste water generation Process	KLD) 500 KLD (fresh water - 430 KLD & Recycled water
	Waste water generation Process Washes	KLD) 500 KLD (fresh water - 430 KLD & Recycled water - 70 KLD) 100 KLD
	Waste water generation Process Washes Boiler blow down	KLD) 500 KLD (fresh water - 430 KLD & Recycled water - 70 KLD) 100 KLD
	Waste water generation Process Washes Boiler blow down Re-generation	KLD) 500 KLD ( fresh water - 430 KLD & Recycled water - 70 KLD)  100 KLD  3 KLD 20 KLD
	Waste water generation Process Washes Boiler blow down	KLD) 500 KLD ( fresh water - 430 KLD & Recycled water - 70 KLD)  100 KLD  3 KLD 20 KLD ( Plant - 20 KLD,
	Waste water generation Process Washes Boiler blow down Re-generation	KLD) 500 KLD ( fresh water - 430 KLD & Recycled water - 70 KLD)  100 KLD  3 KLD 20 KLD 64 KLD ( Plant - 20 KLD, (Colony - 14 KLD &
	Waste water generation Process Washes Boiler blow down Re-generation	KLD) 500 KLD ( fresh water - 430 KLD & Recycled water - 70 KLD)  100 KLD  3 KLD 20 KLD ( Plant - 20 KLD,

4000

É

186

Treatment units (please indicates names & sizes)  The Industry has provided ETP for the trade effluents and domestic wastewater generated from the plant. The details are Wastewater collection cum Decontamination tanks (2 Nos.) – 1 x 1.5 x 5M, Holding tanks(3Nos.) – 6 x 6 x 2.5 M, equalization cum Neutralization tank, Aeration Tanks 1 & 2 – 8 x 8 x 2 M, Thickener, Sand bed – 18 x 15 x 0.3 M, Spray pond – 18 x 15 x 0.5 depth, collection tanks (2 Nos.) – 6 x 3 x 2.6 M, Sand and Carbon filters, MGF and RO Plant and RO permeate collection tanks – 2 x 5 KL HDPE tanks. STP for Colony sewage: Septic tanks – 3 Nos., collection tank, and aeration tank – 16 x 16 x 2.9 m Yes in operation, if not state the reasons  Quantity of treated water reused (KLD)  Point of disposal  Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On land for gardening.  SollD WASTE / HAZARDOUS WASTE  Section from where it is generated 2. Bio Medical Waste, 3. DG Sets.  Quantity 1. ETP sludge – 300 Kgs/month, 2. Bio Medical Waste – 100 Kg/month, 3. Waste oils from DG sets – 100 LPA.  Mode of disposal 1. ETP sludge – to TSDF, Dundigal , 2. Bio Medical Waste – 100 Kg/month, 3. Waste oils from DG sets – 100 LPA.  Mode of disposal 2. Bio Medical Waste – 100 Kg/month, 3. Waste oils from DG sets – 100 Kg/s SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets – 100 Kg/s SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets – 100 Kg/s SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets – 100 Kg/s SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets – 100 Kg/s Sembrams of the mode of the stack / stacks Sembrams of the first stack of 30 meters. Incinerator: A Stack of 30 meters. Incinerator: A Stack of 30 meters. Incinerator: A Stack of 30 meters. Incinerator: A Stack of 30 meters. Incinerator: A Stack of 30 meters. Incinerator: A Stack of 30 meters. Incinerator: A Stack of 30 meters. Incinerator: A Stack of 30 meters. Incinerator: A St		TOTATIVENT EACH ITIES	
trade effluents and domestic wastewater generated from the plant. The details are Wastewater collection cum Decontamination tanks (2 Nos.) – 1 x 1.5 x 5M, Holding tanks(3Nos.) – 6 x 6 x 2.5 M, equalization cum Neutralization tank. Aeration Tanks 1 & 2 - 8 x 8 x 2 M, Thickener, Sand bed – 18 x 15 x 0.3 depth, collection tanks (2 Nos.) – 6 x 3 x 2.6 M, Spray pond – 18 x 15 x 0.5 depth, collection tanks (2 Nos.) – 6 x 3 x 2.6 M, Sand and Carbon filters, MGF and RO Plant and RO permeate collection tanks – 2 x 5 KL HDPE tanks. STP for Colony sewage: Septit tanks – 3 Nos., collection tank, and aeration tank – 16 x 16 x 2.9 m.  Whether all the units of ETP are in operation, if not state the reasons  Quantity of treated water reused (KLD)  Point of disposal  Trade effluents and for tanks – 2 x 5 KL HDPE tanks. STP for Colony sewage: Septit tanks – 3 Nos., collection tank, and aeration tank – 16 x 16 x 2.9 m.  Yes  Whether all the units of ETP are in operation, if not state the reasons  Quantity of treated water reused (KLD)  Point of disposal  Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On land for gardening.  SollID WASTE / HAZARDOUS WASTE  Section from where it is generated  Quantity  Section from where it is 1. ETP, 2. Bio Medical Waste, 3.0 DG Sets.  Quantity  1. ETP sludge- 300 Kgs/month, 2. Bio Medical Waste – 100 Kg/month, 3. Waste oils from DG sets – 200 LpA.  Mode of disposal  Mode of disposal  Diesel fired Bollers – 3 Nos., BMW Incinerator (presently not in use and DG Sets – 3 Nos. SHW Incinerator (presently not in use and DG Sets – 1010 KVA, 500 KVA, 5	8	TREATMENT FACILITIES	The industry has provided ETP for the
generated from the plant. The details are Wastewater collection cum Decontamination tanks (2 Nos.) – 1 x 1.5 x 5M, Holding tanks(3Nos.) – 6 x 6 x 2.5 M, equalization cum Neutralization tank, Aeration Tanks 1 & 2 - 8 x 8 x 2 M, Thickener, Sand bed – 18 x 15 x 0.3 M, Spray pond – 18 x 15 x 0.5 depth, collection tanks (2 Nos.) – 6 x 3 x 2.6 M, Sand and Carbon filters, MGF and RO Plant and RO permeate collection tanks - 2 x 5 KL HDPE tanks. STP for Colony sewage: Septic tanks – 3 Nos., collection tank, and aeration tank – 16 x 16 x 2.9 m.  Whether all the units of ETP are in operation, if not state the reasons  Quantity of treated water reused (KLD)  Point of disposal  Trade effluents and domestic effluents from Plant: Treated effluents are party reused for cooling and remaining is discharged on land for gardening.  Section from where it is generated  WASTE  Section from where it is 1. ETP, 2. Bio Medical Waste, 3. DG Sets.  Quantity  1. ETP sludge– 300 Kgs/month, 2. Bio Medical Waste – 100 Kg/month, 3. Waste oils from DG sets – 200 Kg/month, 3. Waste oils from DG sets – 200 LpA.  Mode of disposal  1. ETP sludge – to TSDF, Dundigal , 2. Bio Medical Waste – to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets – 3 Nos., BMW Incinerator (presently not in use and DG Sets – 3 Nos. BMW Incinerator (presently not in use and DG Sets – 1010 KVA, 500 KVA & 500 KVA.  Fuel used  Height of the stack / stacks  Higher of control equipment is in operation at the time of Sets: Acoustic enclosures an provided.  Whether the control equipment is in operation at the time of Sets: Acoustic enclosures an provided.		indicates names & sizes)	
Wastewater collection cum Decontamination tanks (2 Nos.) – 1 x 1.5 x 5M, Holding tanks(3Nos.) – 6 x 6 x 2.5 M, equalization cum Neutralization tank, Aeration Tanks 1 & 2 - 8 x 8 x 2 M, Thickener, Sand bed – 18 x 15 x 0.3 M, Spray pond – 18 x 15 x 0.5 depth, collection tanks (2 Nos.) – 6 x 3 x 2.6 M, Sand and Carbon filters, MGF and RO Plant and RO permeate collection tanks – 2 x 5 KL HDPE tanks. STP for Colony sewage: Septic tanks – 3 Nos., collection tank, and aeration tank – 16 x 15 x 2.9 m.  Whether all the units of ETP are in operation, if not state the reasons Quantity of treated water reused (KLD)  Point of disposal Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening.  SollID WASTE  Section from where it is generated Quantity  Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening.  Polymestic: On land for gardening.  Polymestic: On land for gardening.  Polymestic: On land for gardening.  Polymestic: On land for gardening.  Polymenth,  By By By By By By By By By By By By By B	1	indicaces fiames & sizes/	
Decontamination tanks (2 Nos.) - 1 x 1.5 x 5M, Holding tanks(3Nos.) - 6 x 6 x 2.5 M, equalization cum Neutralization tank, Aeration Tanks 1 & 2 - 8 x 8 x 2 M, Thickkener, Sand bed - 18 x 15 x 0.3 M, Spray pond - 18 x 15 x 0.5 depth, collection tanks (2 Nos.) - 6 x 3 x 2.6 M, Sand and Carbon filters, MGF and RO Plant and RO permeate collection tanks - 2 x 5 K. HDPE tanks. STP for Colony sewage: Septic tanks - 3 Nos., collection tank, and aeration tank - 16 x 16 x 2.9 m.  Whether all the units of ETP are in operation, if not state the reasons Quantity of treated water reused (KLD)  Point of disposal  Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On land for gardening.  Section from where it is generated 2. Bio Medical Waste, 3. DG Sets.  Quantity 1. ETP, Sludge- 300 Kgs/month, 2. Bio Medical Waste - 100 Kg/month, 3. Waste oils from DG sets - 200 LPA.  Mode of disposal 1. ETP sludge - to TSDF, Dundigal, 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets - 4/Ns. Tanu Petro chemicals, IDA, PAshamaillaram.  Mode of disposal 1. ETP sludge - to TSDF, Dundigal, 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamaillaram.  Diesel fired Boilers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 1010 KVA, 500 KVA & 500 KVA.  Capacity 5TPH, 3TPH & 3 TPH (as stand by) DG Sets - 1010 KVA, 500 KVA & 500 KVA.  Fuel-used HSD Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures and provided.  Whether the control equipment Is in operation at the time of the time of the stack of the time of the			
x SM, Holding tanks(3Nos.) - 6 x 6 x 2.5 M, equalization cum Neutralization tank. Aeration Tanks 1 & 2 - 8 x 8 x 2 M, Thickener, Sand bed - 18 x 15 x 0.3 M, Spray pond - 18 x 15 x 0.5 depth, collection tanks (2 Nos.) - 6 x 3 x 2.6 M, Sand and Carbon filters, MGF and RO Plant and RO permeate collection tanks - 2 x 5 KL HDPE tanks. STP for Colony sewage: Septic tanks - 3 Nos., collection tank, and aeration tank - 16 x 16 x 2.9 m.  Whether all the units of ETP are in operation, if not state the reasons  Quantity of treated water reused (KLD)  Point of disposal  Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On land for gardening.  Section from where it is generated  Quantity  1. ETP, Sudge - 300 Kgs/month, 2. Bio Medical Waste, 3. DG Sets.  Quantity  1. ETP sludge - to TSDF, Dundigal , 2. Bio Medical Waste - 100 Kg/month, 3. Waste oils from DG sets - 40/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamaliaram.  Mode of disposal  Naste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamaliaram.  Capacity  TPH, 3TPH & 3 TPH (as stand by) DG Sets - 1010 KVA, 500 KVA & 500 KVA.  Fuel used  Height of the stack / stacks  Hight of the stack / stacks  Higher Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures and provided.  Whether the control equipment is in operation at the time of sets: Acoustic enclosures and provided.			
M, equalization cum Neutralization tank, Aeration Tanks 1 & 2 - 8 x 8 x 2 M, Thickener, Sand bed - 18 x 15 x 0.3 M Spray pond - 18 x 15 x 0.5 depth, collection tanks (2 Nos.) - 6 x 3 x 2.6 M, Sand and Carbon filters, MGF and RO Plant and RO permeate collection tanks - 2 x 5 KL HDPE tanks. STP for Colony sewage: Septic tanks - 3 Nos., collection tank, and aeration tank, and aeration tank - 16 x 16 x 2.9 m.  Whether all the units of ETP are in operation, if not state the reasons  Quantity of treated water reused (KLD)  Point of disposal  Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On land for gardening. Colony Domestic: On land for gardening.  9 SOLID WASTE / HAZARDOUS WASTE  • Section from where it is generated 2. Bio Medical Waste, 3. DG Sets.  • Quantity 1. ETP sludge - 300 Kgs/month, 2. Bio Medical Waste - 100 Kg/month, 2. Bio Medical Waste - 100 Kg/month, 3. Waste oils from DG sets - 200 LPA.  • Mode of disposal 1. ETP sludge - to TSDF, Dundigal , 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets - 4 M/s. Tanu Petro chemicals, IDA, PAshamailaram.  10 SOURCE OF AIR POLLUTION Diesel fired Boilers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 1010 KVA, 500 KVA & 500 KVA.  • Fuel used HSD Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Accounted enclosures are provided.  • Whether the control equipment Is in operation at the time of Sets: Acoustic enclosures are provided.		,	
Aeration Tanks 1 & 2 - 8 x 8 x 2 M, Thickener, Sand bed - 18 x 15 x 0.3 M, Spray pond - 18 x 15 x 0.5 depth, collection tanks (2 Nos.) - 6 x 3 x 2.6 M, Sand and Carbon filters, MGF and RO Plant and RO permeate collection tanks - 2 x 5 KL HDPE tanks. STP for Colony sewage: Septic tanks - 3 Nos., collection tank, and aeration tank - 16 x 16 x 2.9 m.  Whether all the units of ETP are in operation, if not state the reasons  Quantity of treated water reused (KLD)  Point of disposal  Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On land for gardening. Colony Domestic: On land for gardening.  Section from where it is generated  Section from where it is generated  Quantity  1. ETP sludge - 300 Kgs/month, Bio Medical Waste, 3. DG Sets.  Wode of disposal  1. ETP sludge - to TSDF, Dundigal, 2. Bio Medical Waste - 100 Kgs/month, 3. Waste oils from DG sets - 200 LPA.  Mode of disposal  1. ETP sludge - to TSDF, Dundigal, 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamailiaram.  10 SOURCE OF AIR POLLUTION  Diesel fired Bollers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 1010 KVA, 500 KVA & 500 KVA.  Fuel used  Height of the stack / stacks  Height of the stack / stacks  Nature of control equipment Is in operation at the time of Sets: Acoustic enclosures are provided.  Whether the control equipment Is in operation at the time of Sets: Acoustic enclosures are provided.			
Thickener, Sand bed – 18 x 15 x 0.3 M, Spray pond – 18 x 15 x 0.5 depth, collection tanks (2 Nos.) - 6 x 3 x 2.6 M, Sand and Carbon filters, MGF and RO Plant and RO permeate collection tanks – 2 x 5 KL HDPE tanks. STP for Colony sewage: Septic tanks – 3 Nos., collection tank, and aeration tank – 16 x 16 x 2.9 m.  Whether all the units of ETP are in operation, if not state the reasons  Quantity of treated water reused (KLD)  Point of disposal  Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening.  Colony Domestic: On land for gardening.  Section from where it is generated  Quantity  1. ETP sludge – 300 Kgs/month, 2. Bio Medical Waste, 3. DG Sets.  Quantity  1. ETP sludge – 100 Kg/month, 3. Waste oils from DG sets – 200 LPA.  Mode of disposal  1. ETP sludge – to TSDF, Dundigal, 2. Bio Medical Waste – 100 Kg/month, 3. Waste oils from DG sets – 200 LPA.  Mode of disposal  1. ETP sludge – to TSDF, Dundigal, 2. Bio Medical Waste – 100 Kg/month, 3. Waste oils from DG sets – 7 M/s. Tanu Petro chemicals, IDA, PAshamailaram.  10 SOURCE OF AIR POLLUTION  Diesel fired Boilers – 3 Nos., BMW Incinerator (presently not in use and DG Sets – 3 Nos.  BMW Incinerator (presently not in use and DG Sets – 1010 KVA, 500 KVA & 500 KVA.  Height of the stack / stacks  Soilers: Common stack of 30 m deters. Incinerator: A Stack of 30 M DG Sets: Stack of 18 ft Soilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.  Whether the control equipment Is in operation at the time of provided.			
Spray pond - 18 x 15 x 0.5 depth, collection tanks (2 Nos.) - 6 x 3 x 2.6 M, Sand and Carbon filters, MGF and RO Plant and RO permeate collection tanks - 2 x 5 K. HDPE tanks. STP for Colony sewage: Septic tanks - 3 Nos., collection tank, and aeration tank - 16 x 16 x 2.9 m.  Whether all the units of ETP are in operation, if not state the reasons  Quantity of treated water reused (KLD)  Point of disposal  Point of disposal  Point of disposal  Point of disposal  Trade effluents and domestic effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On land for gardening. Colony Domestic: On land for gardening.  Section from where it is generated  Quantity  Point of disposal:  Section from where it is generated  Do Sets: - 1 ETP sludge - 100 Kgs/month, 2. Bio Medical Waste, 3. D6 Sets.  Mode of disposal:  Mode of disposal:  SembRamky, CBMWTF, Isnapur.  Waste oils from DG sets - 200 LPA.  Mode of disposal:  SembRamky, CBMWTF, Isnapur.  Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamailiaram.  Diesel fired Bollers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.  SembRamky, CBMWTF, Isnapur.  Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamailiaram.  Diesel fired Bollers - 3 Nos. BMW Incinerator (presently not in use and DG Sets - 1010 KVA, 500 KVA & 500 KVA.  Fuel used  Height of the stack / stacks  Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: A Coustic enclosures are provided.  Whether the control equipment is in operation at the time of sets: Acoustic enclosures are provided.			
collection tanks (2 Nos.) - 6 x 3 x 2.6 M, Sand and Carbon filters, MGF and RO Plant and RO permeate collection tanks - 2 x 5 KL HDPE tanks. STP for Colony sewage: Septic tanks - 3 Nos., collection tank, and aeration tank - 16 x 16 x 2.9 m.  Whether all the units of ETP are in operation, if not state the reasons  Quantity of treated water reused (KLD)  Point of disposal  Point of disposal  Point of disposal  Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On land for gardening.  Section from where it is generated 2. Bio Medical Waste, 3. DG Sets.  Quantity  I. ETP, sludge-300 Kgs/month, 2. Bio Medical Waste - 100 Kg/month, 3. Waste oils from DG sets - 200 LPA.  Mode of disposal  I. ETP sludge - to TSDF, Dundigal , 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamailaram.  Diesel fired Bollers - 3 Nos.  MW Incinerator (presently not in use and DG Sets - 3 Nos.  Tanu Petro chemicals, IDA, PAshamailaram.  Diesel fired Bollers - 3 Nos.  Height of the stack / stacks  Height of the stack / stacks  Height of the stack / stacks  Height of the stack / stacks  Height of the stack / stacks  Nature of control equipment is in operation at the time of the time t	l i		Thickener, Sand bed - 18 x 15 x 0.3 M,
Sand and Carbon filters, MGF and RO Plant and RO permeate collection tanks 2 x 5 KL HDPE tanks. STP for Colony sewage: Septic tanks - 3 Nos., collection tanks, and aeration tank - 16 x 16 x 2.9 m.    Whether all the units of ETP are in operation, if not state the reasons   Quantity of treated water reused (KLD)   Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On	•		
Plant and RO permeate collection tanks - 2 x 5 KL HDPE tanks. STP for Colony sewage: Septic tanks - 3 Nos., collection tank, and aeration tank - 16 x 15 x 2.9 m.  Whether all the units of ETP are in operation, if not state the reasons  Quantity of treated water reused (KLD)  Point of disposal  Poi			
2 x 5 KL HDPE tanks. STP for Colony sewage: Septic tanks - 3 Nos., collection tank, and aeration tank - 16 x 15 x 2.9 m.  Whether all the units of ETP are in operation, if not state the reasons  Quantity of treated water reused (KLD)  Point of disposal  Point of disposal  Point of disposal  Point of disposal  Point of disposal  Point of disposal  Point: Treated effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On land for gardening. Colony Domestic: On land for gardening.  Point of disposal  Point of disposal  Point: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On land for gardening. Colony Domestic: On land for gardening.  Point of generated  Diesel.  Point of disposal  1. ETP, 2. Bio Medical Waste, 3. DG Sets.  Point of disposal  1. ETP sludge - 300 Kgs/month, 2. Bio Medical Waste - 100 Kg/month, 3. Waste oils from DG sets - 200 LPA.  Point of disposal  Point of disposal  Point of generation and domestic effluents are partly reused from DG sets.  Point of generation and disposal disp			Sand and Carbon filters, MGF and RO
sewage: Septic tanks - 3 Nos., collection tank, and aeration tank - 16 x 16 x 2.9 m.  Whether all the units of ETP are in operation, if not state the reasons  Quantity of treated water reused (KLD)  Point of disposal  Point of disposal  Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On land for gardening. Colony Domestic: On land for gardening. Colony Domestic: On land for gardening.  Solid WASTE  Section from where it is generated  Quantity  1. ETP, 2. Bio Medical Waste, 3. DG Sets.  Quantity  1. ETP sludge - 300 Kgs/month, 2. Bio Medical Waste - 100 Kg/month, 3. Waste oils from DG sets - 200 LPA.  Mode of disposal  1. ETP sludge - to TSDF, Dundigal, 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamaliaran.  10 SOURCE OF AIR POLLUTION  Diesel fired Bollers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.) BMW Incinerator (presently not in use and DG Sets - 1010 KVA, 500 KVA & 500 KVA.  • Fuel used  HSD  Height of the stack / stacks  Nature of control equipment Is in operation at the time of  Whether the control equipment Is in operation at the time of			Plant and RO permeate collection tanks -
sewage: Septic tanks - 3 Nos., collection tank, and aeration tank - 16 x 16 x 2.9 m.  Whether all the units of ETP are in operation, if not state the reasons  Quantity of treated water reused (KLD)  Point of disposal  Point of disposal  Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On land for gardening. Colony Domestic: On land for gardening. Colony Domestic: On land for gardening.  Solid WASTE  Section from where it is generated  Quantity  1. ETP, 2. Bio Medical Waste, 3. DG Sets.  Quantity  1. ETP sludge - 300 Kgs/month, 2. Bio Medical Waste - 100 Kg/month, 3. Waste oils from DG sets - 200 LPA.  Mode of disposal  1. ETP sludge - to TSDF, Dundigal, 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamaliaran.  10 SOURCE OF AIR POLLUTION  Diesel fired Bollers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.) BMW Incinerator (presently not in use and DG Sets - 1010 KVA, 500 KVA & 500 KVA.  • Fuel used  HSD  Height of the stack / stacks  Nature of control equipment Is in operation at the time of  Whether the control equipment Is in operation at the time of	-		2 x 5 KL HDPE tanks. STP for Colony
tank, and aeration tank - 16 x 16 x 2.9 m.  Whether all the units of ETP are in operation, if not state the reasons  Quantity of treated water reused (KLD)  Point of disposal  Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On land for qardening.  Section from where it is generated  WASTE  Section from where it is generated  Quantity  I. ETP, 2. Bio Medical Waste, 3. DG Sets.  Quantity  I. ETP sludge - 300 Kgs/month, 2. Bio Medical Waste - 100 Kg/month, 3. Waste oils from DG sets - 200 LPA.  Mode of disposal  I. ETP sludge - to TSDF, Dundigal, 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamailaram.  SOURCE OF AIR POLLUTION  Diesel fired Boilers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.  Tanu Petro chemicals, IDA, PAshamailaram.  Diesel fired Boilers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 1010 KVA, 500 KVA & 500 KVA.  HSD  Height of the stack / stacks  Height of the stack / stacks  Nature of control equipment  Is in operation at the time of  Whether the control equipment Is in operation at the time of		•	
Whether all the units of ETP are in operation, if not state the reasons  Quantity of treated water reused (KLD)  **Node of disposal**  **Mode Of AIR POLLUTION**  **Source OF AIR POLLUTION**  **Source OF AIR POLLUTION**  **Source OF AIR POLLUTION**  **Source OF AIR Pollution**  **Mode of control equipment Is in operation at the time of operation of the time of provided.**  **Mode of control equipment Is in operation at the time of operation at the time of operation at the time of operation at the time of operation at the time of operation at the time of operation at the time of operation at the time of operation at the time of operation and domestic effluents and domestic effluents and domestic effluents from Plant: Treated effluents and domestic effluents from Plant: Treated effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and domestic effluents and domestic effluents are partly reused for cooling and domestic effluents are partly reused from Plant: Treated effluents are partly reused for cooling and domestic effluents are partly reused for partlengths. Treated effluents are partly reused for cooling and remaining is discharged on land for gardening.  Trade effluents and domestic effluents are partly reused for partlengths. In the part of partlengths are partly reused for cooling and remaining is discharged on land for gardening.  Trade effluents and domestic effluents are partly reused for cooling and remaining is discharged on land for gardening.  Trade effluents and domestic effluents are partly reused for cooling and remaining is discharged on land for gardening.  Trade effluents and domestic effluents are partly reused for cooling and remaining is discharged on land for gardening.  Trade effluents and domestic effluents are partly reused for cooling and remaining is discharged on land for gardening.  Trade effluents and domestic effluents are partly reused for cooling and rema			tank, and aeration tank - 16 x 16 x 2.9
in operation, if not state the reasons Quantity of treated water reused (KLD)  Point of disposal  Point of disposal  Point: Treated effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On land for gardening.  Solid WASTE  Section from where it is generated  Quantity  1. ETP, 2. Bio Medical Waste, 3. DG Sets.  Quantity  1. ETP sludge 300 Kgs/month, 2. Bio Medical Waste – 100 Kg/month, 3. Waste oils from DG sets – 200 LPA.  Mode of disposal  1. ETP sludge – to TSDF, Dundigal, 2. Bio Medical Waste – to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets – M/s. Tanu Petro chemicals, IDA, PAShamāliaram.  10 SOURCE OF AIR POLLUTION  Diesel fired Bollers – 3 Nos., BMW Incinerator (presently not in use and DG Sets – 3 Nos.  STPH, 3TPH & 3 TPH ( as stand by) DG Sets – 1010 KVA, 500 KVA & 500 KVA.  Fuel used  HSD  Height of the stack / stacks  Nature of control equipment Is in operation at the time of  Whether the control equipment Is in operation at the time of			m.
Quantity of treated water reused (KLD)  Point of disposal  Point of disposal  Point of disposal  Point of disposal  Point of disposal  Point of disposal  Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On land for qardening.  Point of maker it is generated  Point		Whether all the units of ETP are	Yes
Quantity of treated water reused (KLD)  Point of disposal  Point of disposal  Point of disposal  Point of disposal  Point of disposal  Point of disposal  Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On land for qardening.  Point of maker it is generated  Point		in operation, if not state the	
reused (KLD)  Point of disposal  Frade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening.  Solid Waste / HAZARDOUS  WASTE  Section from where it is generated  Quantity  I. ETP, Sludge- 300 Kgs/month, Slo Medical Waste - 100 Kg/month, Waste oils from DG sets - 200 LPA.  Mode of disposal  I. ETP sludge - to TSDF, Dundigal / 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur. Waste oils from DG sets - M/s. SembRamky, CBMWTF, Isnapur. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamailaram.  Diesel fired Boilers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.  Capacity  Fuel used  Height of the stack / stacks  Nature of control equipment Is in operation at the time of  Whether the control equipment Is in operation at the time of  Whether the control equipment Is in operation at the time of			
reused (KLD)  Point of disposal  Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening.  SOLID WASTE / HAZARDOUS WASTE  Section from where it is generated  Quantity  1. ETP, sludge- 300 Kgs/month, 3. Waste oils from DG sets - 200 LPA.  Mode of disposal  Maste oils from DG sets - 200 LPA.  Mode of disposal  1. ETP sludge - to TSDF, Dundigal, 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamaliaram.  Diesel fired Bollers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.)  MW Incinerator (presently not in use and DG Sets - 1010 KVA, 500 KVA & 500 KVA.  Fuel used  Height of the stack / stacks  Nature of control equipment Is in operation at the time of  Whether the control equipment Is in operation at the time of		Quantity of treated water	70 KLD .
Point of disposal  Trade effluents and domestic effluents from Plant: Treated effluents are partly reused for cooling and remaining is discharged on land for gardening. Colony Domestic: On land for gardening.  Section from where it is generated  Section from where it is generated  Quantity  1. ETP, 2. Bio Medical Waste, 3. DG Sets. DG Sets. Quantity  1. ETP sludge 300 Kgs/month, 2. Bio Medical Waste - 100 Kg/month, 3. Waste oils from DG sets - 200 LPA.  Mode of disposal  1. ETP sludge - to TSDF, Dundigal , 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamaliaram.  Diesel fired Bollers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.  Capacity  DG Sets - 3 Nos.  TPH, 3TPH & 3 TPH ( as stand by) DG Sets - 1010 KVA, 500 KVA & 500 KVA.  Height of the stack / stacks Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Stack of 18 ft Boilers: Cammon stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.  Whether the control equipment is in operation at the time of	L		
from Plant: Treated effluents are partly reused for cooling and remaining is discharged on tand for gardening.  9 SOLID WASTE / HAZARDOUS WASTE  • Section from where it is generated  • Quantity  1. ETP, 2. Bio Medical Waste, 3. DG Sets.  • Quantity  1. ETP sludge- 300 Kgs/month, 2. Bio Medical Waste - 100 Kg/month, 3. Waste oils from DG sets - 200 LPA.  • Mode of disposal  1. ETP sludge - to TSDF, Dundigal, 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamailaram.  10 SOURCE OF AIR POLLUTION  Diesel fired Boilers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.  • Capacity  Tanu Petro Chemicals, IDA, PAShamailaram.  Diesel fired Boilers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 1010 KVA, 500 KVA & 500 KVA.  • Fuel used  • Height of the stack / stacks  Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Stack of 18 ft  • Nature of control equipment Is in operation at the time of  • Whether the control equipment Is in operation at the time of			Trade effluents and domestic effluents
reused for cooling and remaining is discharged on land for gardening.  Solid Waste / Hazardous Waste  Section from where it is generated  Quantity  1. ETP, 2. Bio Medical Waste, 3. DG Sets.  Quantity  1. ETP sludge—300 Kgs/month, 2. Bio Medical Waste – 100 Kg/month, 3. Waste oils from DG sets – 200 LPA.  Mode of disposal  1. ETP sludge – to TSDF, Dundigal, 2. Bio Medical Waste – to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets – M/s. Tanu Petro chemicals, IDA, PAshamailaram.  10 SOURCE OF AIR POLLUTION  Diesel fired Bollers – 3 Nos., BMW Incinerator (presently not in use and DG Sets – 3 Nos.  STPH, 3TPH & 3 TPH ( as stand by) DG Sets – 1010 KVA, 500 KVA & 500 KVA.  Fuel used  Height of the stack / stacks Nature of control equipment is in operation at the time of  Whether the control equipment is in operation at the time of			
discharged on land for gardening.  9 SOLID WASTE / HAZARDOUS WASTE  • Section from where it is generated  • Quantity  • Quantity  • Mode of disposal  • Mode of disposal  • Mode of disposal  • Mode of disposal  • Mode of disposal  • Mode of AIR POLLUTION  10 SOURCE OF AIR POLLUTION  • Capacity  • Fuel used  • Height of the stack / stacks  • Nature of control equipment is in operation at the time of  • Whether the control equipment is in operation at the time of  • Whether the control equipment is in operation at the time of  • Whether the control equipment is in operation at the time of			reused for cooling and remaining is
Colony Domestic: On land for gardening.		المناز المهي سينده دالما	discharged on land for partiening
Section from where it is generated 2. Bio Medical Waste, 3. DG Sets.  Quantity 1. ETP sludge—300 Kgs/month, 2. Bio Medical Waste—100 Kg/month, 3. Waste oils from DG sets—200 LPA.  Mode of disposal 1. ETP sludge—to TSDF, Dundigal 2. Bio Medical Waste—to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets—M/s. Tanu Petro chemicals, IDA, PAshamailaram.  Diesel fired Bollers—3 Nos., BMW Incinerator (presently not in use and DG Sets—3 Nos.  Capacity 5TPH, 3TPH & 3 TPH ( as stand by) DG Sets—1010 KVA, 500 KVA & 500 KVA.  Fuel used HSD Height of the stack / stacks Boilers: Common stack of 30 meters. Incinerator: A Stack of 18 ft Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.  Whether the control equipment is in operation at the time of			
• Section from where it is generated  9	9	SOLID WASTE / HAZARDOUS	
generated  2. Bio Medical Waste, 3. DG Sets.  Quantity  1. ETP sludge 300 Kgs/month, 2. Bio Medical Waste - 100 Kg/month, 3. Waste oils from DG sets - 200 LPA.  Mode of disposal  1. ETP sludge - to TSDF, Dundigal, 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur, 3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamailaram.  Diesel fired Boilers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.  Tanu Petro chemicals, IDA, PAshamailaram.  Diesel fired Boilers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.  Tanu Petro chemicals, IDA, PAshamailaram.  Diesel fired Boilers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 1010 KVA, 500 KVA & 500 KVA.  Fuel used HSD Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Stack of 18 ft Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.  Whether the control equipment is in operation at the time of		WASTE	
3. DG Sets.  Quantity  1. ETP sludge - 300 Kgs/month, 2. Bio Medical Waste - 100 Kg/month, 3. Waste oils from DG sets - 200 LPA.  Mode of disposal  1. ETP sludge - to TSDF, Dundigal 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamailaram.  Diesel fired Boilers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos. STPH, 3TPH & 3 TPH ( as stand by) DG Sets - 1010 KVA, 500 KVA & 500 KVA.  Fuel used Height of the stack / stacks Incinerator: A Stack of 30 meters.		Section from where it is	
3. DG Sets.  Quantity  1. ETP sludge - 300 Kgs/month, 2. Bio Medical Waste - 100 Kg/month, 3. Waste oils from DG sets - 200 LPA.  Mode of disposal  1. ETP sludge - to TSDF, Dundigal 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamailaram.  Diesel fired Boilers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos. STPH, 3TPH & 3 TPH ( as stand by) DG Sets - 1010 KVA, 500 KVA & 500 KVA.  Fuel used Height of the stack / stacks Incinerator: A Stack of 30 meters.		generated	2. Bio Medical Waste,
Quantity  1. ETP sludge- 300 Kgs/month, 2. Bio Medical Waste - 100 Kg/month, 3. Waste oils from DG sets - 200 LPA.  Mode of disposal  1. ETP sludge - to TSDF, Dundigal, 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur, 3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamailaram.  Diesel fired Boilers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.  STPH, 3TPH & 3 TPH ( as stand by) DG Sets - 1010 KVA, 500 KVA & 500 KVA.  Fuel used  Height of the stack / stacks  Height of the stack / stacks  Nature of control equipment Is in operation at the time of		_	
2. Bio Medical Waste - 100 Kg/month, 3. Waste oils from DG sets - 200 LPA.  • Mode of disposal  1. ETP sludge - to TSDF, Dundigal 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamailaram.  10 SOURCE OF AIR POLLUTION  Diesel fired Bollers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.  • Capacity  STPH, 3TPH & 3 TPH ( as stand by) DG Sets - 1010 KVA, 500 KVA & 500 KVA.  • Height of the stack / stacks Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets : Stack of 18 ft Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.  • Whether the control equipment is in operation at the time of	•	Quantity	1. ETP sludge- 300 Kas/month
Kg/month,  3. Waste oils from DG sets - 200 LPA.  • Mode of disposal  1. ETP sludge - to TSDF, Dundigal ,  2. Bio Medical Waste - to M/s.  SembRamky, CBMWTF, Isnapur.  3. Waste oils from DG sets + M/s.  Tanu Petro chemicals, IDA,  PAshamailaram.  10 SOURCE OF AIR POLLUTION  Diesel fired Bollers - 3 Nos.,  BMW Incinerator (presently not in use and DG Sets - 3 Nos.  • Capacity  STPH,  3TPH & 3 TPH ( as stand by)  DG Sets - 1010 KVA, 500 KVA & 500 KVA.  • Fuel used  HSD  • Height of the stack / stacks  Boilers: Common stack of 30 meters.  Incinerator: A Stack of 30 M  DG Sets: Stack of 18 ft  Boilers: Common stack of 30 meters.  Incinerator: A Stack of 30 M  DG Sets: Acoustic enclosures are provided.  • Whether the control equipment is in operation at the time of		•	
3. Waste oils from DG sets - 200 LPA.  Mode of disposal  1. ETP sludge - to TSDF, Dundigal 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur 3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamailaram.  Diesel fired Boilers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.  Tanu Petro chemicals, IDA, PAshamailaram.  Diesel fired Boilers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.  The language - to TSDF, Dundigal DG Sets - M/s. Tanu Petro chemicals, IDA, PAshamailaram.  Diesel fired Boilers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 1010 KVA, 500 KVA & 500 KVA. The language - to TSDF, Dundigal DA Sets - MASTOR - M/s.  Tanu Petro chemicals, IDA, PAShamailaram.  DG Sets - 1010 KVA, 500 KVA & 500 KVA & 500 KVA. The language - to TSDF, Dundigal DA Sets - MASTOR - M/s.  Tanu Petro chemicals, IDA, PAShamailaram.  DG Sets - 1010 KVA, 500 KVA & 500 KVA & 500 KVA. The language - to TSDF, Dundigal DA Sets - MASTOR - M/s.  Tanu Petro chemicals, IDA, PAShamailaram.  DG Sets - 1010 KVA, 500 KVA & 500 KVA & 500 KVA. The language - to TSDF, Dundigal DA Sets - 1010 KVA, 500 KVA & 500 KVA & 500 KVA. The language - to TSDF, Dundigal DA Sets - 1010 KVA, 500 KVA & 500 KVA & 500 KVA. The language - to TSDF, Dundigal DA Sets - 1010 KVA, 500 KVA & 500 KVA & 500 KVA. The language - to TSDF, Dundigal DA Sets - 1010 KVA, 500 KVA & 500 KVA & 500 KVA. The language - to TSDF, Dundigal DA Sets - 1010 KVA, 500 KVA & 5	1		Kg/month.
Mode of disposal     1. ETP sludge - to TSDF, Dundigal , 2. Bio Medical Waste - to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamailaram.  10 SOURCE OF AIR POLLUTION Diesel fired Bollers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.      Capacity STPH, 3TPH (as stand by) DG Sets - 1010 KVA, 500 KVA & 500 KVA.      Fuel used HSD Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Stack of 18 ft  Nature of control equipment Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.  Whether the control equipment is in operation at the time of			3. Waste pils from DG sets - 200
Mode of disposal  1. ETP sludge – to TSDF, Dundigal , 2. Bio Medical Waste – to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets + M/s. Tanu Petro chemicals, IDA, PAshamailaram.  10 SOURCE OF AIR POLLUTION Diesel fired Bollers – 3 Nos., BMW Incinerator (presently not in use and DG Sets – 3 Nos.  The stand by) DG Sets – 1010 KVA, 500 KVA & 500 KVA.  Fuel used HSD Boilers: Common stack of 30 meters. Incinerator: A Stack of 18 ft Boilers: Ctmmon stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Stack of 18 ft Boilers: Ctmmon stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.  Whether the control equipment is in operation at the time of			
2. Bio Medical Waste – to M/s. SembRamky, CBMWTF, Isnapur. 3. Waste oils from DG sets – M/s. Tanu Petro chemicals, IDA, PAshamailaram.  10 SOURCE OF AIR POLLUTION Diesel fired Bollers – 3 Nos., BMW Incinerator (presently not in use and DG Sets – 3 Nos.  STPH, 3TPH & 3 TPH ( as stand by) DG Sets – 1010 KVA, 500 KVA & 500 KVA.  Fuel used HSD Height of the stack / stacks Boilers: Common stack of 30 meters. Incinerator: A Stack of 18 ft Boilers: Cammon stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Stack of 18 ft Boilers: Cammon stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.  Whether the control equipment is in operation at the time of	•	Mode of disposal	· · · · · · · · · · · · · · · · · · ·
SembRamky, CBMWTF, Isnapur.  3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamailaram.  10 SOURCE OF AIR POLLUTION Diesel fired Bollers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.  • Capacity STPH, 3TPH & 3 TPH ( as stand by) DG Sets - 1010 KVA, 500 KVA & 500 KVA.  • Fuel used HSD  • Height of the stack / stacks Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Stack of 18 ft  • Nature of control equipment Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.  • Whether the control equipment is in operation at the time of		•	2. Bio Medical Waste - to M/s
3. Waste oils from DG sets - M/s. Tanu Petro chemicals, IDA, PAshamailaram.  10 SOURCE OF AIR POLLUTION Diesel fired Bollers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.  • Capacity  STPH, 3TPH & 3 TPH ( as stand by) DG Sets - 1010 KVA, 500 KVA & 500 KVA.  • Fuel used HSD Boilers: Common stack of 30 meters. Incinerator: A Stack of 18 ft Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Stack of 18 ft Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.  • Whether the control equipment is in operation at the time of			SembRamky, CBMWTF Isnaous
Tanu Petro chemicals, IDA, PAshamailaram.  10 SOURCE OF AIR POLLUTION Diesel fired Bollers — 3 Nos., BMW Incinerator (presently not in use and DG Sets — 3 Nos.  • Capacity  Tanu Petro chemicals, IDA, PAshamailaram.  Diesel fired Bollers — 3 Nos., BMW Incinerator (presently not in use and DG Sets — 3 Nos.  5TPH, 3TPH & 3 TPH (as stand by) DG Sets — 1010 KVA, 500 KVA & 500 KVA.  • Fuel used HSD Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Stack of 18 ft Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.  • Whether the control equipment is in operation at the time of			3. Waste oils from DC cate - M/c
PAshamailaram.  Diesel fired Bollers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.  Capacity  The last and DG Sets - 1010 KVA, 500 KVA & 500 KVA.  Fuel used HSD  Height of the stack / stacks  HSD  Height of the stack / stacks  Nature of control equipment  Whether the control equipment is in operation at the time of		· ·	
Diesel fired Bollers - 3 Nos., BMW Incinerator (presently not in use and DG Sets - 3 Nos.  Capacity  The and DG Sets - 3 Nos.  The and DG Sets - 3 Nos.  The and DG Sets - 1010 KVA, 500 KVA & 500 KVA.  Height of the stack / stacks  HSD  Height of the stack / stacks  HSD  Boilers: Common stack of 30 meters. Incinerator: A Stack of 18 ft  Nature of control equipment  Nature of control equipment  Whether the control equipment is in operation at the time of	1		PAchamailaram
BMW Incinerator (presently not in use and DG Sets - 3 Nos.  Capacity  TPH,  3TPH & 3 TPH ( as stand by)  DG Sets - 1010 KVA, 500 KVA & 500 KVA.  HSD  Height of the stack / stacks  HSD  Boilers: Common stack of 30 meters.  Incinerator: A Stack of 30 M  DG Sets: Stack of 18 ft  Nature of control equipment  Boilers: Common stack of 30 meters.  Incinerator: A Stack of 30 M  DG Sets: Acoustic enclosures are provided.  Whether the control equipment is in operation at the time of	10	SOURCE OF ATR POLLUTTON	Diecel fired Bollars - 2 Nos
and DG Sets - 3 Nos.  Capacity  TPH, 3TPH & 3 TPH ( as stand by) DG Sets - 1010 KVA, 500 KVA & 500 KVA  HSD Height of the stack / stacks Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Stack of 18 ft Nature of control equipment Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.  Whether the control equipment is in operation at the time of		JOSHUE OF MICHOLIUM	RMW Incinerator (proceedly not in the
DG Sets - 3 Nos.  Capacity  TPH,  3TPH & 3 TPH (as stand by)  DG Sets - 1010 KVA, 500 KVA & 500 KVA.  Height of the stack / stacks  HSD  Boilers: Common stack of 30 meters.  Incinerator: A Stack of 30 M  DG Sets: Stack of 18 ft  Boilers: Common stack of 30 meters.  Incinerator: A Stack of 30 meters.	1.		
Capacity  STPH,  3TPH & 3 TPH ( as stand by)  DG Sets - 1010 KVA, 500 KVA & 500 KVA.  Fuel used  HSD  Boilers: Common stack of 30 meters.  Incinerator: A Stack of 30 M  DG Sets: Stack of 18 ft  Nature of control equipment  Nature of control equipment  Whether the control equipment is in operation at the time of  STPH,  3TPH & 3 TPH ( as stand by)  Boilers: Common stack of 30 meters.  Incinerator: A Stack of 30 M  DG Sets: Acoustic enclosures are provided.  Whether the control equipment is in operation at the time of	ľ		1
3TPH & 3 TPH ( as stand by) DG Sets - 1010 KVA, 500 KVA & 500 KVA.  • Fuel used HSD • Height of the stack / stacks  • Nature of control equipment Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Stack of 18 ft Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 meters. Incinerator: A Stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.  • Whether the control equipment is in operation at the time of	<b> </b>	Constant of the constant of th	
DG Sets - 1010 KVA, 500 KVA & 500 KVA.  • Fuel used HSD  • Height of the stack / stacks Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Stack of 18 ft  • Nature of control equipment Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 meters. Incinerator: A Stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.  • Whether the control equipment is in operation at the time of	1 .	Capacity	
KVA.     Fuel used HSD     Height of the stack / stacks     Height of the stack / stacks     Nature of control equipment     Nature of control equipment     Whether the control equipment is in operation at the time of  KVA. HSD  Boilers: Common stack of 30 meters. Incinerator: A Stack of 18 ft  Boilers: Ctmmon stack of 30 meters. Incinerator: A Stack of 30 meters. Incinerator: A Stack of 30 meters. Acoustic enclosures are provided.  Whether the control equipment is in operation at the time of			SIPH & SIPH ( as stand by)
Fuel used HSD     Height of the stack / stacks     Incinerator: A Stack of 30 M DG Sets: Stack of 18 ft     Nature of control equipment     Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.      Whether the control equipment is in operation at the time of	1	•	
Height of the stack / stacks     Boilers: Common stack of 30 meters.     Incinerator: A Stack of 30 M     DG Sets: Stack of 18 ft      Nature of control equipment     DG Sets: Common stack of 30 meters.     Incinerator: A Stack of 30 M     DG Sets: Acoustic enclosures are provided.      Whether the control equipment is in operation at the time of	-		
Incinerator: A Stack of 30 M DG Sets: Stack of 18 ft  Nature of control equipment  Incinerator: A Stack of 18 ft  Boilers: Cummon stack of 30 meters.  Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.  Whether the control equipment is in operation at the time of	-		
Nature of control equipment     Nature of control equipme	•	neight of the stack / stacks	
Nature of control equipment Boilers: Common stack of 30 meters. Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.  Whether the control equipment is in operation at the time of			
Incinerator: A Stack of 30 M DG Sets: Acoustic enclosures are provided.  Whether the control equipment is in operation at the time of		Nature of control equipment	
DG Sets: Acoustic enclosures are provided.      Whether the control equipment is in operation at the time of		The state of control equipment	
Whether the control equipment is in operation at the time of	1.		55 5-4
Whether the control equipment is in operation at the time of	F.		
is in operation at the time of	<u> </u>	Whather the control on in-	
1 1	1		
L I IIISPECTIVIT.		1	
	L	i mayettidii.	

M/s. Khoday Industries Hyd Pvt. Ltd., (Formerly M/s. Omar Khayyam wineries), Shamshabad (M), R.R.District.

	0	Whether the industry has	Yes
i		provided sampling port hole(s)	
		as per the standard	·
L		specifications	
	a	Whether alternate site allocated	No
		or acquired	
1	٠	Time bound action plan from	The industry has not submitted any
_		industry for shifting	action plan for relocation.

52 32 4 A

The Board issued EFO to the industry on with validity upto 30.04.2000 and HWA issued on 23.09.2000 with validity upto 22.09.2002. The industry has been applying for renewal of the CFO & HWA. The latest application for renewal was submitted on 20.05.2009 and the same was returned by this office on 11.06.2009 in view of the GO. Ms. 111.

The Board officials inspected the industry on 20.08.2010 and observed the following:

- M/s. Indian Immunologicals Limited is located at Survey No. 26, Rakshapuram, Gachibowli (V), Serilingampally (M), Rangareddy District and engaged in the manufacture of Veterinary vaccines. The industry has manufactured various Vaccines of 71.4 Million Doses during the year 2009-10.
- The effluents generated from process, washings, boiler blow down and regeneration sections along with domestic waste water generated from the plant is treated in the ETP and part of the treated wastewater after passing through RO system is being reused in the cooling tower makeup, remaining is discharged on land for gardening.
- The industry is also having a sewage treatment plant for colony domestic wastewater with the following units: Septic tank, Collection tank and Aeration tank. During the inspection, the STP was under maintenance.
- 4. The industry is having 3 diesel fired boilers of capacity 5 TPH, 2 X 3 TPH and a common chimney of 30 m height is provided to the boilers. Out of the three boilers, 5 TPH boiler is under use and the remaining 2 Nos. of 3 TPH boilers are kept as standby.
- 5. The industry generates solid waste such as ETP sludge, Blo Medical Waste and waste oils. The ETP sludge is lifted to TSDF, Dundigal. The details of ETP sludge sent to TSDF (in Kgs.): Jan'10 290, Feb'10 235, Apr'10 490, May'10 280, Jun'10 455 and July'10 375.
- May'10 280, Jun'10 455 and July'10 375.

  BMW sent to M/s. SembRamky, a CBMWTF located at Isnapur(V), Patancheru(M). The details of BMW sent (in Kgs.): Feb'10 107, Mar'10 216, Apr'10 161, May'10 159, Jun'10 136.5 and July'10 115.
- The industry has lifted 300 Lt of waste oils to M/s. Tanu Petrochemicals, IDA, Pashamailaram on 15.03.2010.
- 8. The Board issued CFO to the industry in month of October 1997 with validity upto 30.04.2000 and HWA issued on 23.09.2000 with validity upto 22.09.2002. The industry has been applying for renewal of the CFO & HWA. The latest application for renewal was submitted on 20.05.2009 and the same was returned by this office on 11.05.2009 in view of the GO. Ms. 111 and subsequent Court Orders.

The Board vide notice dated 19.11.2010 issued a show cause notice to the industry for locating the industry within prohibited zone of 10 KM radius of Himayatsagar & Osmansagar lakes, operating without consents of the Board, causing pollution in the area and not shifting the industry from the prohibited zone.

The industry vide letter dated 14.12.2010 submitted reply to the above show cause notice stating that:

 M/s. Indian Immunologicals Limited is a wholly owned subsidiary of the National Dairy Development Board. They are manufacturing life saving vaccines for animals & human and supply these vaccines to the GoI and several state govt., for the last 30 years.



- 2. They have submitted a study report jointly prepared by EPTRI, NGRI & ANGRAU which stated no surface run-off from their industrial area contribute surface flows into Osmansagar & Himayatsagar lakes and the groundwater in M/s.Indian Immunologicals Limited watershed flows from plant area towards Lingampally area.
- They are using the treated water for irrigation purpose in their own land and installed latest technology equipments to minimize the air pollution.
- 4. They have requested to withdraw the show cause notice and renew the CFO R HWA

The case was reviewed before the committee on 01.06.2011 for taking suitable action against the industry. The representatives of the industry attended the hearing and informed the following to the committee:

- Their industry is situated in an area of about 214 acres and operating since 1981 and wholly owned subsidiary of the National Dairy Development Board.
- They are manufacturing life saving vaccines for animals & human and supply these vaccines to the GoI and several state govt's...
- 3. They are not causing any pollution due to the present activity.
- They requested to allow them to operate in the existing premises as shifting their industry requires considerable time and huge investment.

The committee noted the following:

- The industry's activity is categorized under 'Red' category i.e., Biotechnology.
- The industry generates effluents from the process operations and also domestic waste water from their town ship.
- The industry generates wastes viz., ETP sludge, Bio-Medical Waste, waste oils, etc.,
- The industry is having three diesel fired boilers of 5 TPH & 3 TPH (2 Nos) which are sources of air pollution.
- The industry has pollution potential and is located within 10 KM radius of Himayatsagar & Osmansagar lakes.

After detailed discussions, the committee directed the industry representatives to furnish time bound action plan for relocation of the industry within a week. In case no action plan is received, a notice shall be issued to the industry to submit time bound action plan for relocation of the industry.

#### **DECISION TAKEN:**

# M/s. Biological E. Ltd..Sy. No. 252-257 & 259, Gaganpahad. Ranga Reddy District:

The representatives of the industry attended the hearing and informed the following to the committee:

- 1. Their unit has established before the issue of G.O.Ms.No.111.
- Their vaccine manufacturing operations are clean-room operations and non-polluting activity. The unit is 2<sup>nd</sup> in India which got WHO-Geneva Accreditation for manufacture of certain vaccines.
- The vaccines manufactured at their unit about 60-70 % vaccines are supplied to Govt., of India.
- The process of shifting the unit has to be informed to Govt, of India due to commitments for supply of vaccines.
- The representatives requested the Board to treat their unit as special category unit and allow operating at existing location.
- If still Board Insists for re-location of the unit, they will submit the time bound action plan for shifting after due consultation with various stake holders within 20-30 days.

 M/s. Khoday Industries Hyd Pvt. Ltd., (Formerly M/s. Omar Khayyam wineries), Shamshabad (M), R.R.District.

•	Whether the industry has	Yes
	provided sampling port hole(s)	
	as per the standard	
	specifications	
٥	Whether alternate site allocated	No
!	or acquired	
د	Time bound action plan from	The industry has not submitted any
į	industry for shifting	action plan for relocation.

The Board issued CFO to the industry on with validity upto 30.04.2000 and HWA issued on 23.09.2000 with validity upto 22.09.2002. The industry has been applying for renewal of the CFO & HWA. The letest application for renewal was submitted on 20.05.2009 and the same was returned by this office on 11.06.2009 in view of the GO. Ms. 111.

The Board officials inspected the industry on 20.08.2010 and observed the following:

- M/s. Indian Immunologicals Limited is located at Survey No. 26, Rakshapuram, Gachibowli (V), Serifingampally (M), Rangareddy District and engaged in the manufacture of Veterinary vaccines. The industry has manufactured various Vaccines of 71.4 Million Doses during the year 2009-10.
- The effluents generated from process, washings, boiler blow down and regeneration sections along with domestic waste water generated from the plant is treated in the ETP and part of the treated wastewater after passing through RO system is being reused in the cooling tower makeup, remaining is discharged on land for gardening.
- 5. The industry is also having a sewage treatment plant for colony domestic wastewater with the following units: Septic tank, Collection tank and Aeration tank. During the inspection, the STP was under maintenance.
- 4. The industry is having 3 diesel fired boilers of capacity 5 TPH, 2-X 3 TPH and a common chimney of 30 m height is provided to the boilers. Out of the three boilers, 5 TPH boiler is under use and the remaining 2 Nos. of 3 TPH boilers are kept as standby.
- The industry generates solid waste such as ETP sludge, Bio Medical Waste and waste oils. The ETP sludge is lifted to TSDF, Dundigal. The details of ETP sludge sent to TSDF (in Kgs.): Jan'10 – 290, Feb'10 – 235, Apr'10 – 490, May'10 – 280, Jun'10 – 455 and July'10 – 375.
- May'10 280, Jun'10 455 and July'10 375.

  BMW sent to M/s. SembRamky, a CBMWTF located at Isnapur(V), Patancheru(M). The details of BMW sent (in Kgs.): Feb'10 107, Mar'10 216, Apr'10 161, May'10 159, Jun'10 136.5 and July'10 115.
- The industry has lifted 300 Lt of waste oils to M/s. Tanu Petrochemicals, IDA, Pashamailaram on 15.03.2010.
- 8. The Board issued CFO to the industry in month of October 1997 with validity upto 30.04.2000 and HWA issued on 23.09.2000 with validity upto 22.09.2002. The industry has been applying for renewal of the CFO & HWA. The latest application for renewal was submitted on 20.05.2009 and the same was returned by this office on 11.06.2009 in view of the GO. Ms. 111 and subsequent Court Orders.

The Board vide notice dated 19.11.2010 issued a show cause notice to the industry for locating the industry within prohibited zone of 10 KM radius of Himayatsagar & Osmansagar lakes, operating without consents of the Board, causing pollution in the area and not shifting the industry from the prohibited zone.

The industry vide letter dated 14.12.2010 submitted reply to the above show cause notice stating that:

 M/s. Indian Immunologicals Limited is a wholly owned subsidiary of the National Dairy Development Board. They are manufacturing life saving vaccines for animals & human and supply these vaccines to the GoI and several state govt., for the last 30 years.



- 2. They have submitted a study report jointly prepared by EPTRI, NGRI & ANGRAU which stated no surface run-off from their industrial area contribute surface flows into Osmansagar & Himayatsagar lakes and the groundwater in M/s.Indian Immunologicals Limited watershed flows from plant area towards Lingampally area.
- 3. They are using the treated water for irrigation purpose in their own land and installed latest technology equipments to minimize the air pollution.
- They have requested to withdraw the show cause notice and renew the CFO

The case was reviewed before the committee on 01.06.2011 for taking suitable action against the industry. The representatives of the industry attended the hearing and informed the following to the committee:

- 1. Their industry is situated in an area of about 214 acres and operating since 1981 and wholly owned subsidiary of the National Dairy Development Board.
- 2. They are manufacturing life saving vaccines for animals & human and supply these vaccines to the GoI and several state govt's.,.
- 3. They are not causing any pollution due to the present activity.
- 4. They requested to allow them to operate in the existing premises as shifting their industry requires considerable time and huge investment.

#### The committee noted the following:

- 1. The industry's activity is categorized under 'Red' category i.e., Biotechnology.
- 2. The industry generates effluents from the process operations and also domestic waste water from their town ship.
- 3. The industry generates wastes viz., ETP sludge, Bio-Medical Waste, waste oils, etc.,
- 4. The industry is having three diesel fired boilers of 5 TPH & 3 TPH (2 Nos) which are sources of air pollution.
- 5. The industry has pollution potential and is located within 10 KM radius of Himayatsagar & Osmansagar lakes.

After detailed discussions, the committee directed the industry representatives to furnish time bound action plan for relocation of the industry within a week. In case no action plan is received, a notice shall be issued to the industry to submit time bound action plan for relocation of the industry.

#### **DECISION TAKEN:**

#### M/s, Biological E. Ltd., Sv. No. 252-257 & 259, Gaganpahad, Ranga Reddy District:

The representatives of the industry attended the hearing and informed the following to the committee:

- 1. Their unit has established before the issue of G.O.Ms.No.111.
- 2. Their vaccine manufacturing operations are clean-room operations and non-polluting activity. The unit is 2<sup>nd</sup> in India which got WHO-Geneva Accreditation for manufacture of certain vaccines.
- 3. The vaccines manufactured at their unit about 60-70 % vaccines are supplied to Govt., of India.

  4. The process of shifting the unit has to be informed to Govt., of India due
- to commitments for supply of vaccines.
- 5. The representatives requested the Board to treat their unit as special category unit and allow operating at existing location.
- 6. If still Board insists for re-location of the unit, they will submit the time bound action plan for shifting after due consultation with various stake holders within 20-30 days.

After detailed discussions, the committee recommended to issue notice to the unit for submission of time bound action plan within 30 days for shifting of the unit to outside the 10 KM radius of Osmansagar & Himayalsagar lakes. The Board shall communicate the same to Govt., of A.P / Task Force Committee (constituted for the purpose of monitoring the re-location of the industries) for taking suitable decision.

M/s.Uni-Sankvo Ltd (Fermentation unit), Unit-1, 7-4-115, Sv.No.258.259, Gaganapahad, Ranga Reddy District.

æ

M/s. Uni Sankyo, Unit -II, (Formulation Unit), 7-4-92, Sy.No. 219. Gaganpahad, Ranga Reddy District:

The representatives of the industry attended the hearing and informed that as per their time bound action plans submitted vide letters dt. 07.06.2011, they are already in the process of shifting their units to outside the 10 KM radius of Cismansagar & Himayatsagar lakes. They have obtained CFE's for the new sites and started construction and will comply with the time bound action plans i.e., 2 years for unit-1 and 3 years for unit-II for shifting from 07.06.2011.

After detailed discussions, the committee recommended that (the industry shall be directed to submit quarterly progress report on shifting) the Board shall communicate the same to the Govt., of AP / Task Force committee (constituted for the purpose of monitoring the re-location of the industries) for taking suitable decision.

M/s.Indian Immunologicals Limited, Survey No. 25, Rakshapuram, Gachibowli(V), Serilingampally(M), Rangareddy District:

The representatives of the industry attended the hearing and informed the following to the committee:

- Their facility is the only facility in Asia manufacturing vaccines for animals for Foot-Mouth-Disease (FMD) and also exporting these vaccines to about 42 countries all over the world.
- 2. They employ directly about 1500 employees and indirectly to many people.
- They have approached various State Govts., requesting for allocation of land for shifting their unit.
  - They requested the Board to allow to operate at the existing location and will comply any environmental standards precribed by the Board.
- 5. They also requested the Board to accept their consent applications (CFO) under Water & Air Acts and issue consents with validities upto the time granted for re-location as they are facing difficulties in participating in tenders without the consents.

After detailed discussions, the committee recommended to issue notice to the unit for submission of time bound action plan within 30 days for shifting of the unit to outside the 10 KM radius of Osmansagar & Himayatsagar lakes. The Board shall communicate the same to Govt., of A.P./ Task Fosce Committee (constituted for the purpose of monitoring the re-location of the industries) for taking suitable decision.

SEE TF-BO

Dr. K.L.N Reddy
Govt. Degree
College,Hyderabad

MEMBER SECRETARY
A.P.Pollution Control
Board

Rep. Of Commissioner of Industries



# राधा मोहन सिंह RADHA MOHAN SINGH

कृषि एवं किसान कल्याण मंत्री भारत सरकार MINISTER OF AGRICULTURE & FARMERS WELFARE GOVERNMENT OF INDIA

5th April 2018

. Dear Shri Kamlosh Paswan Ji,

I am in receipt of your D.O. letter on 04<sup>th</sup> April 2018 regarding role of FMD vaccines, of Indian Immunological Ltd. in animal health, which was marked to Secretary, Department of Animal Husbandary, Dairying & Fisheries (DADF).

I am having the matter looked into.

With regards,

Yours sincerely,

(Radha Mohan Singh)

Shri Kamlesh Paswan Member of Parliament (Lok Sabha) 25, Ferozshah Road New Delhi 110 001.

Office: Room No. 120, Krishi Bhawan, New Delhi-110 001 Tel.: 23383370, 23782691 Fax: 23384129

# No.K- 11053 (5313)/2/2018-LH Government of India Ministry of Agriculture & Farmer's Welfare Department of Animal Husbandry, Dairying & Fisheries

Krishi Bhawan, New Delhi Dated: 4th April, 2018

To,

Chairman, National Dairy Development Board, Anand, Gujarat

Subject:- VIP reference received from Hon'ble Shri Kamlesh Paswan, Member of Parliament (Lok Sabha), Bansgaon, Gorakhpur -reg

Sir,

I am directed to refer to representation received from Hon'ble (Lok Sabha) Bansgaon, Kamlesh Paswan, Member of Parliament Gorakhpur regarding risk to human health on continued manufacture of Animal Health care vaccine by Indian Immunological Limited, Hyderabad in its old premises located by the side of lake. Copy of the said letter is enclosed, which is self explanatory.

You are kindly requested to take necessary action as deemed appropriate. 2.

Encl.: as above

Yours faithfully

(Aruna Sharma) Assistant Commissioner (AH)

Copy for information to:

1. Hon'ble Shri Kamlesh Paswan, Member of Parliament, 67- Bansgaon, Gorakhpur

2. PS to Hon'ble Agriculture Minister

# क्रमलेश पासवान संसद सदस्य (लीक सभा) 67-बांसगाँव, गोरखपुर

सदस्य:

• स्थायी समिति—खाद्य, उपभोक्ता मामले एवं सार्वजनिक वितरण

स्थायी समिति—वाणिज्य

• परामर्शदात्री समिति-श्रम एवं रोजगार

• याचिका समिति

• उत्तर-पूर्वी रेल उपभोक्ता सलाहकार समिति
To,
Shri Radha Mohan Singha
Shri Radha Mohan Singha
Union Ministez of Agricultura and Farmers Welbard
Union Ministez of Agricultura

Government of India

सत्यमेव जयते



25, फिरोजशाह रोड नई दिल्ली-110001 फोन: 011-23782550

बी.आर.डी. मेडिकल कॉलेज नार्थ गेट, गोरखपुर (उ.प्र.)

फोन: 0551-2506575

मोबाइल: 9415086756, 9013180277 ई-मेल: kamleshpassi67@gmail.com

Sey (DADF)

Hon'ble AM

Dear sir,

I would like to bring to your kind notice that Indian Immunological LTD. which is a fully owned subsidiary of NDDB was established in 1982 with a aim to manufacturing of FMD vaccines which it continues to do so and has successfully protected the animal wealth of this country and abroad from various viruses and diseases for over 3 decades.

I am attaching here with a copy of papers Andhra/Telanga pollution control board which states that the unit is "Red Hazard industry" and in 2010 was termed as violating Honorable Supreme court Order on lakes and water bodies. The state pollution board has given no permission after 2009 as it is a clear violation of supreme court orders. It was also identified specifically in 56 industries that have to be relocated. The company also made a fresh premises as per the plan submitted by the company In 2012 and after completion a pollution NOC of the new plant has been taken on 25 02 2017 for manufacturing of almost 56 million units of Animal and Human Vaccines attached here with. But it continues to run its old plant 8 years without a valid NOC. I am writing this letter to bring to your kind notice that the new plant which was Commissioned as the

old plant was clear violation of Honorable Supreme Court order the company needed to shut its old plant and shift entire manufacturing to this unit as per there time bound proposal submitted to the Pollution control board. In the clear contrast to this the company has proceeded to bid for huge contract for Ministry of Health and family welfare committing almost its entire production capacity of the new plant to this contract. Although commercial it might be a good strategy to make company profitable but if this contract goes through it can't create a huge risk to human and animal life of

# कामलेग पासवान

। संसद सदस्य (लोक सभा) 67-बांसगाँव, गोरखप्र

सद्ख्य:

- ॰ स्थायो समिति खाद्य, उपभोक्ता ममले एवं संविजनिक वितरण
- » स्थायी समिति वाणिज्य
- » परामर्शवात्री समिति—श्रम एवं रोजगार
- याचिका समिति
- उत्तर-पूर्वी रेल उपभोक्ता सलाहकार समिति



25, फिराजशाह रोड नई दिल्ली-110 001 फोन: 011-23782550

ची.आर.ही. पेडिकल कॉलेज नार्थ गेट, गारखपुर (उ.प्र.)

फोन: 0551-2506575

मोबाइल: 9415086756, 9013180277 ई-मेल: kamleshpassi67@gmail.com

this country. It old plant is still running and the biggest FMD vaccine manufacturing facilities in the world, if the company has to shut down the old unit which is in clear violation of Honorable Supreme Court ruling the company will be left with no choice that to run the plant for Human Health Care vaccine or Animal health care vaccine as the capacity of the new plant will be totally committed to human vaccines. This can create a huge demand and supply gap for FMD vaccines as it is the market leader for the same. This can create a huge demand and supply gap clearly creating a huge risk to animal wealth of this country. Animal wealth which is the source of livelihood for millions and millions of people of this country and a endemic like FMD can literally wipe out the entire cattle population or cause substantial damage. The company before pursuing commercial activities should adhere to Honorable Supreme Court decision and shut down the old unit and transfer the entire production to the new unit. Only after meeting the entire production needs to the Animal wealth and its social obligations only commit the surplus quantity to commercial activities. In case it failing to do lives and means of lively hood of millions and millions of people and children will be put to risk a proper investigation be carried out and all necessary steps be taken to protect the animal wealth of the county.

with regards

thanking you

(KAMLESH PASWAN)