

By Speed Post

F. No. B-23012/1/ PCI-III/

November 02, 2018

To,

M/s Parijat Paper Mills Ltd,
10.6KM, Bhopa Road,
Muzaffarnagar, UP

Sub: Regarding Compliance of CPCBs revocation direction issued to M/s Parijat Paper Mills Ltd, Muzaffarnagar, UP vide letter dated 17.09.2018

Sir,

Your kind attention is invited on the revocation direction dated 17.09.2018 of CPCB vide letter under section 5 of the E(P) Act, 1986 issued to the unit with following conditions:

- The Unit shall submit actual performance report of ETPs by the same institute which conducted ETP adequacy assessment, within 45 days of commencement of operations.
- The Unit shall submit analysis report of the treated effluent from ETP through EPA recognized laboratory within 15 days from the date of receipt.

It is requested you to comply the condition of said revocation direction and submit compliance statement along with actual performance report of ETP to CPCB within prescribed time period.

Yours faithfully,

(P K Mishra)
Additional Director &
Divisional Head- IPC-III

Copy to:

✓
1/

The Regional Director, :
Regional Directorate
Central Pollution Control Board
'Vibhuti Khand, Gomti Nagar,
Lucknow, Uttar Pradesh 226010

To carry out inspection of the unit within 90 days for assessing the actual performance evaluation as per above said revocation direction.

02/11)
(P K Mishra)