

Speed – Post

F. No. B- 31011/BMW/2018/WMD –I

October 08, 2018

To,

Regional Director,
Central Pollution Control Board
(Kolkata, Lucknow, Vadodara, Bengaluru)

Sub: Verification of compliance to the provisions of Biomedical Waste Management Rules, 2016 by the Common Bio-Medical Waste Treatment Facilities (CBWTFs) and Healthcare Facilities (HCFs)-reg.

Sir,

This has reference to H.O letter dated 04/09/2018 requesting inspection of CBWTFs/ HCFs to whom directions were issued u/s 5 of the E (P) Act 1986 in violation of provision under Bio-Medical Waste (Management & Handling) Rules, 1998. Competent authority has directed that the facilities be inspected to verify the compliance as per provisions under BMW Rules, 2016. The said inspection reports are yet to be received by Head Office.

In view of above, it is requested to expedite the inspection of CBWTFs/ HCFs and submit the inspection report, by 31/10/2018.

Yours Faithfully,


(B. Vinod Babu)
AD & DH WMD-I

Encl – As above
Copy to

(i) PS to 'MS'

:

For kind information 'MS', please


(B. Vinod Babu)

c/c

By Speed Post

F.No.B-31011/BMW/2018/WMD-I/ 9511-14

September 4, 2018

To

Regional Director
Central Pollution Control Board
(Kolkata, Lucknow, Vadodara, Bengaluru)

Sub: Verification of compliance to the provisions of Biomedical Waste Management Rules, 2016 by the Common Bio-medical Waste Treatment Facilities (CBWTFs) and Healthcare Facilities (HCFs) - reg.

Sir,


This has reference to the directions under section 5 of the Environment (Protection) Act, 1986 issued by CPCB to the Common Biomedical Waste Treatment Facilities (CBWTFs) as well as Healthcare Facilities (HCFs) for not complying with the provisions of Biomedical Waste (Management & Handling), Rules, 1998 as well as CPCB guidelines. Said CPCB directions were issued in the year 2011/2012/2014/2015 to the following CBWTFs/HCFs, however the CBWTFs/HCFs are yet to comply with the said directions:

- 1....
- 2....
- 3....

In this connection, it is to inform that Competent Authority, CPCB desires that since Biomedical Waste Management Rules, 2016 have been re-notified by Ministry of Environment Forest & Climate Change, stipulating new emission norms for biomedical waste incinerator, the facilities should be re-inspected for verification of current status of compliance w.r.to provisions of BMW Rules, 2016, as amended.

In view of the above, it is requested that the above CBWTFs/HCFs be inspected again by CPCB RD, Kolkata, Lucknow, Vadodara, Bengaluru to verify the status of compliance to the BMW Rules, 2016 as well as CPCB guidelines for CBWTFs. The inspection reports supported with relevant documents and photographs be submitted to CPCB within one month, so that revised directions may be issued to the CBWTFs/HCFs, in case of non-compliance, if any.

Yours faithfully,


(M K Choudhury)
Additional Director

Copy to:

i) PS to 'MS'

: For kind information, please.

(M K Choudhury)
Additional Director

NSP/31
7.9.18

O/C