



केन्द्रीय प्रदूषण नियंत्रण बोर्ड  
CENTRAL POLLUTION CONTROL BOARD

पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भारत सरकार

MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE GOVT. OF INDIA

SPEED POST/FAX

B-29016/04/07/IPC-I/

June 20, 2018

To

The Regional Director  
Central Pollution Control Board  
1st & 2nd Floors, Nisarga Bhavan A-Block,  
Thimmaiah Main Road, 7th D Cross, Shivanagar,  
Opp. Pushpanjali Theatre, Bangalore -560 010

Sub: Verification of compliance of a direction (Show Cause Notice) issued u/s 5 of E(P) Act 1986 to the Chemical Unit in M/s. SVR Laboratories (P) Ltd., Sy No. 239/A & 239/E, Dothigudem (V), Pochampally, Nalgonda-508284, Telangana-reg

Sir,

This has reference to the direction (SCN) issued u/s 5 of Environmental (Protection) Act, 1986 on May 22, 2018 to the M/s. SVR Laboratories (P) Ltd., Telangana. A reply has been received from the unit dated June 18, 2018 that the compliance has been achieved against CPCB direction dated May 22, 2018. (A copy of letter enclosed herewith).

It is therefore requested to re-inspect the unit, verify the compliance of the CPCB direction (SCN) and submit the inspection report to this office within 15 days.

Encl. : as above

Yours faithfully,

(Gurnam Singh)

Addl. Director & I/C IPC-I

‘परिवेश भवन’ पूर्वी अर्जुन नगर, दिल्ली-110032

Parivesh Bhawan, East Arjun Nagar, Delhi-110032

दूरभाष/Tel : 43102030, 22305792, वेबसाइट/Website : www.cpcb.nic.in



Dr. Himani Varshney &lt;varshney.himani1@gmail.com&gt;

**Re: (URGENT)- CPCB Show cause notice issued to M/s SVR Lab Telangana**

SVR MAINTENANCE &lt;svrmaintenance@gmail.com&gt;

Mon, Jun 18, 2018 at 4:46 PM

To: MUKESH BALODHI &lt;mbalodhi.cpcb@nic.in&gt;, Dinabandhu Gouda &lt;dinabandhu.cpcb@nic.in&gt;, "Dr. Himani Varshney" &lt;varshney.himani1@gmail.com&gt;

Dear sir,

Please find the attached compliance report.

regards,  
SVR Laboratories Pvt Ltd  
K.Krishna murthy  
9010889333

On Fri, Jun 15, 2018 at 3:30 PM, MUKESH BALODHI &lt;mbalodhi.cpcb@nic.in&gt; wrote:

Sir,  
A show cause notice u/s 5 of E(P), Act 1986 was issued to your unit M/s SVR Lab. P. Ltd., Sy. No. 239/A & 239/E, Dothigudem, Nalgonda Telangana by CPCB on May 22, 2018. The same was sent to you by speed post as well as email on May 25, 2018. A scan copy of same is again attached herewith.

In this matter it is to inform that **no response has been received from the unit till date**. Further action as deemed fit under the E(P) Act 1986 shall be initiated in case the unit fail to comply with the direction dated May 22, 2018.

--  
Regards  
Mukesh Balodhi  
Environmental Engineer  
Central Pollution Control Board  
011-43192421  
09911330624



- \* Please think .... Please save a tree...please don't print this e-mail or any other documents unless you really need to
- \* This will preserve trees on earth & save earth planet
- \* Every 3000 sheets of paper costs us a tree

New WinRAR ZIP archive.zip  
10693K



## SVR LABORATORIES PRIVATE LIMITED

(An ISO-9001-2008 Certified Organisation)

Admn.Off : 7-2-1813/5/A/1, SVSS Nivas, Flat No.507, South Wing, Road No.1, CZECH Colony,  
Opp. Gokul Talkies, Sanath Nagar, Hyderabad-500018, Telangana, Tel: +91 40 23705300 / 23813333

Regd.Off : 7-1-307/14/f/52, Jayaprakash Nagar, Sanath Nagar, Hyderabad-500018

Telephone: +91 40 23705300, Fax: 040 -23712445 svrlaboratories@yahoo.co.in



CIN: U24239TG2003PTC041653

Dt. 18.06.2018  
DOTHIGUDEM

To,  
Mukesh Balodhi  
Environmental Engineer  
Central Pollution Control Board  
Ministry of Environment, forest & Climate change gov. of India  
Parivesh bhawan, East arjun nagar, Delhi-110032.

Respected Sir,

Sub: - Compliance report of on-line effluent and emission monitoring  
system-show cause notice.


Ref:- Your Order No B-29016/04/06/IPC-I, Dated: 22.05.2018

With reference to the above, we are submitting the  
compliance report of on-line effluent and emission monitoring system.  
Your order No: B-29016/04/06/IPC-I, Dated: 22.05.2018).

Thanking You Sir,

Yours Sincerely,  
For SVR Laboratories Pvt Ltd,

  
Authorized Signatory



Enclosures:

1. Conditions wise compliance report
2. Annexure-1,2,3,4

CC to Regional office, Bangalore.





# SVR LABORATORIES PRIVATE LIMITED

(An ISO-9001-2008 Certified Organisation)

Admn.Off : 7-2-1813/5/A/1, SVSS Nivas, Flat No.507, South Wing, Road No.1, CZECH Colony,  
Opp. Gokul Talkies, Sanath Nagar, Hyderabad-500018, Telangana, Tel: +91 40 23705300 / 23813333

Regd.Off : 7-1-307/14/I/52, Jayaprakash Nagar, Sanath Nagar, Hyderabad-500018

Telephone: +91 40 23705300, Fax: 040 -23712445 svrlaboratories@yahoo.co.in



CIN: U24239TG2003PTC041653

## Conditions wise compliance report your order No: B-29016/04/06/IPC-I

Dated: 22.05.2018

| S.No | Conditions  | Compliance  |
|------|---|---|
| i    | The unit is not segregating the HTDS & LTDS effluents and the unit has not provided the separate collection tank of the storage of the LTDS effluent.             | Complied<br>We are segregate the HTDS & LTDS effluents, we provided separate collection tank for LTDS effluent.<br><b>Photos enclosed Annexure-1</b>  |
| ii   | The unit is not providing the proper camera coverage for outlet flow meter for HTDS and LTDS collection tanks.  | Complied<br>We are provided separate flow meter for LTDS (serial No: M-150629), already camera available at HTDS out let flow meter (Serial No: 201804014063); we are providing camera coverage for out let flow meter for LTDS effluents within one week.<br><b>Photos enclosed Annexure-2</b> |
| iii  | The unit is not adhering to the Telangana SPCB consent condition of regularly sending the HTDS & LTDS effluents to CETP.  | Complied<br>Presently CETP accepted only HTDS effluents. We are treated LTDS effluents in our premises by RO system.<br><b>Enclosed online manifest copy's annexure-3</b>   |
| iv   | The unit is regularly using the stand by in house ZLD facility to treat unsegregated effluents.   | Complied<br>We are operating the in house ZLD facility when CETP is under breakdown.<br>Present we are segregate the HTDS&LTDS effluents.   |
| v    | The unit is not providing the proper maintenance to in house ZLD facility as the seals of the all feed pumps were worn and leakage of the effluents was observed. | Complied<br>We are changing the seals of the feed pumps.  |



# SVR LABORATORIES PRIVATE LIMITED

(An ISO-9001-2008 Certified Organisation)

Admn.Off : 7-2-1813/5/A/1, SVSS Nivas, Flat No.507, South Wing, Road No.1, CZECH Colony,  
Opp. Gokul Talkies, Sanath Nagar, Hyderabad-500018, Telangana, Tel: +91 40 23705300 / 23813333


Regd.Off : 7-1-307/14/f/52, Jayaprakash Nagar, Sanath Nagar, Hyderabad-500018

Telephone: +91 40 23705300, Fax: 040 -23712445 svrlaboratories@yahoo.co.in



CIN: U24239TG2003PTC041653

|     |   |  |
|-----|---|--|
| vi  | The unit is <b>not</b> maintaining the records of the disposal of effluent to CETP                    | <b>Compiled</b><br>We are maintaining the online manifest of the disposal of effluent to <b>CETP</b> , previously <b>CETP</b> manifest copy's and labs reports and invoices send by mail on dated 14.05.2018.<br><b>Enclosed online manifest copy's annexure-3</b> |
| vii | The housekeeping of the unit is poor w.r.t storage of the solid residue /salt storage inside the ETP. | <b>Complied</b><br>We are improved the house keeping; we are sending the salt to <b>GEPIL</b> Infrastructure Pvt Ltd through online manifest.<br><b>Enclosed amendment copy of CFO for GEPIL, salt storage room photo annexure-4</b>                               |





TELANGANA STATE POLLUTION CONTROL BOARD  
Paryavaran Bhavan, A-3, Industrial Estate,  
Sanathnagar, Hyderabad - 500018

Ph: 040-23887500  
Fax: 040-23815631  
Website: tspcb.org.gov.in

REGD. POST WITH ACK.DUE

Order No. TSPCB/RCP/HO/CFO/2018

Dt: 06.06.2018

Sub: TSPCB - CFO - M/s. SVR Laboratories (P) Ltd., Sy. No. 239/A & 239/E,  
Dothigudem (V), Pochampally (M), Yadadri Bhuvanagiri District. -  
Amendment to the CFO & HWA Order - Issued - Regd.

Ref: 1) CFO & HWA Order issued by the Board vide Order No. TSPCB/RCP/  
NLG/HO/CFO/2018-188 Date: 21.04.2018.  
2) Industry's letter dt: 28.03.2018.

\*\*\*\*\*

The Board vide reference 1<sup>st</sup> cited, issued CFO & HWA Order to the industry for  
manufacture of Bulk Drugs with validity upto 31.03.2019.

The industry vide reference 2<sup>nd</sup> cited stated as follows:

- They have entered into an agreement with GEPL Infrastructure Pvt. Ltd.,  
Rakamthra, Pudur (M), Rangareddy Dist. for disposal of HW.
- M/s. GEPL has collected the HW samples from their facility, analyzed the same  
and stated that the results are suitable for AFRF Process and issued a letter for  
acceptance for sending the following waste to their facility for pre-processing:  
1. Spent Carbon  
2. Process Sludge (Organic)

The industry requested to give them permission to send HW to M/s. GEPL Infrastructure Pvt.  
Ltd. for further process & disposal and incorporate the same in the CFO & HWA Order.

In view of the request made by the industry, the Board hereby issues amendment to  
the CFO & HWA Order issued vide reference 1<sup>st</sup> cited as follows:

- EXISTING CFO & HWA Order dt: 30.05.2017 (Reference 1<sup>st</sup> cited):

HAZARDOUS WASTES WITH DISPOSAL OPTION:

| S. No. | Name of the Hazardous waste | Stream               | Quantity of Hazardous wastes | Disposal Option.   |
|--------|-----------------------------|----------------------|------------------------------|--|
| 1      | Sludge                      | 28.3 of Schedule - I | 2.86/day<br>10.5 Kg/day      | Authorized for processing<br>plants<br>Dundigal, Medchal District<br>incineration. |
| 2      | Sludge                      | 28.1 of Schedule - I | 8.3 Kg/day                   | TSD, Medchal District<br>land filling.   |



II Amendment issued to the CFO & HWA Order dt: 30.05.2017 (Reference: 11/10/17)

**HAZARDOUS WASTES WITH DISPOSAL OPTION:**

| S. No. | Name of the Hazardous waste | Stream               | Quantity of Hazardous wastes | Disposal Option   |
|--------|-----------------------------|----------------------|------------------------------|---|
| 1      | Open Carbon                 | 28.3 of Schedule - I | 2 Kg/day                     | Shall be disposed to Cement Units for processing  |
| 2      | Process Sludge (In-Organic) | 28.1 of Schedule - I | 10.5 Kg/day                  | facilities of M/s. SPP, Infrastructure Pvt. Ltd., Rakamcherla, Andhra Pradesh, for pre-processing to be sent to Cement units for processing |
| 3      | Process Sludge (In-Organic) | 28.1 of Schedule - I | 8.3 Kg/day                   | TSDU, Dundigal, District for land filling   |

All the other conditions stipulated in the CFO & HWA Order vide reference in cited order's are

Sd/  
MEMBER SECRETARY

To,  
M/s. SVR Laboratories (P) Ltd.,  
Sy. No. 239/A & 239/E,  
Dothigudem (V), Pochampally (M),  
Yadadri Bhuvanagiri District.

Copy to:

1. The JCEE, Z.O., R.C. Puram for information and necessary action.
2. The E.E., R.O, Nalgonda for information and necessary action.

//T.C.F.B.O//  
B. V. Rao  
Joint Chief Environmental Engineer