



केन्द्रीय प्रदूषण नियंत्रण बोर्ड
CENTRAL POLLUTION CONTROL BOARD
(पर्यावरण एवं वन मंत्रालय, भारत सरकार)
(MINISTRY OF ENVIRONMENT & FORESTS GOVT. OF INDIA)

Email / Speed Post

CPCB-B 33014/46/2017/IPC-II/

May 07, 2018

To

The Regional Director (East)
Central Pollution Control Board
Southend Conclave, Block 502,
5th & 6th Floors, 1582 Rajdanga Main Road,
Kolkata-700107 (West Bengal),

Sub: Re-inspection of Chaliyama Steel Plant (Rungta Mines Ltd), PO – Keshargadia, Dt-Saraikela-Kharsawa, Chaibasa, Jharkhand.

Ref:

1. CPCB letter No. CPCB-B 33014/46/2017/IPC-II/17143, dated 05.02.2018.
2. CPCB letter No. CPCB-B 33014/46/2017/IPC-II/18396, dated 15.03.2018.

Sir,

Please refer to CPCB, Delhi letter dated 05.02.2018 and 15.03.2018 regarding request to re-visit / re-inspect the industry for compliance verification, which is still awaited. It is to inform that, as per compliance report submitted by the unit, it has provided facilities for manual monitoring. In this regard, it may be noted that CCB has taken review in second weeks of March and April' 2018 and MS, CPCB has taken a review on 07.05.2018 in the aforesaid matter and the said compliance verification considered as pending. Therefore, you are requested to re-visit / re-inspect the industry for compliance verification and report may be provided at within 15 days.

Yours Faithfully,

[Nazimuddin]

Div. Head, IPC-II

Copy to:

The Divisional Head IPC-VI, Division,
CPCB, Delhi

: For information and necessary action.

परिवेश भवन पूर्वी अर्जुन नगर, दिल्ली-110032

'Parivesh Bhawan', East Arjun Nagar, Delhi - 110032

दूरभाष / Tel.: 43102030, फैक्स / Fax: 22305793, 22307078, 22301932, 22304948

ई-मेल / e-mail: cpcb@nic.in वेबसाइट / Website: www.cpcb.nic.in

M/C