Trainer Setup Guide for Labs 3 and 4: Audit Logs

Lab 3 needs learners to read the audit system table. Lab 4 needs a diagnostic setting sending logs to Log Analytics and read access for learners. Both reuse the uc-lab-learners Entra group from the Lab 2 setup. Allow about 30 minutes.

Part A: Audit system table (Lab 3)

A1. Check the access schema is enabled

In SQL Editor, as your admin account, run:

```
SHOW SCHEMAS IN system;
```

> **Check:** If access is listed, skip to A3. If not, do A2.

A2. Enable the access schema (only if missing)

1. Get the metastore ID. The ID is the last part of the result, after the final colon:

```
SELECT current_metastore();
```

2. Create a notebook, set its language to **Python**, attach serverless compute and run:

```
from databricks.sdk import WorkspaceClient
w = WorkspaceClient()
w.system_schemas.enable(metastore_id="<metastore-id>", schema_name="access")
```

3. Wait a few minutes, then run A1 again.

Note: Enabling system schemas needs an account admin. An error saying the schema already exists means it is already enabled.

A3. Grant learners read access

```
GRANT USE CATALOG ON CATALOG system TO `uc-lab-learners`;
GRANT USE SCHEMA ON SCHEMA system.access TO `uc-lab-learners`;
GRANT SELECT ON TABLE system.access.audit TO `uc-lab-learners`;

SHOW GRANTS `uc-lab-learners` ON TABLE system.access.audit;
```

Note: Grants on the system catalog need a metastore admin. If you get a permission error, go to the account console > **Catalog** > your metastore, set yourself (or a group you are in) as **Metastore Admin**, and run the grants again.

A4. Test as one learner

Sign in as one learner account and run in SQL Editor:

```
SELECT service_name, action_name, count(*) AS events
FROM system.access.audit
WHERE user_identity.email = current_user()
  AND event_date >= current_date() - 30
GROUP BY ALL;
```

> Check: Rows are returned, including unityCatalog events from Lab 2. Audit events can take up to an hour to appear.

Part B: Log Analytics (Lab 4)

B1. Check the diagnostic setting

1. In the Azure portal, open the Databricks workspace resource > Monitoring > Diagnostic settings.
2. Open the existing setting and confirm the items in the table below.

Item	Needed for Lab 4
Log categories	At least accounts, unityCatalog and databrickssql (or allLogs)
Destination	Send to Log Analytics workspace (note its name for learners)
Destination table	Resource specific. Lab 4 queries tables such as DatabricksAccounts and DatabricksUnityCatalog. With Azure diagnostics, logs go to one AzureDiagnostics table and the Lab 4 queries will not work.

If no setting exists: click Add diagnostic setting, choose the categories above, send to a Log Analytics workspace with Resource specific tables, and save. Only events from that moment on are delivered, so Lab 1 and Lab 2 activity will not be in Log Analytics.

B2. Grant learners read access to Log Analytics

1. Open the Log Analytics workspace > Access control (IAM) > Add > Add role assignment.
2. Role: Log Analytics Reader. Members: the uc-lab-learners group. Review + assign.

B3. Optional: let learners view the diagnostic setting

1. Open the Databricks workspace resource > **Access control (IAM)** and assign **Reader** to uc-lab-learners.

Without this, learners cannot open the Diagnostic settings page in Lab 4, Step 1, and you show it instead.

B4. Test as one learner

Sign in to the Azure portal as one learner, open the Log Analytics workspace > Logs, and run:

```
union withsource = TableName Databricks*
| where TimeGenerated > ago(30d)
| summarize Events = count() by TableName
```

> **Check:** DatabricksAccounts and DatabricksUnityCatalog return rows. Role assignments can take a few minutes to apply.

Before the session

- Share the Log Analytics workspace name with learners.
- If Labs 1 and 2 ran more than 30 days ago, tell learners to widen the date range in every query.
- Run Lab 3 before Lab 4. Lab 4, Step 8 compares its results with Lab 3, Step 5.

After the session (optional clean-up)

```
REVOKE SELECT ON TABLE system.access.audit FROM `uc-lab-learners`;
REVOKE USE SCHEMA ON SCHEMA system.access FROM `uc-lab-learners`;
REVOKE USE CATALOG ON CATALOG system FROM `uc-lab-learners`;
```

Remove the Log Analytics Reader and Reader role assignments in the Azure portal. Keep the diagnostic setting.