

---

# Q4 Adjusting the weights dynamically

## Table of Contents

Part A .....	1
Part B .....	4

## Part A

```
seed=200;
rng(seed, 'twister');

ms=1E-3;
N=200;
fanout_ratio=N/10;
Ne=N*0.80;
Ni=N-Ne;

% creating network
fanin=cell(1,N);
fanout_matrix=zeros(N,fanout_ratio);
for i=1:Ne
    fanout_matrix(i,:)=randperm(N,fanout_ratio);
end
for i=Ne+1:N
    fanout_matrix(i,:)=randperm(Ne,fanout_ratio);
end

for i=1:N
    for j=1:fanout_ratio
        fanin{fanout_matrix(i,j)}=[fanin{fanout_matrix(i,j)}, i];
    end
end
gamma=1;
wi=-3000;
we=-gamma*wi;
Weights_matrix=we*ones(N,fanout_ratio);
Weights_matrix(Ne+1:end,:)=wi;

delay_matrix=randi([1,20],[N,fanout_ratio])*ms;
delay_matrix(round(N*0.8)+1:end,:)=1*ms;

% constants
delta_t=1*ms;
T=1000*ms;
t=linspace(0,T,T/delta_t);
Io=1E-12;
tau=15*ms;
```

```

tau_s=tau/4;
EL=-70*1E-3;
gL=30*1E-9;
Vt=20*1E-3;
C=300*1E-12;
Rp=2*ms;
ws=3000;
Aup=0.01;
Adown=-0.02;

% % forming Iext matrix

lambda=100;
myPoissonSpikeTrain = rand(25, T/delta_t) < lambda*delta_t;
Iext_t= @(ts,t) Io*ws*(exp(-(t-ts)/tau)-exp(-(t-ts)/tau_s)).*(t>ts);
Iext=zeros(25,T/delta_t);
for i=1:25
    ts=find(myPoissonSpikeTrain(i,:)==1)*delta_t;
    for k=1:size(ts,2)
        Iext(i,:)=Iext(i,:)+Iext_t(ts(k),t);
    end
end

end

```

```

[V,t,spikes,average_synaptic_strength]=LIF_dynamic( delta_t,T,N,fanout_matrix,Weig

```

```

imshow(spikes*255);
title('Raster plot as an image');
plotRaster(spikes,t);

```

```


Re_temp=sum(spikes(1:round(N*0.8),:),1);
Ri_temp=sum(spikes(round(N*0.8)+1:end,:),1);
Re=zeros(1,T/delta_t-10*ms/delta_t);
Ri=zeros(1,T/delta_t-10*ms/delta_t);
for i=1:T/delta_t-10*ms/delta_t
    Re(i)=sum(Re_temp(i:i+10*ms/delta_t));
    Ri(i)=sum(Ri_temp(i:i+10*ms/delta_t));
end



```

```

figure();
plot(t(1:T/delta_t-10*ms/delta_t),Re,t(1:T/delta_t-10*ms/delta_t),Ri);
title('Re(t) and Ri(t)')
xlabel('time');ylabel('counts');


```





## Part B

```
figure();  
plot(t(1:end-1),average_synaptic_strength(1:end-1));  
title('Average Synaptic Weight Vs Time');
```



*Published with MATLAB® R2015b*