Q4 Adjusting the weights to remove all spike responses


Table of Contents


Q4	part A	Stimulus	Generatio	n	 	 	 	 1
Q4	part B	Learning	part		 	 	 	 3

Q4 part A Stimulus Generation

```
ms=1E-3;
T=500*ms;
delta_t=0.1*ms;
steps=T/delta_t;
Ns = 100;
lambda=1;
myPoissonSpikeTrain = rand(Ns, steps) < lambda*delta_t;</pre>
Io=1E-12;
Wo = 250;
sigma_w=25;
tau=25*ms;
taus=tau/4;
t=0:delta t:T;
Iapp_global=zeros(size(t));
synapse_strengths=Wo+sigma_w*randn(1,Ns);
Iapp_synapse=zeros(Ns,size(t,2));
for k=1:1:Ns
    tm=find(myPoissonSpikeTrain(k,:)==1)*0.1*ms;
        for j=1:size(t,2)
            temp=0;
           for i=1:size(tm,2)
                if t(j)>tm(i)
                    temp=temp+exp((tm(i)-t(j))/tau)-exp((tm(i)-t(j))/tau)
taus);
                end
```

```
end
            Iapp_synapse(k,j)=temp;
     \label{lapp_global} \begin{subalize} Iapp\_global+synapse\_strengths(k)*Iapp\_synapse(k,:); \\ \end{subalize}
end
Iapp_global=Io*Iapp_global;
[V,U] = AEF(delta_t,T,Iapp_global,1);
figure();
plot(t*1E3,V);
xlabel('Time in mS');ylabel('Voltage in Volts');
title('Voltage Vs Time');
figure();
plot(t*1E3, Iapp_global*1E12);
xlabel('Time in mS');ylabel('Current in pA');
title('Current Vs Time');
Vold=V;
Iold=Iapp global;
synapse_strengthsold=synapse_strengths;
```








Q4 part B Learning part


```
tspikes=find(V==0.05)*0.1*ms;
tspikes=tspikes(2:end);
gamma=1;
for iteration=1:100
    delta_w=zeros(1,Ns);
    delta_tk=zeros(1,Ns);
    for k=1:Ns
        tm=find(myPoissonSpikeTrain(k,:)==1)*0.1*ms;
        indices=find(tm<tspikes(1));</pre>
        if size(indices,2)~=0
            delta_tk(k)=tspikes(1)-tm(indices(end));
            delta_w(k)=-1*synapse_strengths(k)*gamma*(exp(-
delta_tk(k)/tau)-exp(-delta_tk(k)/taus));
        end
    end
    synapse_strengths=synapse_strengths+delta_w;
    Iapp=diag(synapse_strengths)*Iapp_synapse;
    Iapp=Io*sum(Iapp);
```


```
[V,U] = AEF(delta_t,T,Iapp,1);
    tspikes=find(V==0.05)*0.1*ms;
    tspikes=tspikes(2:end);
    figure();
    subplot(2,1,1);
    plot(t*1E3,V,t*1E3,Vold);
    xlabel('Time in mS');ylabel('Voltage in Volts');
    title(sprintf('Voltage Vs Time(iteration %d)',iteration));
    legend('Learned','old');
    subplot(2,1,2);
    plot(delta_tk,delta_w,'o');
    xlabel('Time in mS');ylabel('Change in Synapse Strength');
    title(sprintf('deltaw Vs deltatk(iteration %d)',iteration));
    spike=find(V==0.05);
    if size(spike,2)==1
        break
    end
end
 fprintf('Number of iteration needed =%d',iteration);
Number of iteration needed =17
```























Published with MATLAB® R2015b