

Quality you can trust

PATIENT 'S NAME	:	MR SAURABH SINGH	DATE	:	03/12/2021	
IDENTIFICATION NO.	:	35682589	03 / 12	SEX / AGE	:	Male / 21 Years
SAMPLE DATE	:	03-12-2021 08:41:02	REPORT DATE	:	04-12-2021 10:33:47	

=

SARS-CoV-2 RT-PCR Test

VRDL LABORATORY NAME : VIJAYA MEDICAL CENTRE, Visakhapatnam

ICMR Registration number VJMCVAP

MSS Sample Id : 9660561

SPECIMEN: Nasopharyngeal swab



METHODOLOGY: Real time Polymerase Chain Reaction (RT-PCR) technology.

RESULT:


E Gene: Not Detected

S Gene : Not Detected

INTERPRETATION: SARS CoV-2 Not Detected.

LIMITATIONS:

1. A single negative test result from nasopharyngeal swab does not exclude infection, especially when clinically suggest otherwise. Possible negative results may be due to low viral load below detection limit of assay, genetic variability of the virus and PCR inhibitors etc.
2. A positive result is tentative and is confirmed by retesting .
3. Negative result may need retesting after a 2 to 4 days if there is strong clinical suspicion, preferably with a specimen from lower respiratory tract.



Dr. K. MADAN , MD
Pathologist.

Note: Kindly Correlate Clinically . Partial reproduction of this test report is not permitted.