



AZURE ENVIRONMENT ASSESSMENT

Contoso

Inventory, Well-Architected findings and remediation roadmap

September 2026

Agenda

- 1 Executive summary
- 2 Scope & methodology
- 3 Inventory overview
- 4 Assessment scorecard
- 5 Key findings
- 6 Remediation roadmap
- 7 Next steps

Executive summary

Overall posture score 75/100 — Fair

133

Resources

3

Subscriptions

4

Regions

75

Posture score

17

High findings

74%

Tag coverage

- 133 resources were assessed across 3 subscription(s), 19 resource groups and 4 region(s).
- 106 finding(s) were raised: 17 high, 73 medium and 16 low severity, affecting 78 resources.
- Security is the weakest area (score 65/100); Governance is the strongest (84/100).
- 74% of resources carry all required tags (environment, owner, costCenter).
- Priority high-severity issues: Storage account permits HTTP (4); Storage account allows anonymous blob access (4); VM stopped but not deallocated (4).



Scope & methodology

- Based on the inventory export supplied by Contoso
- Every resource evaluated against rules aligned to the Azure Well-Architected Framework
- Pillars: Security, Reliability, Cost Optimization, Operational Excellence, Governance
- Scores = severity-weighted pass rate (High 5 · Medium 3 · Low 1)
- Rating: Good ≥ 80 · Fair 60–79 · Poor < 60

Subscription	Resources
Contoso-Production	66
Contoso-NonProduction	52
Contoso-Connectivity	15


Inventory overview

133 resources · 19 resource groups



Assessment scorecard



Severity-weighted pass rate per pillar



Pillar	Score	Rating	High	Med	Low
Security	65	Fair	12	4	0
Reliability	75	Fair	0	15	6
Cost Optimization	78	Fair	4	12	3
Operational Excellence	73	Fair	0	0	7
Governance	84	Good	1	42	0

Findings distribution

106 findings across 78 resources



Key findings

Ranked by severity, then number of resources affected

ID	Finding	Severity	Pillar	Affected
SEC-001	Storage account permits HTTP	High	Security	4
SEC-002	Storage account allows anonymous blob access	High	Security	4
COST-003	VM stopped but not deallocated	High	Cost Optimization	4
SEC-006	Web app does not enforce HTTPS	High	Security	2
SEC-007	NSG exposes management ports to the Internet	High	Security	2
GOV-003	Classic (ASM) resource in use	High	Governance	1
GOV-001	Required tags missing	Medium	Governance	34
REL-001	VM has no zone or availability set	Medium	Reliability	15

Key findings (cont.)

Ranked by severity, then number of resources affected

ID	Finding	Severity	Pillar	Affected
COST-001	Unattached managed disk	Medium	Cost Optimization	10
GOV-002	Resource outside approved regions	Medium	Governance	8
SEC-003	Storage account accepts TLS < 1.2	Medium	Security	2
COST-005	Empty App Service plan	Medium	Cost Optimization	2
SEC-004	Key Vault purge protection disabled	Medium	Security	1
SEC-005	SQL server reachable from public networks	Medium	Security	1
OPS-001	Previous-generation VM size	Low	Operational Excellence	5
REL-003	Storage account uses locally redundant replication	Low	Reliability	3

Remediation roadmap

Sequenced by risk and effort

0-30 days (quick wins & critical risk)

- Storage account permits HTTP (4)
- Storage account allows anonymous blob access (4)
- VM stopped but not deallocated (4)
- Web app does not enforce HTTPS (2)
- NSG exposes management ports to the Internet (2)
- Classic (ASM) resource in use (1)
- Unattached managed disk (10)
- Empty App Service plan (2)
- Unassociated public IP address (2)
- ...and 1 more

30-60 days

- Required tags missing (34)
- VM has no zone or availability set (15)
- Resource outside approved regions (8)
- Storage account accepts TLS < 1.2 (2)
- Key Vault purge protection disabled (1)
- SQL server reachable from public networks (1)

60-90 days

- Previous-generation VM size (5)
- Storage account uses locally redundant replication (3)
- SQL database not zone redundant (3)
- Log Analytics retention below target (2)

Recommended next steps

1. Remediate high-severity security exposures (public access, HTTP, open management ports)
2. Reclaim idle spend: orphaned disks, unused public IPs, stopped VMs and empty plans
3. Enforce tagging and allowed regions through Azure Policy at management-group scope
4. Design zone-redundant patterns for production workloads
5. Re-run this assessment monthly to track posture trend