

AZURE ENVIRONMENT ASSESSMENT

Contoso

Inventory, Well-Architected findings and remediation roadmap

Report date: 27 September 2026

Inventory export date: 2026-09-20

Inventory source: sample-inventory.csv

Subscriptions in scope: 3

Resources assessed: 133

Contents

Right-click and choose 'Update Field' to build the table of contents.

1. Executive summary

Overall posture score: **75/100 (Fair)**


133	3	19	4
Resources	Subscriptions	Resource groups	Regions
17	73	16	74%
High findings	Medium findings	Low findings	Tag coverage

Key observations

- 133 resources were assessed across 3 subscription(s), 19 resource groups and 4 region(s).
- 106 finding(s) were raised: 17 high, 73 medium and 16 low severity, affecting 78 resources.
- Security is the weakest area (score 65/100); Governance is the strongest (84/100).
- 74% of resources carry all required tags (environment, owner, costCenter).
- Priority high-severity issues: Storage account permits HTTP (4); Storage account allows anonymous blob access (4); VM stopped but not deallocated (4).

Scorecard

Pillar	Score	Rating	Checks	Findings	High	Medium	Low
Security	65	Fair	48	16	12	4	0
Reliability	75	Fair	64	21	0	15	6
Cost Optimization	78	Fair	92	19	4	12	3
Operational Excellence	73	Fair	26	7	0	0	7
Governance	84	Good	267	43	1	42	0




2. Scope and methodology

The assessment is based on the resource inventory export supplied by Contoso (sample-inventory.csv). No access to the Azure environment was required. Each resource was evaluated against a rule set aligned to the Microsoft Azure Well-Architected Framework pillars (Security, Reliability, Cost Optimization, Operational Excellence) plus a Governance pillar covering tagging, regions and deployment model.


Pillar scores are the severity-weighted pass rate of all rule evaluations in that pillar (High = 5, Medium = 3, Low = 1). 80+ is rated Good, 60–79 Fair, and below 60 Poor.

Subscription	Subscription ID	Resources
Contoso-Production	11111111-1111-1111-1111-111111111111	66
Contoso-NonProduction	22222222-2222-2222-2222-222222222222	52
Contoso-Connectivity	33333333-3333-3333-3333-333333333333	15


3. Inventory overview



Resources by region




Resources by subscription



Resource types

Resource type	Count	% of estate
Managed disks	34	25.6%
Virtual machines	24	18.0%
Network interfaces	24	18.0%
Storage accounts	10	7.5%
App Services	8	6.0%
SQL databases	6	4.5%
Public IP addresses	6	4.5%
Key vaults	4	3.0%
App Service plans	4	3.0%
Network security groups	4	3.0%
SQL servers	2	1.5%
Log Analytics workspaces	2	1.5%
Virtual networks	2	1.5%
Azure Firewalls	2	1.5%
Classic cloud services	1	0.8%

4. Assessment findings



4.1 Security — 65/100 (Fair)

SEC-001: Storage account permits HTTP

Severity: **High** Affected: 4 of 10 evaluated resources

Recommendation: Enable 'Secure transfer required' on the storage account.

Examples: stdevdata01, stdevdata03, stprddata03, stprddata04

SEC-002: Storage account allows anonymous blob access

Severity: **High** Affected: 4 of 10 evaluated resources

Recommendation: Set allowBlobPublicAccess to false and use SAS or Entra ID for access.

Examples: stdevdata00, stdevdata01, stprddata02, stprddata04

SEC-006: Web app does not enforce HTTPS

Severity: **High** Affected: 2 of 8 evaluated resources

Recommendation: Enable 'HTTPS Only' on the App Service.

Examples: app-dev-01, app-dev-02

SEC-007: NSG exposes management ports to the Internet

Severity: **High** Affected: 2 of 4 evaluated resources

Recommendation: Remove Internet-sourced RDP/SSH rules; use Azure Bastion or Just-in-Time VM access.

Examples: nsg-mgmt-eastus, nsg-mgmt-westeuropa

SEC-003: Storage account accepts TLS < 1.2

Severity: **Medium** Affected: 2 of 10 evaluated resources

Recommendation: Set minimum TLS version to 1.2.

Examples: stdevdata02, stdevdata04

SEC-004: Key Vault purge protection disabled

Severity: **Medium** Affected: 1 of 4 evaluated resources

Recommendation: Enable purge protection to guard secrets and keys against malicious or accidental deletion.

Examples: kv-dev-00

SEC-005: SQL server reachable from public networks

Severity: **Medium** Affected: 1 of 2 evaluated resources

Recommendation: Disable public network access and connect through Private Endpoints.

Examples: sql-dev-01

4.2 Reliability — 75/100 (Fair)

REL-001: VM has no zone or availability set

Severity: **Medium** Affected: 15 of 24 evaluated resources

Recommendation: Deploy production VMs across availability zones or in a scale set / availability set.

Examples: vm-dev-000, vm-dev-001, vm-dev-002, vm-dev-003, vm-dev-004 ...

REL-003: Storage account uses locally redundant replication

Severity: **Low** Affected: 3 of 10 evaluated resources

Recommendation: Use ZRS/GZRS for production data that needs zone or regional resilience.

Examples: stdevdata02, stprddata00, stprddata04

REL-004: SQL database not zone redundant

Severity: **Low** Affected: 3 of 6 evaluated resources

Recommendation: Enable zone redundancy on business-critical databases.

Examples: sql-dev-01/db1, sql-dev-01/db2, sql-prd-01/db1

4.3 Cost Optimization — 78/100 (Fair)

COST-003: VM stopped but not deallocated

Severity: **High** Affected: 4 of 24 evaluated resources

Recommendation: Deallocate stopped VMs (Stop from the portal/CLI) or schedule auto-shutdown.

Examples: vm-dev-006, vm-dev-009, vm-prd-000, vm-prd-001

COST-001: Unattached managed disk

Severity: **Medium** Affected: 10 of 34 evaluated resources

Recommendation: Snapshot if required, then delete orphaned disks.

Examples: disk-dev-orphan-0, disk-dev-orphan-1, disk-dev-orphan-2, disk-dev-orphan-3, disk-prd-orphan-0 ...

COST-005: Empty App Service plan

Severity: **Medium** Affected: 2 of 4 evaluated resources

Recommendation: Delete or consolidate App Service plans with no apps.

Examples: asp-dev-00, asp-dev-01

COST-002: Unassociated public IP address

Severity: **Low** Affected: 2 of 6 evaluated resources

Recommendation: Release public IPs that are not attached to any resource.

Examples: pip-eastus-0, pip-westeuropa-0

COST-004: Deallocated VM

Severity: **Low** Affected: 1 of 24 evaluated resources

Recommendation: Confirm the VM is still needed; delete it and its disks if not.

Examples: vm-prd-008

4.4 Operational Excellence — 73/100 (Fair)

OPS-001: Previous-generation VM size

Severity: **Low** Affected: 5 of 24 evaluated resources

Recommendation: Resize to current generation (v5/v6) SKUs for better price-performance.

Examples: vm-dev-006, vm-prd-001, vm-prd-002, vm-prd-004, vm-prd-008

OPS-002: Log Analytics retention below target

Severity: **Low** Affected: 2 of 2 evaluated resources

Recommendation: Increase retention or archive to meet audit and investigation requirements.

Examples: log-dev-01, log-prd-01

4.5 Governance — 84/100 (Good)

GOV-003: Classic (ASM) resource in use

Severity: **High** Affected: 1 of 1 evaluated resources

Recommendation: Migrate classic resources to Azure Resource Manager before platform retirement.

Examples: legacy-cloudservice

GOV-001: Required tags missing

Severity: **Medium** Affected: 34 of 133 evaluated resources

Recommendation: Enforce the tagging standard with Azure Policy (Require/Inherit a tag) and back-fill existing resources.

Examples: app-prd-01, asp-dev-00, asp-dev-01, disk-dev-orphan-0, disk-prd-orphan-3 ...

GOV-002: Resource outside approved regions

Severity: **Medium** Affected: 8 of 133 evaluated resources

Recommendation: Apply the 'Allowed locations' policy and plan migration of out-of-policy resources.

Examples: disk-dev-orphan-2, disk-prd-orphan-3, nic-prd-012, sql-prd-01, stprddata00 ...

5. Remediation roadmap

0-30 days (quick wins & critical risk)

ID	Action	Severity	Pillar	Resources
SEC-001	Enable 'Secure transfer required' on the storage account.	High	Security	4
SEC-002	Set allowBlobPublicAccess to false and use SAS or Entra ID for access.	High	Security	4
COST-003	Deallocate stopped VMs (Stop from the portal/CLI) or schedule auto-shutdown.	High	Cost Optimization	4
SEC-006	Enable 'HTTPS Only' on the App Service.	High	Security	2
SEC-007	Remove Internet-sourced RDP/SSH rules; use Azure Bastion or Just-in-Time VM access.	High	Security	2
GOV-	Migrate classic resources to Azure Resource	High	Governance	1

ID	Action	Severity	Pillar	Resources
003	Manager before platform retirement.			
COST-001	Snapshot if required, then delete orphaned disks.	Medium	Cost Optimization	10
COST-005	Delete or consolidate App Service plans with no apps.	Medium	Cost Optimization	2
COST-002	Release public IPs that are not attached to any resource.	Low	Cost Optimization	2
COST-004	Confirm the VM is still needed; delete it and its disks if not.	Low	Cost Optimization	1

30-60 days

ID	Action	Severity	Pillar	Resources
GOV-001	Enforce the tagging standard with Azure Policy (Require/Inherit a tag) and back-fill existing resources.	Medium	Governance	34
REL-001	Deploy production VMs across availability zones or in a scale set / availability set.	Medium	Reliability	15
GOV-002	Apply the 'Allowed locations' policy and plan migration of out-of-policy resources.	Medium	Governance	8
SEC-003	Set minimum TLS version to 1.2.	Medium	Security	2
SEC-004	Enable purge protection to guard secrets and keys against malicious or accidental deletion.	Medium	Security	1
SEC-005	Disable public network access and connect through Private Endpoints.	Medium	Security	1

60-90 days

ID	Action	Severity	Pillar	Resources
OPS-001	Resize to current generation (v5/v6) SKUs for better price-performance.	Low	Operational Excellence	5
REL-003	Use ZRS/GZRS for production data that needs zone or regional resilience.	Low	Reliability	3
REL-004	Enable zone redundancy on business-critical databases.	Low	Reliability	3
OPS-002	Increase retention or archive to meet audit and investigation requirements.	Low	Operational Excellence	2

Appendix A. Detailed findings

Rule	Severity	Resource	Type	Resource group	Subscription	Detail
COST-003	High	vm-dev-006	Virtual machines	rg-dev-app03	Contoso-NonProduction	VM is stopped but still allocated (compute is billed)
COST-003	High	vm-dev-009	Virtual machines	rg-dev-app02	Contoso-NonProduction	VM is stopped but still allocated (compute is billed)
COST-003	High	vm-prd-000	Virtual machines	rg-prd-app01	Contoso-Production	VM is stopped but still allocated (compute is billed)
COST-003	High	vm-prd-001	Virtual machines	rg-prd-app02	Contoso-Production	VM is stopped but still allocated (compute is billed)
GOV-003	High	legacy-cloudservice	Classic cloud services	rg-legacy	Contoso-Connectivity	Classic (ASM) deployment model resource
SEC-001	High	stdevdata01	Storage accounts	rg-dev-data	Contoso-NonProduction	HTTP traffic is permitted
SEC-001	High	stdevdata03	Storage accounts	rg-dev-data	Contoso-NonProduction	HTTP traffic is permitted
SEC-001	High	stprddata03	Storage accounts	rg-prd-data	Contoso-Production	HTTP traffic is permitted
SEC-001	High	stprddata04	Storage accounts	rg-prd-data	Contoso-Production	HTTP traffic is permitted
SEC-002	High	stdevdata00	Storage accounts	rg-dev-data	Contoso-NonProduction	Anonymous blob access is allowed
SEC-002	High	stdevdata01	Storage accounts	rg-dev-data	Contoso-NonProduction	Anonymous blob access is allowed
SEC-002	High	stprddata02	Storage accounts	rg-prd-data	Contoso-Production	Anonymous blob access is allowed
SEC-002	High	stprddata04	Storage accounts	rg-prd-data	Contoso-Production	Anonymous blob access is allowed
SEC-006	High	app-dev-01	App Services	rg-dev-web	Contoso-NonProduction	HTTPS-only is not enforced
SEC-006	High	app-dev-02	App Services	rg-dev-web	Contoso-NonProduction	HTTPS-only is not enforced
SEC-007	High	nsg-mgmt-eastus	Network security groups	rg-hub-eastus	Contoso-Connectivity	Internet-exposed management ports: allow-rdp (3389)
SEC-007	High	nsg-mgmt-westeuropa	Network security groups	rg-hub-westeuropa	Contoso-Connectivity	Internet-exposed management ports: allow-rdp (3389)
COST-001	Medium	disk-dev-orphan-0	Managed disks	rg-dev-app01	Contoso-NonProduction	Unattached Premium_LRS disk, 128 GB
COST-001	Medium	disk-dev-orphan-1	Managed disks	rg-dev-app01	Contoso-NonProduction	Unattached Premium_LRS disk, 64 GB
COST-001	Medium	disk-dev-orphan-2	Managed disks	rg-dev-app01	Contoso-NonProduction	Unattached StandardSSD_LRS disk, 64 GB
COST-001	Medium	disk-dev-orphan-3	Managed disks	rg-dev-app01	Contoso-NonProduction	Unattached Premium_LRS disk, 64 GB
COST-001	Medium	disk-prd-orphan-0	Managed disks	rg-prd-app01	Contoso-Production	Unattached StandardSSD_LRS disk, 64 GB
COST-001	Medium	disk-prd-orphan-1	Managed disks	rg-prd-app01	Contoso-Production	Unattached Premium_LRS disk, 512 GB
COST-001	Medium	disk-prd-orphan-2	Managed disks	rg-prd-app01	Contoso-Production	Unattached Premium_LRS disk, 512 GB
COST-001	Medium	disk-prd-orphan-3	Managed disks	rg-prd-app01	Contoso-Production	Unattached Premium_LRS disk, 128 GB
COST-001	Medium	disk-prd-orphan-4	Managed disks	rg-prd-app01	Contoso-Production	Unattached StandardSSD_LRS disk, 256 GB
COST-001	Medium	disk-prd-orphan-5	Managed disks	rg-prd-app01	Contoso-Production	Unattached Premium_LRS disk, 64 GB
COST-005	Medium	asp-dev-00	App Service plans	rg-dev-web	Contoso-NonProduction	App Service plan hosts no apps
COST-005	Medium	asp-dev-01	App Service plans	rg-dev-web	Contoso-NonProduction	App Service plan hosts no apps
GOV-001	Medium	app-prd-01	App Services	rg-prd-web	Contoso-Production	Missing tag(s): environment, owner
GOV-001	Medium	asp-dev-00	App Service plans	rg-dev-web	Contoso-NonProduction	Missing tag(s): environment, owner
GOV-001	Medium	asp-dev-01	App Service plans	rg-dev-web	Contoso-NonProduction	Missing tag(s): environment, owner
GOV-001	Medium	disk-dev-orphan-0	Managed disks	rg-dev-app01	Contoso-NonProduction	Missing tag(s): costCenter
GOV-001	Medium	disk-prd-orphan-3	Managed disks	rg-prd-app01	Contoso-Production	Missing tag(s): costCenter
GOV-001	Medium	kv-prd-00	Key vaults	rg-prd-sec	Contoso-Production	Missing tag(s): environment, owner, costCenter

Rule	Severity	Resource	Type	Resource group	Subscription	Detail
GOV-001	Medium	kv-prd-01	Key vaults	rg-prd-sec	Contoso-Production	Missing tag(s): costCenter
GOV-001	Medium	nic-dev-002	Network interfaces	rg-dev-app03	Contoso-NonProduction	Missing tag(s): environment, owner, costCenter
GOV-001	Medium	nic-dev-004	Network interfaces	rg-dev-app01	Contoso-NonProduction	Missing tag(s): environment, owner, costCenter
GOV-001	Medium	nic-dev-005	Network interfaces	rg-dev-app02	Contoso-NonProduction	Missing tag(s): environment
GOV-001	Medium	nic-dev-006	Network interfaces	rg-dev-app03	Contoso-NonProduction	Missing tag(s): owner, costCenter
GOV-001	Medium	nic-prd-003	Network interfaces	rg-prd-app04	Contoso-Production	Missing tag(s): environment, costCenter
GOV-001	Medium	nic-prd-006	Network interfaces	rg-prd-app03	Contoso-Production	Missing tag(s): environment, owner
GOV-001	Medium	nsg-app-westeuropa	Network security groups	rg-hub-westeuropa	Contoso-Connectivity	Missing tag(s): environment, owner, costCenter
GOV-001	Medium	pip-eastus-0	Public IP addresses	rg-hub-eastus	Contoso-Connectivity	Missing tag(s): environment, owner, costCenter
GOV-001	Medium	pip-eastus-1	Public IP addresses	rg-hub-eastus	Contoso-Connectivity	Missing tag(s): owner, costCenter
GOV-001	Medium	pip-eastus-2	Public IP addresses	rg-hub-eastus	Contoso-Connectivity	Missing tag(s): environment, owner
GOV-001	Medium	sql-dev-01	SQL servers	rg-dev-data	Contoso-NonProduction	Missing tag(s): environment, costCenter
GOV-001	Medium	stdevdata02	Storage accounts	rg-dev-data	Contoso-NonProduction	Missing tag(s): environment, owner, costCenter
GOV-001	Medium	stprddata04	Storage accounts	rg-prd-data	Contoso-Production	Missing tag(s): environment, owner
GOV-001	Medium	vm-dev-003	Virtual machines	rg-dev-app04	Contoso-NonProduction	Missing tag(s): owner, costCenter
GOV-001	Medium	vm-dev-003_OsDisk	Managed disks	rg-dev-app04	Contoso-NonProduction	Missing tag(s): environment, owner, costCenter
GOV-001	Medium	vm-dev-006	Virtual machines	rg-dev-app03	Contoso-NonProduction	Missing tag(s): environment, owner, costCenter
GOV-001	Medium	vm-dev-008	Virtual machines	rg-dev-app01	Contoso-NonProduction	Missing tag(s): environment, owner, costCenter
GOV-001	Medium	vm-prd-000_OsDisk	Managed disks	rg-prd-app01	Contoso-Production	Missing tag(s): environment, owner, costCenter
GOV-001	Medium	vm-prd-001	Virtual machines	rg-prd-app02	Contoso-Production	Missing tag(s): environment, owner, costCenter
GOV-001	Medium	vm-prd-003_OsDisk	Managed disks	rg-prd-app04	Contoso-Production	Missing tag(s): environment, owner, costCenter
GOV-001	Medium	vm-prd-004	Virtual machines	rg-prd-app01	Contoso-Production	Missing tag(s): environment, owner
GOV-001	Medium	vm-prd-005_OsDisk	Managed disks	rg-prd-app02	Contoso-Production	Missing tag(s): environment, owner, costCenter
GOV-001	Medium	vm-prd-007_OsDisk	Managed disks	rg-prd-app04	Contoso-Production	Missing tag(s): environment, owner, costCenter
GOV-001	Medium	vm-prd-009	Virtual machines	rg-prd-app02	Contoso-Production	Missing tag(s): environment, owner, costCenter
GOV-001	Medium	vm-prd-009_OsDisk	Managed disks	rg-prd-app02	Contoso-Production	Missing tag(s): costCenter
GOV-001	Medium	vm-prd-010	Virtual machines	rg-prd-app03	Contoso-Production	Missing tag(s): environment, owner, costCenter
GOV-001	Medium	vm-prd-013_OsDisk	Managed disks	rg-prd-app02	Contoso-Production	Missing tag(s): environment, owner, costCenter
GOV-002	Medium	disk-dev-orphan-2	Managed disks	rg-dev-app01	Contoso-NonProduction	Deployed in 'centralindia', outside approved regions
GOV-002	Medium	disk-prd-orphan-3	Managed disks	rg-prd-app01	Contoso-Production	Deployed in 'centralindia', outside approved regions
GOV-002	Medium	nic-prd-012	Network interfaces	rg-prd-app01	Contoso-Production	Deployed in 'centralindia', outside approved regions
GOV-002	Medium	sql-prd-01	SQL servers	rg-prd-data	Contoso-Production	Deployed in 'centralindia', outside approved regions
GOV-002	Medium	stprddata00	Storage accounts	rg-prd-data	Contoso-Production	Deployed in 'centralindia', outside approved regions
GOV-002	Medium	stprddata02	Storage accounts	rg-prd-data	Contoso-Production	Deployed in 'centralindia', outside approved regions
GOV-002	Medium	vm-prd-012	Virtual machines	rg-prd-app01	Contoso-Production	Deployed in 'centralindia', outside approved regions
GOV-002	Medium	vm-prd-012_OsDisk	Managed disks	rg-prd-app01	Contoso-Production	Deployed in 'centralindia', outside approved regions
REL-001	Medium	vm-dev-000	Virtual machines	rg-dev-app01	Contoso-NonProduction	Not deployed to an availability zone, availability set or scale set

Rule	Severity	Resource	Type	Resource group	Subscription	Detail
REL-001	Medium	vm-dev-001	Virtual machines	rg-dev-app02	Contoso-NonProduction	Not deployed to an availability zone, availability set or scale set
REL-001	Medium	vm-dev-002	Virtual machines	rg-dev-app03	Contoso-NonProduction	Not deployed to an availability zone, availability set or scale set
REL-001	Medium	vm-dev-003	Virtual machines	rg-dev-app04	Contoso-NonProduction	Not deployed to an availability zone, availability set or scale set
REL-001	Medium	vm-dev-004	Virtual machines	rg-dev-app01	Contoso-NonProduction	Not deployed to an availability zone, availability set or scale set
REL-001	Medium	vm-dev-005	Virtual machines	rg-dev-app02	Contoso-NonProduction	Not deployed to an availability zone, availability set or scale set
REL-001	Medium	vm-dev-006	Virtual machines	rg-dev-app03	Contoso-NonProduction	Not deployed to an availability zone, availability set or scale set
REL-001	Medium	vm-dev-007	Virtual machines	rg-dev-app04	Contoso-NonProduction	Not deployed to an availability zone, availability set or scale set
REL-001	Medium	vm-dev-008	Virtual machines	rg-dev-app01	Contoso-NonProduction	Not deployed to an availability zone, availability set or scale set
REL-001	Medium	vm-dev-009	Virtual machines	rg-dev-app02	Contoso-NonProduction	Not deployed to an availability zone, availability set or scale set
REL-001	Medium	vm-prd-003	Virtual machines	rg-prd-app04	Contoso-Production	Not deployed to an availability zone, availability set or scale set
REL-001	Medium	vm-prd-004	Virtual machines	rg-prd-app01	Contoso-Production	Not deployed to an availability zone, availability set or scale set
REL-001	Medium	vm-prd-006	Virtual machines	rg-prd-app03	Contoso-Production	Not deployed to an availability zone, availability set or scale set
REL-001	Medium	vm-prd-007	Virtual machines	rg-prd-app04	Contoso-Production	Not deployed to an availability zone, availability set or scale set
REL-001	Medium	vm-prd-009	Virtual machines	rg-prd-app02	Contoso-Production	Not deployed to an availability zone, availability set or scale set
SEC-003	Medium	stdevdata02	Storage accounts	rg-dev-data	Contoso-NonProduction	Minimum TLS version is TLS1_0
SEC-003	Medium	stdevdata04	Storage accounts	rg-dev-data	Contoso-NonProduction	Minimum TLS version is TLS1_0
SEC-004	Medium	kv-dev-00	Key vaults	rg-dev-sec	Contoso-NonProduction	Purge protection is disabled
SEC-005	Medium	sql-dev-01	SQL servers	rg-dev-data	Contoso-NonProduction	Public network access is enabled
COST-002	Low	pip-eastus-0	Public IP addresses	rg-hub-eastus	Contoso-Connectivity	Public IP is not associated with any resource
COST-002	Low	pip-westeuropa-0	Public IP addresses	rg-hub-westeuropa	Contoso-Connectivity	Public IP is not associated with any resource
COST-004	Low	vm-prd-008	Virtual machines	rg-prd-app01	Contoso-Production	VM is deallocated; disks and IPs still incur cost
OPS-001	Low	vm-dev-006	Virtual machines	rg-dev-app03	Contoso-NonProduction	Previous-generation size Standard_A2_v2
OPS-001	Low	vm-prd-001	Virtual machines	rg-prd-app02	Contoso-Production	Previous-generation size Standard_DS2_v2
OPS-001	Low	vm-prd-002	Virtual machines	rg-prd-app03	Contoso-Production	Previous-generation size Standard_A2_v2
OPS-001	Low	vm-prd-004	Virtual machines	rg-prd-app01	Contoso-Production	Previous-generation size Standard_DS2_v2
OPS-001	Low	vm-prd-008	Virtual machines	rg-prd-app01	Contoso-Production	Previous-generation size Standard_A2_v2
OPS-002	Low	log-dev-01	Log Analytics workspaces	rg-dev-mon	Contoso-NonProduction	Retention is 30 days (target ≥ 90)
OPS-002	Low	log-prd-01	Log Analytics workspaces	rg-prd-mon	Contoso-Production	Retention is 30 days (target ≥ 90)
REL-003	Low	stdevdata02	Storage accounts	rg-dev-data	Contoso-NonProduction	Replication is Standard_LRS (single datacenter)
REL-003	Low	stprddata00	Storage accounts	rg-prd-data	Contoso-Production	Replication is Standard_LRS (single datacenter)
REL-003	Low	stprddata04	Storage accounts	rg-prd-data	Contoso-Production	Replication is Standard_LRS (single datacenter)

Rule	Severity	Resource	Type	Resource group	Subscription	Detail
REL-004	Low	sql-dev-01/db1	SQL databases	rg-dev-data	Contoso-NonProduction	Database is not zone redundant
REL-004	Low	sql-dev-01/db2	SQL databases	rg-dev-data	Contoso-NonProduction	Database is not zone redundant
REL-004	Low	sql-prd-01/db1	SQL databases	rg-prd-data	Contoso-Production	Database is not zone redundant

Appendix B. Resource inventory

Name	Type	Resource group	Location	Subscription	SKU
afw-hub-eastus	Azure Firewalls	rg-hub-eastus	eastus	Contoso-Connectivity	
nsg-app-eastus	Network security groups	rg-hub-eastus	eastus	Contoso-Connectivity	
nsg-mgmt-eastus	Network security groups	rg-hub-eastus	eastus	Contoso-Connectivity	
pip-eastus-0	Public IP addresses	rg-hub-eastus	eastus	Contoso-Connectivity	Standard
pip-eastus-1	Public IP addresses	rg-hub-eastus	eastus	Contoso-Connectivity	Standard
pip-eastus-2	Public IP addresses	rg-hub-eastus	eastus	Contoso-Connectivity	Standard
vnet-hub-eastus	Virtual networks	rg-hub-eastus	eastus	Contoso-Connectivity	
afw-hub-westeuropa	Azure Firewalls	rg-hub-westeuropa	westeuropa	Contoso-Connectivity	
nsg-app-westeuropa	Network security groups	rg-hub-westeuropa	westeuropa	Contoso-Connectivity	
nsg-mgmt-westeuropa	Network security groups	rg-hub-westeuropa	westeuropa	Contoso-Connectivity	
pip-westeuropa-0	Public IP addresses	rg-hub-westeuropa	westeuropa	Contoso-Connectivity	Standard
pip-westeuropa-1	Public IP addresses	rg-hub-westeuropa	westeuropa	Contoso-Connectivity	Standard
pip-westeuropa-2	Public IP addresses	rg-hub-westeuropa	westeuropa	Contoso-Connectivity	Standard
vnet-hub-westeuropa	Virtual networks	rg-hub-westeuropa	westeuropa	Contoso-Connectivity	
legacy-cloudservice	Classic cloud services	rg-legacy	eastus	Contoso-Connectivity	
disk-dev-orphan-0	Managed disks	rg-dev-app01	westeuropa	Contoso-NonProduction	Premium_LRS
disk-dev-orphan-1	Managed disks	rg-dev-app01	westeuropa	Contoso-NonProduction	Premium_LRS
disk-dev-orphan-2	Managed disks	rg-dev-app01	centralindia	Contoso-NonProduction	StandardSSD_LRS
disk-dev-orphan-3	Managed disks	rg-dev-app01	eastus	Contoso-NonProduction	Premium_LRS
vm-dev-000_OsDisk	Managed disks	rg-dev-app01	eastus	Contoso-NonProduction	Premium_LRS
vm-dev-004_OsDisk	Managed disks	rg-dev-app01	eastus	Contoso-NonProduction	Premium_LRS
vm-dev-008_OsDisk	Managed disks	rg-dev-app01	eastus	Contoso-NonProduction	Premium_LRS
vm-dev-000	Virtual machines	rg-dev-app01	eastus	Contoso-NonProduction	
vm-dev-004	Virtual machines	rg-dev-app01	eastus	Contoso-NonProduction	
vm-dev-008	Virtual machines	rg-dev-app01	eastus	Contoso-NonProduction	
nic-dev-000	Network interfaces	rg-dev-app01	eastus	Contoso-NonProduction	
nic-dev-004	Network interfaces	rg-dev-app01	eastus	Contoso-NonProduction	
nic-dev-008	Network interfaces	rg-dev-app01	eastus	Contoso-NonProduction	
vm-dev-001_OsDisk	Managed disks	rg-dev-app02	uksouth	Contoso-NonProduction	Premium_LRS
vm-dev-005_OsDisk	Managed disks	rg-dev-app02	uksouth	Contoso-NonProduction	Premium_LRS
vm-dev-009_OsDisk	Managed disks	rg-dev-app02	uksouth	Contoso-NonProduction	Premium_LRS

Name	Type	Resource group	Location	Subscription	SKU
vm-dev-001	Virtual machines	rg-dev-app02	uksouth	Contoso-NonProduction	
vm-dev-005	Virtual machines	rg-dev-app02	uksouth	Contoso-NonProduction	
vm-dev-009	Virtual machines	rg-dev-app02	uksouth	Contoso-NonProduction	
nic-dev-001	Network interfaces	rg-dev-app02	uksouth	Contoso-NonProduction	
nic-dev-005	Network interfaces	rg-dev-app02	uksouth	Contoso-NonProduction	
nic-dev-009	Network interfaces	rg-dev-app02	uksouth	Contoso-NonProduction	
vm-dev-002_OsDisk	Managed disks	rg-dev-app03	eastus	Contoso-NonProduction	Premium_LRS
vm-dev-006_OsDisk	Managed disks	rg-dev-app03	uksouth	Contoso-NonProduction	Premium_LRS
vm-dev-002	Virtual machines	rg-dev-app03	eastus	Contoso-NonProduction	
vm-dev-006	Virtual machines	rg-dev-app03	uksouth	Contoso-NonProduction	
nic-dev-002	Network interfaces	rg-dev-app03	eastus	Contoso-NonProduction	
nic-dev-006	Network interfaces	rg-dev-app03	uksouth	Contoso-NonProduction	
vm-dev-003_OsDisk	Managed disks	rg-dev-app04	eastus	Contoso-NonProduction	Premium_LRS
vm-dev-007_OsDisk	Managed disks	rg-dev-app04	eastus	Contoso-NonProduction	Premium_LRS
vm-dev-003	Virtual machines	rg-dev-app04	eastus	Contoso-NonProduction	
vm-dev-007	Virtual machines	rg-dev-app04	eastus	Contoso-NonProduction	
nic-dev-003	Network interfaces	rg-dev-app04	eastus	Contoso-NonProduction	
nic-dev-007	Network interfaces	rg-dev-app04	eastus	Contoso-NonProduction	
sql-dev-01	SQL servers	rg-dev-data	uksouth	Contoso-NonProduction	
sql-dev-01/db0	SQL databases	rg-dev-data	westeurope	Contoso-NonProduction	Basic
sql-dev-01/db1	SQL databases	rg-dev-data	uksouth	Contoso-NonProduction	S1
sql-dev-01/db2	SQL databases	rg-dev-data	westeurope	Contoso-NonProduction	S1
stdevdata00	Storage accounts	rg-dev-data	westeurope	Contoso-NonProduction	Standard_GRS
stdevdata01	Storage accounts	rg-dev-data	eastus	Contoso-NonProduction	Standard_GRS
stdevdata02	Storage accounts	rg-dev-data	westeurope	Contoso-NonProduction	Standard_LRS
stdevdata03	Storage accounts	rg-dev-data	westeurope	Contoso-NonProduction	Standard_ZRS
stdevdata04	Storage accounts	rg-dev-data	westeurope	Contoso-NonProduction	Standard_GRS
log-dev-01	Log Analytics workspaces	rg-dev-mon	uksouth	Contoso-NonProduction	
kv-dev-00	Key vaults	rg-dev-sec	westeurope	Contoso-NonProduction	
kv-dev-01	Key vaults	rg-dev-sec	eastus	Contoso-NonProduction	
asp-dev-00	App Service plans	rg-dev-web	eastus	Contoso-NonProduction	S1
asp-dev-01	App Service plans	rg-dev-web	eastus	Contoso-NonProduction	B1
app-dev-00	App Services	rg-dev-web	westeurope	Contoso-NonProduction	
app-dev-01	App Services	rg-dev-web	eastus	Contoso-NonProduction	
app-dev-02	App Services	rg-dev-web	eastus	Contoso-NonProduction	
app-dev-03	App Services	rg-dev-web	uksouth	Contoso-NonProduction	
disk-prd-orphan-0	Managed disks	rg-prd-app01	uksouth	Contoso-Production	StandardSSD_LRS
disk-prd-orphan-1	Managed disks	rg-prd-app01	westeurope	Contoso-Production	Premium_LRS
disk-prd-orphan-2	Managed disks	rg-prd-app01	eastus	Contoso-Production	Premium_LRS
disk-prd-orphan-3	Managed disks	rg-prd-app01	centralindia	Contoso-Production	Premium_LRS

Name	Type	Resource group	Location	Subscription	SKU
disk-prd-orphan-4	Managed disks	rg-prd-app01	eastus	Contoso-Production	StandardSSD_LRS
disk-prd-orphan-5	Managed disks	rg-prd-app01	westeurope	Contoso-Production	Premium_LRS
vm-prd-000_OsDisk	Managed disks	rg-prd-app01	westeurope	Contoso-Production	Premium_LRS
vm-prd-004_OsDisk	Managed disks	rg-prd-app01	westeurope	Contoso-Production	Premium_LRS
vm-prd-008_OsDisk	Managed disks	rg-prd-app01	uksouth	Contoso-Production	Premium_LRS
vm-prd-012_OsDisk	Managed disks	rg-prd-app01	centralindia	Contoso-Production	Premium_LRS
vm-prd-000	Virtual machines	rg-prd-app01	westeurope	Contoso-Production	
vm-prd-004	Virtual machines	rg-prd-app01	westeurope	Contoso-Production	
vm-prd-008	Virtual machines	rg-prd-app01	uksouth	Contoso-Production	
vm-prd-012	Virtual machines	rg-prd-app01	centralindia	Contoso-Production	
nic-prd-000	Network interfaces	rg-prd-app01	westeurope	Contoso-Production	
nic-prd-004	Network interfaces	rg-prd-app01	westeurope	Contoso-Production	
nic-prd-008	Network interfaces	rg-prd-app01	uksouth	Contoso-Production	
nic-prd-012	Network interfaces	rg-prd-app01	centralindia	Contoso-Production	
vm-prd-001_OsDisk	Managed disks	rg-prd-app02	eastus	Contoso-Production	Premium_LRS
vm-prd-005_OsDisk	Managed disks	rg-prd-app02	eastus	Contoso-Production	Premium_LRS
vm-prd-009_OsDisk	Managed disks	rg-prd-app02	eastus	Contoso-Production	Premium_LRS
vm-prd-013_OsDisk	Managed disks	rg-prd-app02	westeurope	Contoso-Production	Premium_LRS
vm-prd-001	Virtual machines	rg-prd-app02	eastus	Contoso-Production	
vm-prd-005	Virtual machines	rg-prd-app02	eastus	Contoso-Production	
vm-prd-009	Virtual machines	rg-prd-app02	eastus	Contoso-Production	
vm-prd-013	Virtual machines	rg-prd-app02	westeurope	Contoso-Production	
nic-prd-001	Network interfaces	rg-prd-app02	eastus	Contoso-Production	
nic-prd-005	Network interfaces	rg-prd-app02	eastus	Contoso-Production	
nic-prd-009	Network interfaces	rg-prd-app02	eastus	Contoso-Production	
nic-prd-013	Network interfaces	rg-prd-app02	westeurope	Contoso-Production	
vm-prd-002_OsDisk	Managed disks	rg-prd-app03	uksouth	Contoso-Production	Premium_LRS
vm-prd-006_OsDisk	Managed disks	rg-prd-app03	eastus	Contoso-Production	Premium_LRS
vm-prd-010_OsDisk	Managed disks	rg-prd-app03	westeurope	Contoso-Production	Premium_LRS
vm-prd-002	Virtual machines	rg-prd-app03	uksouth	Contoso-Production	
vm-prd-006	Virtual machines	rg-prd-app03	eastus	Contoso-Production	
vm-prd-010	Virtual machines	rg-prd-app03	westeurope	Contoso-Production	
nic-prd-002	Network interfaces	rg-prd-app03	uksouth	Contoso-Production	
nic-prd-006	Network interfaces	rg-prd-app03	eastus	Contoso-Production	
nic-prd-010	Network interfaces	rg-prd-app03	westeurope	Contoso-Production	
vm-prd-003_OsDisk	Managed disks	rg-prd-app04	westeurope	Contoso-Production	Premium_LRS
vm-prd-007_OsDisk	Managed disks	rg-prd-app04	eastus	Contoso-Production	Premium_LRS
vm-prd-011_OsDisk	Managed disks	rg-prd-app04	uksouth	Contoso-Production	Premium_LRS
vm-prd-003	Virtual machines	rg-prd-app04	westeurope	Contoso-Production	

Name	Type	Resource group	Location	Subscription	SKU
vm-prd-007	Virtual machines	rg-prd-app04	eastus	Contoso-Production	
vm-prd-011	Virtual machines	rg-prd-app04	uksouth	Contoso-Production	
nic-prd-003	Network interfaces	rg-prd-app04	westeurope	Contoso-Production	
nic-prd-007	Network interfaces	rg-prd-app04	eastus	Contoso-Production	
nic-prd-011	Network interfaces	rg-prd-app04	uksouth	Contoso-Production	
sql-prd-01	SQL servers	rg-prd-data	centralindia	Contoso-Production	
sql-prd-01/db0	SQL databases	rg-prd-data	eastus	Contoso-Production	GP_Gen5_2
sql-prd-01/db1	SQL databases	rg-prd-data	eastus	Contoso-Production	S1
sql-prd-01/db2	SQL databases	rg-prd-data	eastus	Contoso-Production	Basic
stprddata00	Storage accounts	rg-prd-data	centralindia	Contoso-Production	Standard_LRS
stprddata01	Storage accounts	rg-prd-data	westeurope	Contoso-Production	Standard_GRS
stprddata02	Storage accounts	rg-prd-data	centralindia	Contoso-Production	Standard_ZRS
stprddata03	Storage accounts	rg-prd-data	eastus	Contoso-Production	Standard_ZRS
stprddata04	Storage accounts	rg-prd-data	eastus	Contoso-Production	Standard_LRS
log-prd-01	Log Analytics workspaces	rg-prd-mon	eastus	Contoso-Production	
kv-prd-00	Key vaults	rg-prd-sec	eastus	Contoso-Production	
kv-prd-01	Key vaults	rg-prd-sec	westeurope	Contoso-Production	
asp-prd-00	App Service plans	rg-prd-web	westeurope	Contoso-Production	P1v3
asp-prd-01	App Service plans	rg-prd-web	westeurope	Contoso-Production	P1v3
app-prd-00	App Services	rg-prd-web	eastus	Contoso-Production	
app-prd-01	App Services	rg-prd-web	eastus	Contoso-Production	
app-prd-02	App Services	rg-prd-web	westeurope	Contoso-Production	
app-prd-03	App Services	rg-prd-web	eastus	Contoso-Production	